

Кинообъективы, кинематографические объективы SZR, SPR, SP, Supreme Prime Radiance, Supreme Prime, NANO PRIME, Compact Prime CP.3, Compact Prime CP.3 XD, Cinema Zoom, Compact Zoom CZ.2, Lightweight Zoom LWZ.3

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: zsf@nt-rt.ru || сайт: <https://zeiss.nt-rt.ru/>



Seeing beyond



ZEISS SUPREME LENSES

ZEISS Supreme Prime

Opening up new dimensions.

With 14 focal lengths from 15 mm to 200 mm, the ZEISS Supreme Prime lenses unite coverage up to Full Frame and beyond with high speed in a small, lightweight lens.

Their look is characterized by a gentle sharpness and a very smooth transition between the in-focus and out-of-focus areas. The Supreme Primes give the creator absolute control over the image by revealing subtle nuanced details in deep shadows and bright highlights.





"The Circle", shot on ZEISS Supreme Prime 15 mm by Toshihiko Kizu

A Versatile Look and Gentle Sharpness

The ZEISS Supreme Primes possess a look, which ensures freedom in creating the look you want to achieve. With captivating clarity, they ensure that you can capture every detail in the expression on an actor's face to convey and emphasize emotion.

Especially when capturing crucial textures such as skin tones, the unique quality of the ZEISS Supreme Prime lenses is a gentle sharpness that renders a crisp but organic look.

Cinematic Sensor Coverage and High Speed

Coverage for Super 35, Full Frame and larger sensors make ZEISS Supreme Primes them the ideal choice for current and future camera systems. With most lenses at T1.5, they demonstrate their unsurpassed craftsmanship in tricky low-light environments. They give the creator absolute control by revealing subtly nuanced details in deep shadows and bright highlights.

Aesthetic Fall-off and Elegant Bokeh

A very smooth transition between in-focus and out of focus areas characterize the look of the ZEISS Supreme Prime lenses. This adds richer texture and greater depth to the image. The lenses are developed for modern digital cinematography with cutting-edge optics and key enhancements to aid the HDR process.

They maintain dynamic range and micro contrast levels fine-tuned to bring out details in the shadows and the mids.

Full Lens Data Support

Supreme Prime lenses are equipped with the ZEISS eXtended Data technology, providing frame-by-frame data on lens vignetting and distortion in addition to the standard metadata provided using the Cooke /i technology protocol. This simplifies and speeds up workflows, particularly for VFX and Virtual Production.

Furthermore, the lenses are integrated into the ZEISS CinCraft ecosystem and available through the "ZEISS Supreme Lenses" Virtual Lens Package (VLP) that comes free of charge with the CinCraft Scenario camera tracking system and allows for skipping the laborious lens calibration process, when shooting with the Radiance Zooms.

ZEISS Supreme Prime Radiance

Beautiful Look. Full Control.

ZEISS Supreme Prime Radiance lenses enable cinematographers to create beautiful, consistent and controlled flares in the image while maintaining contrast and avoiding transmission loss. In addition, they offer slightly warmer colors than regular Supreme Primes, but still pair very well with them.

Radiance Primes come in 11 focal lengths from 18 mm to 135 mm and offer all the attributes of a modern cinema lens: coverage up to Full Frame and beyond, high speed of T1.5, robustness and smooth and reliable focus.





"All Blood Runs Red", shot on ZEISS Supreme Prime Radiance by Eric Dumont, AFC

Adding More Character to Your Images

The ZEISS Supreme Prime Radiance lenses enable cinematographers to create beautiful and consistent flares but with one key ability – control. This is made possible by our lens coating T* blue. Under regular lighting, Supreme Prime Radiance render like modern and versatile cinematography lenses. With appropriate lighting however, the lenses start to flare. Cinematographers can decide and plan when they want to create flares rather than rely on unforeseen effects.

T* blue - A new Coating for a new Look

We wanted to understand what is so appealing about lens flares and the look that comes with them. We talked to cinematographers and experts, we watched countless feature films and simulations, received feedback from around the world and asked ourselves: how do we define beautiful flares? It wasn't about reproducing this beauty; we know what causes them and how. It was more a question of deconstructing a lens flare and creating it from scratch – the ZEISS way. Once we had defined what we wanted to achieve,

instead of just uncoating lens elements, we revisited our T* coating formulae and reworked them: the birth of T* blue. By that we not only made sure that the resulting flares can be planned and reproduced but were also able to maintain contrast and avoid transmission loss that one normally experiences with uncoated lens elements.

Warmer Colors

The T* blue coating not only facilitates the iconic blue flares but also provides a warmer color rendition compared to standard coated lenses. This warmer tone adds vitality and contrast to the overall frame, helping to create a more vibrant feel.

ZEISS eXtended Data & CinCraft

Supreme Prime Radiance lenses are equipped with the ZEISS eXtended Data technology, providing frame-by-frame data on lens vignetting and distortion in addition to the standard metadata provided using the Cooke /i technology protocol. This simplifies and speeds up workflows, particularly for VFX and Virtual Production. Furthermore, the lenses are integrated into the ZEISS CinCraft ecosystem and available through the "ZEISS Supreme Lenses" Virtual Lens Package (VLP) that comes free of charge with the CinCraft Scenario camera tracking system and allows for skipping the laborious lens calibration process, when shooting with the Radiance Zooms.

ZEISS Supreme Zoom Radiance

Radiance Look. Zoom Flexibility.

ZEISS Supreme Zoom Radiance lenses are one-of-a-kind modern cine zooms with unique character. The three T2.9 zooms – 15-30mm, 28-80mm and 70-200mm – let cinematographers create their distinct look with beautiful, consistent, and controlled flares and a pleasing cinematic image character, defined by a smooth focus fall-off and a beautiful bokeh. Whether used alone, with Radiance Primes, regular Supreme Primes or even vintage glass, the three Radiance Zooms offer a look never before seen in a zoom lens.





"My View", shot on ZEISS Supreme Zoom Radiance by Markus Förderer, ASC, BVK

Beautiful and Controlled Flares

The Supreme Zoom Radiance's T* blue coating enables predictable artistic optical flares in a controlled and reproducible way when aiming focused light down the lens barrel. Otherwise, they present normal rendering. While zooming, the shape of the Radiance flares uniquely changes in shot, giving cinematographers even more creative options.

Pleasing and Versatile Image Character

True to the ZEISS Supreme lens philosophy, the Radiance Zooms deliver a versatile and aesthetically pleasing image character. Thanks to their gentle sharpness combined with an aesthetic focus fall-off, a very shallow depth of field and elegant bokeh, the lenses offer exceptional shooting versatility. That's why they also mix well with other regular prime lens sets like Supreme Primes to selectively add some stronger character when needed.

Consistent High-End Ergonomics

Engineered with professional workflows in mind, the Supreme Zoom Radiance feature consistent and standardized positions for iris, focus, and zoom rings, along with a front diameter of 114 mm, ensuring easy interchangeability between Supreme Prime and Zoom lenses. This uniformity streamlines the on-set experience, reducing time spent on adjustments and increasing overall efficiency during production. While zooming, the shape of the Radiance flares uniquely changes in shot, giving cinematographers even more creative options.

Warmer Colors

The T* blue coating not only facilitates the iconic blue flares but also provides a warmer color rendition compared to standard coated lenses. This warmer tone adds vitality and contrast to the overall frame, helping to create a more vibrant feel.

No Contrast Loss

Unlike uncoated or decoated lenses, Supreme Zoom Radiance feature antireflective coating on every lens element. This T* blue lens coating ensures that no contrast is lost under normal and even more aggressive lighting conditions that are necessary to create the zooms' distinct flares.

Full Lens Data Support

Supreme Zoom Radiance lenses are equipped with the ZEISS eXtended Data technology, providing frame-by-frame data on lens vignetting and distortion in addition to the standard metadata provided using the Cooke /i technology protocol. This simplifies and speeds up workflows, particularly for VFX and Virtual Production.

Furthermore, the lenses are integrated into the ZEISS CinCraft ecosystem and available through the "ZEISS Supreme Lenses" Virtual Lens Package (VLP) that comes free of charge with the CinCraft Scenario camera tracking system and allows for skipping the laborious lens calibration process, when shooting with the Radiance Zooms.



Angles of View & Flares

The ZEISS Supreme family of lenses comes with a wide array of focal lengths and therefore with a great range of angles of view (AOV) and perspectives, giving cinematographers a multitude of options to frame their shots.

Below are the 14 focal lengths of the ZEISS Supreme Primes, shot from a fixed camera position on Full Frame (36x24mm) sensor.



On this side are the 11 focal lengths of the ZEISS Supreme Prime Radiance lenses, also shot from a fixed camera position on Full Frame (36x24mm) sensor and with lighting to trigger the characteristic Radiance flares.






Supreme Prime 35 mm T1.5



Supreme Prime 65 mm T1.5



Supreme Prime 135 mm T1.5



Supreme Prime Radiance 35 mm T1.5



Supreme Prime Radiance 65 mm T1.5



Supreme Prime Radiance 135 mm T1.5

o

ZEISS T* blue lens coating

o

Technical Details

ZEISS Supreme Prime and Supreme Prime Radiance

	Supreme Prime	Aperture	Close Focus ¹	Length ²	Front diameter	Weight	Horizontal Angle of View	
							Full Frame ³	Super 35 ⁴
	15 mm T1.8	T1.8 to T22	0.35 m / 14''	149 mm / 5.9''	114 mm / 4.5''	2.24 kg / 4.94 lbs	98.8°	77.9°
Supreme Prime Radiance	18 mm T1.5	T1.5 to T22	0.35 m / 14''	163 mm / 6.4''	114 mm / 4.5''	2.27 kg / 5.00 lbs	88.4°	67.9°
	21 mm T1.5	T1.5 to T22	0.35 m / 14''	119 mm / 4.7''	95 mm / 3.7''	1.61 kg / 3.55 lbs	79.5°	59.8°
	25 mm T1.5	T1.5 to T22	0.26 m / 10''	119 mm / 4.7''	95 mm / 3.7''	1.42 kg / 3.13 lbs	70.8°	52.3°
	29 mm T1.5	T1.5 to T22	0.33 m / 13''	121 mm / 4.8''	95 mm / 3.7''	1.61 kg / 3.55 lbs	64°	46.8°
	35 mm T1.5	T1.5 to T22	0.32 m / 13''	119 mm / 4.7''	95 mm / 3.7''	1.40 kg / 3.09 lbs	55°	39.6°
	40 mm T1.5	T1.5 to T22	0.42 m / 17''	119 mm / 4.7''	95 mm / 3.7''	1.49 kg / 3.28 lbs	47.4°	33.8°
	50 mm T1.5	T1.5 to T22	0.45 m / 18''	119 mm / 4.7''	95 mm / 3.7''	1.22 kg / 2.69 lbs	39°	27.5°
	65 mm T1.5	T1.5 to T22	0.6 m / 2'	121 mm / 4.8''	95 mm / 3.7''	1.63 kg / 3.59 lbs	30.5°	21.3°
	85 mm T1.5	T1.5 to T22	0.84 m / 2'9''	119 mm / 4.7''	95 mm / 3.7''	1.42 kg / 3.13 lbs	24°	16.7°
	100 mm T1.5	T1.5 to T22	1.1 m / 3'9''	119 mm / 4.7''	95 mm / 3.7''	1.70 kg / 3.74 lbs	20.4°	14.2°
	135 mm T1.5	T1.5 to T22	1.4 m / 4'6''	146 mm / 5.7''	114 mm / 4.5''	2.27 kg / 5.00 lbs	15.6°	10.9°
	150 mm T1.8	T1.8 to T22	1.5 m / 5'	146 mm / 5.7''	114 mm / 4.5''	2.27 kg / 5.00 lbs	13.7°	9.5°
	200 mm T2.2	T2.2 to T22	2 m / 6'6''	183 mm / 7.2''	114 mm / 4.5''	2.87 kg / 6.33 lbs	10.7°	7.1°

ZEISS Supreme Zoom Radiance

	Aperture	Close Focus ¹	Length ²	Front diameter	Weight	Horizontal Angle of View	
						Full Frame ³	Super 35 ⁴
15 mm –30 mm	T2.9 to T22	0.55 m / 21''	198 mm / 7.8''	114 mm / 4.5''	2.95 kg / 6.50 lbs	110.4°-71.1°	91.9°-55.5°
28 mm –80 mm	T2.9 to T22	0.83 m / 2'9''	198 mm / 7.8''	114 mm / 4.5''	2.76 kg / 6.09 lbs	75°-30.5°	58°-22.4°
70 mm –200 mm	T2.9 to T22	1.5 m / 5'	232 mm / 9.1''	114 mm / 4.5''	3.18 kg / 7.01 lbs	35°-12.2°	25.3°-9°

ZEISS Supreme Zoom Radiance (SZR)



November 12, 2024. ZEISS introduces three new lenses: Supreme Zoom Radiance (SZR) 15-30, 28-80 and 70-200 mm. Their irises all open to T2.9 and there's no exposure ramping. Breathing and distortion are minimal. Flares are where and when you want them. Images are painterly, as I found during tests. Skin tones are warm and silky smooth. Bokeh are beautiful. These are high-end Full Frame cine zoom lenses. They can save lots of time on set (fewer lens changes) as you create wonderful and controllable looks that tell the stories of features and series, or attract attention on commercials.

Supremes

Quick review: ZEISS introduced Supreme Prime Lenses (SP) in June 2018. They were a great success—fulfilling demand for Full Frame lenses to fit the new Full Frame cameras: VENICE (9/2017), RED MONSTRO VV (10/2017), ALEXA LF (2/2018), ALEXA MINI LF (4/2019).

Radiance

When ZEISS Prime Radiance (SPR) lenses arrived in December

2019, Benjamin Völker (Dr. Ghost) explained, “Radiance lenses artistically emphasize ghosting (flares). They have a warmer color tone. But, they are not simply the same lenses with different coatings. We wanted to introduce ghosts in controllable shapes and colors and avoid the white haze and loss of light that is typical in vintage lenses.

“Ghosting depends a great deal on what light you use, at what position in the picture, how the background is illuminated and at what T-stop the lens is set. Getting rid of ghosts completely is easy. Adding controllable ghosts is very difficult. Radiance lenses are more versatile because you can use them throughout an entire production. If you don't want flares, you can just flag the light.”

SZR

You might assume that Supreme Zoom Radiance lenses are intended to complement your Supreme Prime Radiance sets. Yes they do. And vintage lenses as well. But, as Dr. Ghost said, if you don't want flares, just keep the lights from hitting the front element. I found that they will match very nicely with the many sets of regular Supreme Primes out there.

Christophe Casenave Introduces SZR



Christophe Casenave is Head of Business Unit Cinematography, in charge of product management, marketing, and sales of ZEISS cinema products

Jon: When did you start working on this idea? And why?

Christophe: We started working on the idea in 2020. Why? Because of the tremendous success of the Supreme Prime Radiance lenses.

We saw that people really liked this mix of character, not exaggerated character, as well as modern mechanics and good ergonomics. They saw that they don't need to use rehoused vintage glass. Radiance lenses are not vintage but they have character and that's what people liked.

So, we said okay, let's make zooms with character. Ultimately, doing a new product should fit the needs and requests of the users with technical capability in an unoccupied space on the market. So, we said, "Let's try it."

Quite a few people still believe that Zooms are not as good as Primes.

That belief is not valid anymore. But it doesn't really matter if they believe it or not. They still always have a Zoom on their camera truck or on set. So why should they have not a Zoom that matches their Primes?

How would you define character?

Character is something that is different from what you would normally expect. It surprises you. A lens with character has special qualities that go beyond a pure neutral look. "Character" might be flares, distortion, a certain tint or something else. It's the same with people. A person with character does something that you wouldn't necessarily expect.

I like that analogy. You might say, "Oh, that DP is a character!"

It means they are not ordinary.

But wouldn't you say that old, vintage zooms have character—kind of flare and soft?

Yes. But the new Supreme Zoom Radiance are Full Frame, with character and reliable modern mechanics. They're super reliable. That was the concept of the Supreme Prime Radiance: a bit more

character but without disturbing the whole production or distracting from telling the story.

From a technical point of view, how do you achieve this kind of character in zoom lenses?

It's the same method as the Supreme Prime Radiance. They have proper contrast, proper resolution, and then we add a bit of this blue flare. One of optical designers, whom we call Dr. Ghost, worked especially hard on this. On an average prime lens, you have from seven to fifteen lens elements. On these zooms, you have at least 22 elements, with two surfaces on each. For him, it was like, "I have many more surfaces to play with in my toy box."

Is it created with different types of coatings?

Basically he plays with the recipe of each coating. And not every element is coated in the same way. He plays with every single surface.

Do the Supreme Zoom Radiance have eXtended Data that includes shading and distortion information?

Yes, the zooms have the same eXtended Data as the primes. Also, the zooms are precisely calibrated for every focal length across the entire range. The focal length you see in the eyepiece, on a monitor, in our CinCraft Scenario tracking system, in post-production or VFX is really the exact one. We spent a lot of time to calibrate the zoom scale with the internal data encoders of the lenses. Frame accurate lens data is especially important for virtual production and LED walls.

How would you define this blue flare? Is it point source, internal barrel flare, veiling glare?

Yeah, it depends on the type of your light source and its angle of entry. Is it diffused or a hard light? There are ghosting bubbles if you have a strong, hard source aimed into the lens. If you use the zoom in a normal way, with mattebox and flags, you will not notice anything. You need to aim light into the lens to get flares. And the nice thing is that you can plan it. Same as the Radiance Primes. It's reproducible.

Where are the ZEISS Supreme Zoom Radiance lenses made?

Right here at ZEISS headquarters in Oberkochen, Germany. On the second floor of our building, same as the Prime Radiance.

ZEISS SZR



ZEISS SZR and SPR



ZEISS SZR, SPR, SP Specifications

Supreme Zoom Radiance (SZR)

Lens	Aperture	Close Focus	Length	Front Diameter	Weight	Image Diagonal	Focus Barrel Rotation
15 mm - 30 mm	T2.9 to T22	0.55 m / 21"	198 mm / 7.8"	114 mm	2.95 kg / 6.50 lb	46.3 mm	300°
28 mm - 80 mm	T2.9 to T22	0.83 m / 2'9"	198 mm / 7.8"	114 mm	2.76 kg / 6.09 lb	46.3 mm	300°
70 mm - 200 mm	T2.9 to T22	1.5 m / 5'	232 mm / 9.1"	114 mm	3.18 kg / 7.01 lb	46.3 mm	300°

Supreme Prime Radiance (SPR)

Lens	Aperture	Close Focus	Length	Front Diameter	Weight	Image Diagonal	Focus Barrel Rotation
18 mm	T1.5 to T22	0.35 m / 14"	163 mm / 6.4"	114 mm	2.27 kg / 5.00 lb	46.3 mm	300°
21 mm	T1.5 to T22	0.35 m / 14"	119 mm / 4.7"	95 mm	1.5 kg / 3.3 lb	46.3 mm	300°
25 mm	T1.5 to T22	0.26 m / 10"	119 mm / 4.7"	95 mm	1.42 kg / 3.13 lb	46.3 mm	300°
29 mm	T1.5 to T22	0.33 m / 13"	121 mm / 4.8"	95 mm	1.61 kg / 3.55 lb	46.3 mm	300°
35 mm	T1.5 to T22	0.32 m / 13"	119 mm / 4.7"	95 mm	1.40 kg / 3.09 lb	46.3 mm	300°
40 mm	T1.5 to T22	0.42 m / 17"	121 mm / 4.8"	95 mm	1.49 kg / 3.28 lb	46.3 mm	300°
50 mm	T1.5 to T22	0.45 m / 18"	119 mm / 4.7"	95 mm	1.22 kg / 2.69 lb	46.3 mm	300°
65 mm	T1.5 to T22	0.6 m / 2'	121 mm / 4.8"	95 mm	1.63 kg / 3.59 lb	46.3 mm	300°
85 mm	T1.5 to T22	0.84 m / 2'9"	119 mm / 4.7"	95 mm	1.42 kg / 3.13 lb	46.3 mm	300°
100 mm	T1.5 to T22	1.1 m / 3'9"	119 mm / 4.7"	95 mm	1.7 kg / 3.74 lb	46.3 mm	300°
135 mm	T1.5 to T22	1.4 m / 4'6"	146 mm / 5.7"	114 mm	2.27 kg / 5.00 lb	46.3 mm	300°

Supreme Prime (SP)

Lens	Aperture	Close focus	Length	Front Diameter	Weight	Image Diagonal	Focus Barrel Rotation
15 mm	T1.8 to T22	0.35 m / 14"	149 mm / 5.9"	114 mm	2.25 kg / 4.96 lb	46.3 mm	300°
18 mm	T1.5 to T22	0.35 m / 14"	163 mm / 6.4"	114 mm	2.27 kg / 5.00 lb	46.3 mm	300°
21 mm	T1.5 to T22	0.35 m / 14"	120 mm / 4.7"	95 mm	1.61 kg / 3.54 lb	46.3 mm	300°
25 mm	T1.5 to T22	0.26 m / 10"	119 mm / 4.7"	95 mm	1.42 kg / 3.13 lb	46.3 mm	300°
29 mm	T1.5 to T22	0.33 m / 13"	121 mm / 4.8"	95 mm	1.61 kg / 3.55 lb	46.3 mm	300°
35 mm	T1.5 to T22	0.32 m / 13"	119 mm / 4.7"	95 mm	1.40 kg / 3.09 lb	46.3 mm	300°
40 mm	T1.5 to T22	0.42 m / 17"	121 mm / 4.8"	95 mm	1.49 kg / 3.28 lb	46.3 mm	300°
50 mm	T1.5 to T22	0.45 m / 18"	119 mm / 4.7"	95 mm	1.22 kg / 2.69 lb	46.3 mm	300°
65 mm	T1.5 to T22	0.6 m / 2'	121 mm / 4.8"	95 mm	1.63 kg / 3.59 lb	46.3 mm	300°
85 mm	T1.5 to T22	0.84 m / 2'9"	119 mm / 4.7"	95 mm	1.42 kg / 3.13 lb	46.3 mm	300°
100 mm	T1.5 to T22	1.1 m / 3'9"	119 mm / 4.7"	95 mm	1.70 kg / 3.74 lb	46.3 mm	300°
135 mm	T1.5 to T22	1.4 m / 4'6"	146 mm / 5.7"	114 mm	2.27 kg / 5.00 lb	46.3 mm	300°
150 mm	T1.8 to T22	1.5 m / 5'	146 mm / 5.7"	114 mm	2.27 kg / 5.00 lb	46.3 mm	300°
200 mm	T2.2 to T22	2 m / 6'6"	183 mm / 7.2"	114 mm	2.87 kg / 6.33 lb	46.3 mm	300°

- Close Focus: Minimum marked distance, measured from the image plane.
- Length: Front to PL mount flange.
- Illumination Circle (Image Diagonal): 46.3 for all SZR and SPR lenses.
- eXtended Data for zoom (zoom value, focus value, T-stop value, distortion, shading).
- Iris: Linear for 15-30 & 28-80; non-linear for 70-200. Non-linear for Primes.
- Focus mechanism like Supreme Prime and Supreme Prime Radiance.
- Focusing ring can be switched between meters and feet.
- Scales engraved and painted yellow.
- Interchangeable mount system: PL and LPL with electronics.



ZEISS Supreme Zoom Radiance Special Report
by Jon Fauer, ASC
© Film and Digital Times, Inc

FILM AND DIGITAL TIMES

Cover Photo: Frame from short film *My View* by Markus Förderer, ASC, BVK



ZEISS Supreme Prime Mount Change Instructions



Table of Contents

Introduction	3
Explanation of Symbols	3
Overview	4
Delivery Contents of a ZEISS Supreme Prime	4
Technical Data	5
Changing the Mount of a ZEISS Supreme Prime	6
Detaching a Mount	6
Attaching a Mount	10
Adjusting a ZEISS Supreme Prime to Your Digital Camera	15
Testing the Sharpness	16
Correcting the Flange Focal Distance	19
Appendix	21
Color Code of the Shims	21
Shimming Table	21
Mount Change Accessories	22
Glossary	23

Introduction

In this manual you learn how to change the mount of a ZEISS Supreme Prime and how to match it to a digital camera. In order to explain the procedure, this manual uses a ZEISS Supreme Prime lens, which is scaled in feet with PL mount.

Explanation of Symbols



The information symbol indicates additional information, which is useful for the context.



The skip symbol indicates that under certain circumstances you can skip certain steps.




The result symbol indicates information about the obtained result of a step.



The warning symbol indicates dangerous situations and actions, which might impair the functionality of the product, damage the product or hurt the user.

Overview

- | | |
|----|--------------------------------------|
| 1 | front lens |
| 2 | focus ring |
| 3 | focus and aperture index mark |
| 4 | aperture ring |
| 5 | lens foot |
| 6 | lens barrel |
| 7 | small screw |
| 8 | groove of the lens |
| 9 | eXtended Data interface |
| 10 | electrical interface |
| 11 | rear lens |
| 12 | shims |
| 13 | mount including the black inner ring |
| 14 | T6 screws |



Delivery Contents of a ZEISS Supreme Prime

- 1x ZEISS Supreme Prime
 - 1x Front cap
 - 1x Rear cap
 - 1x Focus lever
- 3x Lens support riser 3/8"

Technical Data

ZEISS Supreme Prime lenses

	Aperture	Close Focus ¹	Length ²	Front diameter	Weight ³	Full-Frame ⁴	Super 35 ⁵
Supreme Prime 21 mm T1.5	T1.5 to T 22	0.3 m 12"	120 mm 4.7"	95 mm 3.7"	1.61 kg 3.55 lbs	79.5°	59.8°
Supreme Prime 25 mm T1.5	T1.5 to T22	0.26 m 10"	119 mm 4.7"	95 mm 3.7"	1.42 kg 3.13 lbs	70.8°	52.3°
Supreme Prime 29 mm T1.5	T1.5 to T22	0.33 m 13"	121 mm 4.8"	95 mm 3.7"	1.61 kg 3.55 lbs	64°	46.8°

¹ Close focus distance is measured from the image plane

² Front to PL mount flange

³ The specified weight refers to the ZEISS Supreme Prime standard lenses.

⁴ Horizontal angle of view for a full-frame camera (aspect ratio 1:1.5, dimensions 36 mm x 24 mm / 1.42" x 0.94")

⁵ Horizontal angle of view for an ANSI Super 35 Silent camera (aspect ratio 1:1.33, dimensions 24.9 mm x 18.7 mm / 0.98" x 0.74")

Supreme Prime 35 mm T1.5	T 1.5 to T 22	0.32 m 10"	119 mm 4.7"	95 mm 3,7"	1.40 kg 3.09 lbs	55°	39.6°
Supreme Prime 50 mm T1.5	T 1.5 to T 22	0.45 m 18"	119 mm 4.7"	95 mm 3,7"	1.22 kg 2.69 lbs	39°	27.5°
Supreme Prime 65 mm T1.5	T 1.5 to T 22	0.6 m 2'	121 mm 4.8"	95 mm 3,7"	30.5	30.5°	21.3°
Supreme Prime 85 mm T1.5	T 1.5 to T 22	0.84 m 2'9"	119 mm 4.7"	95 mm 3,7"	1.42 kg 3.13 lbs	24°	16.7°
Supreme Prime 100 mm T1.5	T 1.5 to T 22	1.1 m 3'9"	119 mm 4.7"	95 mm 3,7"	1.7 kg 3.74 lbs	20.4°	14.2°
Supreme Prime 135 mm CF¹⁰ T1.5	T 1.5 to T 22	1.35 m 4'5"	146 mm 5.7"	95 mm 3,7"	2.27 kg 5.00 lbs	15.6°	10.9°

Changing the Mount of a ZEISS Supreme Prime Lens

In this chapter you learn how to change the mount of a ZEISS Supreme Prime. The procedure consists of two parts which are both mandatory to successfully change a mount. You learn how to detach the currently attached mount and how to attach a different mount. To make sure the ZEISS Supreme works properly, additionally complete the subsequent procedure: [Adjusting a ZEISS Supreme Prime to your Digital Camera](#).

Detaching a Mount

You need

- ☐ ZEISS Supreme Prime
- ☐ ZEISS T6 torx wrench with a torque of 0.4 Nm alternatively: regular
- ☐ T6 torx wrench with a torque of 0.4 Nm ZEISS Interchangeable
- ☐ Mount Set for Supreme Prime



The use of tools offered by ZEISS is highly recommended. You can purchase these tools directly from ZEISS or your trusted ZEISS dealer. See [Mount Change Accessories](#)



Handle the shims carefully as they can easily kink or tear which makes them unusable. Ensure that the colored shims lie on top of each other in the groove of the lens barrel and do not cover the screw holes. The shims might otherwise be damaged, while screwing in the screws.

6. Follow the steps of chapter [Attaching a Mount](#) to attach a new mount.

7. Recheck the sharpness of the lens. Follow the steps of testing the sharpness once more.

- a. If the testing distance has changed, follow the steps of chapter [Correcting the Flange Focal Distance](#) once more.
- b. If you achieve the maximum sharpness at the testing distance proposed in the tables, you successfully tested your Compact Prime Supreme Prime. No further steps are required.

In this chapter you learned how to adjust a Compact Prime Supreme Prime

Appendix

Color Code of the Shims

Shimming Table

Minus sign: Enlarge the flange focal distance. → Remove Shims

Plus sign: Reduce the flange focal distance. → Add Shims

Shim color	Thickness [mm]	
Silver	0.013	
Gold	0.019	
Purple	0.025	
Light Blue	0.032	
Red	0.038	
Blue	0.051	
White	0.064	
Green	0.076	
Orange	0.102	
Light Purple	0.127	
Clear	0.152	

Meter distance scale		Feet distance scale	
Distance to test chart [mm]	3000	Distance to test chart [ft]	10
Object distance at best focus [mm]	Change of total washer thickness [mm]	Object distance at best focus [ft]	Change of total washer thickness [mm]
2960	-0,05	9ft 10'	-0,06

2970	-0,04	9ft 10 1/2'	-0,05
2980	-0,02	9ft 11'	-0,03
2990	-0,01	9ft 11 1/2'	-0,02
3000	0,00	10ft 0'	0,00
3010	+0,01	10ft 1/2'	+0,02
3020	+0,02	10ft 1'	+0,03
3030	+0,04	10ft 1 1/2'	+0,05
3040	+0,05	10ft 2'	+0,06

Mount Change Accessories

Accessories

	ZEISS Identification Number
Front Lens Cap Supreme Prime	4047865905114
Rear Lens Cap - PL	4047865900577
IMS LPL - XD eXtended Data – T1.5/135; T1.8/150	000000-2329-934
IMS LPL - XD eXtended Data – T1.5/21	000000-2330-031
IMS LPL - XD eXtended Data – T1.5/25; T1.5/29; T1.5/35; T1.5/50; T1.5/85; T1.5/100	000000-2271-441
IMS LPL - XD eXtended Data – T1.5/65	000000-2271-196

Glossary

Flange focal distance	flange-to-film distance, flange focal depth, flange back distance, flange focal length
Shim	washer
Index mark	aperture indicator, aperture line, aperture mark, aperture index
Flat-blade screwdriver	slotted screwdriver, flathead screwdriver



ZEISS Lightweight Zoom LWZ.3

Mount Change Instructions




Table of Contents

Introduction	3
Explanation of Symbols	3
Overview	4
Delivery Contents of a ZEISS LWZ.3	4
Technical Data	5
Changing the Mount of a ZEISS LWZ.3	6
Detaching a Mount	6
Attaching a Mount	10
Adjusting a ZEISS LWZ.3 to Your Digital Camera	15
Testing the Sharpness	16
Correcting the Flange Focal Distance	19
Appendix	21
Color Code of the Shims	21
Shimming Table	21
Mount Change Accessories	22
Glossary	23

Overview

- | | | | |
|----------|---------------|-----------|--------------------------------------|
| 1 | front lens | 9 | electrical contact |
| 2 | focus ring | 10 | rear lens |
| 3 | lens foot | 11 | groove of the lens |
| 4 | index mark | 12 | shims |
| 5 | aperture ring | 13 | mount including the black inner ring |
| 6 | zoom ring | 14 | T3 screws |
| 7 | lens barrel | 15 | T6 screws |
| 8 | small screw | | |



Delivery Contents of a ZEISS LWZ.3

- 1x ZEISS LWZ.3
- 1x Front cap
- 1x Rear cap
- 1x Focus lever
- 3x Lens support riser 3/8"

Technical Data

ZEISS Lightweight Zoom LWZ.3

Focal length	21–100 mm
Aperture range	2.9 to 22
Lens elements / Groups	22 lenses / 18 groups
Close focus ¹	0.8 m / 2'8"
Rotation angle of focusing ring (inf – MOD)	294°
Zoom rotation angle	100°
Aperture rotation angle	48°
Front diameter	114 mm / 4.49"
Length ²	226 mm / 8.9"
Weight	2.0 kg / 4.4 lbs
Aperture blades	11
Coverage	ANSI Super 35 / 31.1mm
Mounts	PL, EF, E, MFT, F
Horizontal Angle of View	61–9°
Super 35 ³	61–14°
Normal 35 ⁴	55–12°
APS-C ⁵	56–13°
MFT ⁶	45–9°

¹ Close focus distance is measured from the image plane

² Front to PL-mount flange

³ Horizontal angle of view for an ANSI Super 35 Silent camera
(aspect ratio 1:1.33, dimensions 24.9 mm x 18.7 mm / 0.98" x 0.74")

⁴ Horizontal angle of view for a Normal 35 Academy camera
(aspect ratio 1:1.37, dimensions 22 mm x 16 mm / 0.87" x 0.63")

⁵ Horizontal angle of view for an APS-C camera
(aspect ratio 1:1.50, dimensions 22.3 mm x 14.9 mm / 0.88" x 0.59")

⁶ Horizontal angle of view for a Micro 4/3 (MFT) camera
(aspect ratio 1:1.33, dimensions 17.3 mm x 13 mm / 0.68" x 0.51")

Adjusting a ZEISS LWZ.3 to Your Digital Camera

In the following chapter you learn how to adjust your ZEISS LWZ.3 to a digital camera. This is necessary to ensure that the ZEISS LWZ.3 works properly and delivers the maximum image quality. In order to perform this adjustment, ZEISS provides shims in different colors which indicate their thickness.

You need:

- ☐ Tripod
- ☐ Digital camera with live view
- ☐ ZEISS LWZ.3 that needs to be adjusted
- ☐ Siemens star test chart
- ☐ Measuring tape or folding ruler
- ☐ Flat-blade screwdriver
- ☐ At least 3,5 m or 12 ft of free space
- ☐ ZEISS Interchangeable Mount Set for ZEISS LWZ.3
alternatively: ZEISS Shims set



The use of tools offered by ZEISS is highly recommended. You can purchase these tools directly from ZEISS or your trusted ZEISS Dealer. See [Mount Change Accessories](#)

Requirements:

- ☐ Make sure that the front and rear lens of the ZEISS LWZ.3 are clean.
- ☐ Ensure that the illumination is bright and uniform.
- ☐ Set your camera to standard settings (cf. work settings)

Appendix

Color Code of the Shims

Shim color	Thickness [mm]	
Silver	0.013	
Gold	0.019	
Purple	0.025	
Light Blue	0.032	
Red	0.038	
Blue	0.051	
White	0.064	
Green	0.076	
Orange	0.102	
Light Purple	0.127	
Clear	0.152	

Shimming Table

Minus sign: Enlarge the flange focal distance. → Remove Shims

Plus sign: Reduce the flange focal distance. → Add Shims

Meter distance scale		Feet distance scale	
Distance to test chart [mm]	3000	Distance to test chart [ft]	10
Object distance at best focus [mm]	Change of total washer thickness [mm]	Object distance at best focus [ft]	Change of total washer thickness [mm]
2960	-0,05	9ft 10'	-0,06
2970	-0,04	9ft 10 1/2'	-0,05
2980	-0,02	9ft 11'	-0,03
2990	-0,01	9ft 11 1/2'	-0,02
3000	0,00	10ft 0'	0,00
3010	+0,01	10ft 1/2'	+0,02
3020	+0,02	10ft 1'	+0,03
3030	+0,04	10ft 1 1/2'	+0,05
3040	+0,05	10ft 2'	+0,06

Mount Change Accessories

Accessories	ZEISS Identification Number
Interchangeable Mount Set PL for LWZ.3	2152-131
Interchangeable Mount Set EF	2152-130
Interchangeable Mount Set F	2152-133
Interchangeable Mount Set E	2152-132
Interchangeable Mount Set MFT	2152-134
Front Lens Cap ZEISS LWZ.3	2153-707
Rear Lens Cap PL	102160-0052-000
Rear Lens Cap EF	1793-167
Rear Lens Cap F	1793-178
Rear Lens Cap E	1907-145
Rear Lens Cap MFT	1889-118
Torx torque wrench (T6, torque moment 0,4 Nm)	0520-065
Torx torque wrench (T3, torque moment 0,5 Nm)	0604-200
ZEISS Siemens Star Test Chart	1849-755
Colored Shims ZEISS LWZ.3 (Set)	2143-589

Glossary

Flange focal distance	flange-to-film distance, flange focal depth, flange back distance, flange focal length
Shim	washer
Index mark	aperture indicator, aperture line, aperture mark, aperture index
Flat-blade screwdriver	slotted screwdriver, flathead screwdriver



Seeing beyond



ZEISS NANO PRIME LENSES

Cinematographer Testimonials

Don't just take our word for it



"We shot the entire film with Nanos. They were that good. We have a scene against a mirror wall background, and I noticed that we got almost a Petzval effect with the bokeh in the background. They had a swirly spiral shape, which I love. I can never get enough of that. And then there were other interesting flares. We shot 97% of the film wide open at T1.5, which is a sweet spot that I thought looked great, stunning. That to me is the benchmark. I don't want to use a lens that I can't use wide open. I need that option."

Jon Joffin, ASC

"Shoot, Sleep, Repeat"



"One of the things that's interesting about the NPs is the design. For a long time, manufacturers were trying so hard to make lenses perfect and eliminate veiling glare, and they took away all the flares, and lenses got boring. And now, ZEISS came out with the Nanos – which bring back some of those flares, which we used. They were flaring beautifully, but they were also sharp enough to render details."

Brendan Steacy, ASC, CSC

"Shoot, Sleep, Repeat"



"The Nano Primes are a breath of fresh air. Their versatile look and build aesthetics is nothing short of the ZEISS legacy. A neat little package that matches incredibly well with high-end glass, yet by themselves, they are simply gorgeous, reliable and inspiring for filmmakers serious about investing in high quality cine lenses."

Clinton Harn

"Nano Prime Product Film"





"The first thing I noticed was the blur. There was this incredible separation between sharp and out of focus areas. Their fall off isolates subjects in a unique way. These lenses lean towards storytelling, there's mise-en-scene in the image. Their sharpness is pretty, yet very precise. There's a kind of softness, a roundness in the image that doesn't make it an aggressive lens at all."

Vincent Tartar
"Honouring"



"The Nano Primes felt exactly like the little sisters of the Supremes. The skin tones are exceptional, and when the scene is backlit, when it's coming on the face, it's very beautiful. Also, the lenses are really lightweight. That was the first thing I noticed. I shoot documentaries and a lot of commercials with a documentary style, and very light equipment. I think I can now go everywhere with these lenses, for sure, even for beauty commercials, because the skin tones are so beautiful. I was very happy because it's super hard to find small lenses with such good qualities."

Valentine Lequet
"Emerging Perspectives"



ZEISS Nano Prime

Overview



18mm / T1.5



24mm / T1.5



35mm / T1.5

Comprehensive Focal Range

With a focal range containing 18mm, 24mm, 35mm, 50mm, 75mm and 100mm, Nano Primes ensure all-encompassing angle of views from wide-angle to tele, making them the go-to choice for diverse cinematic needs.

Covering Cinematic Full Frame

Full frame sensors amplify visual depth and character. Nano Primes cover these bigger sensors, empowering all cinematographers, no matter if up-and-coming or seasoned, to craft images rich in volume and personality.

Cinematic Look in Every Shot

The Nano Primes' high speed combined with their close focus capability delivers captivating shallow depth-of-field, even with wide-angle shots. The maximum aperture of T1.5 and the rounded 12-blade iris produce an elegant bokeh, enabling the creation of true cinematic images. Offering a versatile and gentle sharpness akin to Supreme Primes, they're ideal for B-cam and C-cam or as a budget-friendly alternative.





50mm / T1.5



75mm / T1.5



100mm / T1.5

Full Cine Ergonomics in a Small Package

Nano Primes excel in precision and durability. Featuring a compact design with a 95mm compendium ring and an 86mm screw-in filter thread, they seamlessly integrate with gimbals and drones. The consistent position of focus and iris rings streamlines lens changes while offering easy-to-read calibrated scales, a smooth 280° focus rotation, and a 90° iris ring rotation for precise control.

Tested for Harsh Conditions

Certified for extreme conditions – cold, rain, and more – Nano Primes undergo rigorous testing, ensuring unmatched durability in the toughest filming environments. Nano Primes are the go-to lenses for everyday.



"Honouring" by Vincent Tartar

Technical Data

and ZEISS cine lens features

Nano Prime	Aperture	Close Focus ¹	Length ²	Front Diameter	Weight	Rotation Angle of Focus Scale	Horizontal Angle of View ³
18 mm T1.5	T1.5 to T16	0.25 m / 9.8"	112 mm / 4.4"	95 mm / 3.7"	1.19 kg / 2.62 lbs	280°	90.3°
24 mm T1.5	T1.5 to T16	0.35 m / 13.8"	89 mm / 3.5"	95 mm / 3.7"	0.88 kg / 1.93 lbs	280°	74.2°
35 mm T1.5	T1.5 to T16	0.45 m / 17.7"	89 mm / 3.5"	95 mm / 3.7"	0.87 kg / 1.92 lbs	280°	53.8°
50 mm T1.5	T1.5 to T16	0.50 m / 19.7"	89 mm / 3.5"	95 mm / 3.7"	0.92 kg / 2.04 lbs	280°	40.4°
75 mm T1.5	T1.5 to T16	0.75 m / 29.5"	112 mm / 4.4"	95 mm / 3.7"	1.13 kg / 2.48 lbs	280°	27.7°
100 mm T1.5	T1.5 to T16	1.0 m / 39.4"	112 mm / 4.4"	95 mm / 3.7"	1.26 kg / 2.77 lbs	280°	20.7°

1 Minimum marked distance, measured from the image plane

2 Front to mount flange

3 Horizontal angle of view for a full frame camera (aspect ratio 1:1.5, dimensions 36 mm x 24 mm / 1.42" x 0.94")





"Shoot, Sleep, Repeat" by Jon Joffin, ASC & Brendan Steacy, ASC, CSC



ZEISS T* Coating

The historical invention of anti-reflective coatings by Alexander Smakula is just a single event – an event that launched an entirely new epoch in the field of optics. Image brightness, twilight performance, and brilliance were redefined by the T* coating and are still an outstanding feature of all ZEISS products.



ZEISS IMS

The ZEISS Nano Prime lenses are equipped with ZEISS's tried and tested easy-to-operate interchangeable mount system (IMS). It enables a quick change from E-mount to additional lens mounts in the future. This proven feature offers tremendous flexibility and is a futureproof investment in today's rapidly changing camera market.



ZEISS Lens Data & CinCraft

Thanks to the integrated electronic interface on their mount, the Nano Primes transmit real-time metadata such as focal length, focus distance and aperture to the camera. Further lens data for distortion and vignetting is available in the ZEISS CinCraft ecosystem and thus for postproduction (CinCraft Mapper) as well as in the CinCraft Scenario camera tracking system.

Learn more:
zeiss.ly/CinCraft





Tailored for today's cinema and beyond.
ZEISS Compact Prime CP.3 and CP.3 XD lenses





High performance cine lenses that keep pace with technology

Digital technologies have transformed traditional filmmaking and refashioned the market. New and innovative technologies in both production and post-production have paved the way for a more versatile, cost effective and advanced workflow. The ZEISS CP.3 family is the latest contribution from ZEISS to support creative and progressive filmmaking with an affordable, future-proof and premium quality lens set.



Proven ZEISS quality

The ZEISS CP.3 lenses offer the perfect combination of high image quality and reliable usability. They exhibit the clean, crisp characteristics ZEISS is known for, together with an interchangeable mount system and full-frame coverage. CP.3 lenses are compatible with a wider range of cameras and mount types than any other cine lens on the market.



New ZEISS eXtended Data technology

The ZEISS CP.3 XD version features innovative and ground-breaking lens data technology to speed-up and simplify the workflow on set and in post-production. ZEISS eXtended Data unifies two data sets: key lens data based on the open */i*[®] Technology standard and supported by a wide range of cameras and accessories, plus ZEISS specific lens data that contains precise lens characteristics.



Efficiency throughout the entire production process, thanks to the ZEISS CP.3 XD lenses

While on set, the ZEISS eXtended Data feature enables members of the crew to monitor lens settings in real-time, pre-visualize modified images and to use new, automated search functions within data wrangling. In post-production, ZEISS eXtended Data offers numerous benefits such as image fine-tuning, editing and color grading, visual effects, virtual and augmented reality, multi-cam live productions, projection or 3-D imaging. An additional plug-in provided by ZEISS allows an easy implementation of ZEISS eXtended Data in a number of leading software tools.



Thinking big

With the ZEISS CP.3 XD lenses, even small productions on a limited budget gain access to the advanced techniques common in state-of-the-art, big budget films, commercials and television shows.



Unifying image quality, usability and innovation

Product features

True cine look

- Clean and crisp ZEISS look which matches perfectly with other ZEISS cinema lenses
- Color matching and covering full frame across the full range of focal lengths from 15 to 135 mm
- Special lens coatings support high-dynamic range projects

Ultimate cine ergonomics

- Standardized positioning of the focus rings and a consistent 95 mm front diameter allows for fast and easy changeover while on set
- Extraordinarily smooth focus rotation even in extreme temperature conditions thanks to a new, sophisticated construction design
- Consistent T-stops simplify lighting on set and exposure compensations (T2.9 for 15 to 21 mm and T2.1 for 25 to 135 mm)



Compact design for the new digital workflow

- The compact and light-weight design is ideal for handheld, gimbal, drone and Steadicam applications
- Consistent size and weight across most of the focal lengths enables quick change of lenses when used on drones and gimbals
- The ultra-smooth focus rotation allows use of small focus motors

Mastering the digital cinema workflow

- The ZEISS eXtended Data is a unique technology that provides information about the lens' distortion and shading characteristics in real-time
- The lens settings are digitally captured on every frame, avoiding the need to manually record the lens settings for every shot
- Documentation of the lens' characteristics enhances creativity by allowing more complex shots to be handled in post-production



Expanding your possibilities

ZEISS eXtended Data

The ZEISS eXtended Data technology adds new opportunities to simplify and increase the accuracy of the image capture and processing workflow. It will accelerate and improve the cinematography workflow no matter if it is a small production on a limited budget, or a major TV or commercial feature with more resources. ZEISS eXtended Data reduces workflow costs and facilitates the exchange of lens information between the production and post-production departments. ZEISS eXtended Data unifies two data sets:

Key lens data

The ZEISS eXtended Data technology is based on the open *1/8*® Technology and is supported by a wide range of cameras and accessories. Key lens data provides frame-accurate information about:

- Lens name, type and focal length
- Calibrated focusing distance
- Calibrated T-stop value
- Depth-of-field data in real time and hyperfocal distance
- Horizontal field-of-view
- Entrance pupil position

ZEISS specific lens data

The ZEISS CP.3 XD lenses enable trailblazing, one-click correction of images, never before possible in motion picture workflow. ZEISS specific lens data provides frame accurate information about:

- Lens distortion characteristics based on the focal point
- Lens shading* characteristics based on the focal point and effective T-stop

** Shading in this case refers to the darkened corners of the captured image on sensor, due to illumination loss towards the outside of the image field. The ZEISS CP.3 XD lenses contain the data for this characteristic, enabling higher precision of post processing and greater creative freedom in post-production. The shading effect can also be intensified for creative purposes. Shading does not refer to color shading, which is a phenomenon that sometimes accompanies color shifting, resulting in darker corners with magenta, green and purple color casts. Shading does not refer to vignetting, which is caused when the lens' image circle is smaller than the image sensor, or by the inaccurately sized matte boxes and/or multiple filter stages in front of the lens, which blocks the optical path of the light into the lens.*

Providing an end-to-end solution


Processing options of ZEISS eXtended Data

The ZEISS CP.3 XD provides an end-to-end solution for recording and feeding data for onset application and in post-production. ZEISS eXtended Data is processed in real-time and recorded frame accurate. The data can be transferred in one of two ways. Either to any supported equipment via an external LEMO®* compatible plug or directly to any camera compatible with the /f⁸ Technology standard via a 4-pin interface (PL-mount). With the additional ZEISS plug-in for leading compositing and editing software tools, the lens' characteristics can be removed and/or reapplied to the footage.

Recording ZEISS eXtended Data via external LEMO® compatible plug



Recording ZEISS eXtended Data via internal camera interface



* LEMO is a registered trademark of INTERLEMO HOLDING S.A.

A professional toolset, offering many benefits

Connecting production and post-production workflows

No matter the size of the production or the number of people on the team, the ZEISS CP.3 XD lenses benefit large teams or solo-operations. ZEISS eXtended Data technology will accelerate the workflow and facilitates the collaboration between the production and post-production departments.

On set

* Camera Operator / Camera Assistants

- Real-time display of T-stop, focus distance and depth-of-field supported on lens control systems, cameras and monitors
- Automatic detection of the lens, which enables the focus scale without calibration on a lens control system

* Script Continuity

- Lens settings can be viewed at a glance on a monitor for continuity log sheets or transferred wirelessly to supported device apps

* Data Wrangler / Digital Imaging Technician

- Classification and search functions for specific shots (e.g. correct lens settings for a re-shoot)
- Automatic options for quality check procedure (e.g. pre-selection of critical shots for visual check in real-time)
- Statistical analysis of lenses used in the production and the lens' settings

* Director of Photography

- Lens settings at a glance on monitor or viewfinder
- Defining the final look by previsualizing color grading, shading and distortion and transferring it to post-production.

* Video Engineer

- Pre-visualization of corrected images in live grading or VFX previews (e.g. live-key)
- Distortion corrected pre-visualization of CGI Live-Rendering



Post-production

* Editing

- Classification and search functions for specific shots
- Automated image correction speeds up the process of image optimization

* Color Grading

- Automated image correction accelerates the color grading process and saves valuable time for more intense fine-tuning

* Dailies

- Quick supply of dailies to head-of departments due to automated image pre-correction and faster sorting options

* Virtual Reality Productions

- Stitching and matching of multiple images

* Visual Effects

- Removing or adding distortion for stitching and CGI integration
- Removing or adding shading while matching shots
- Key lens data for Match Moving, calculation of defocus and bokeh with CGI integration, stitching, manipulation of motion blur

* Augmented Reality Productions

- Corrections for CGI integration





eXtended Data today and beyond

Upgradable options on CP.3 XD lenses

Lens characteristics processed through ZEISS eXtended Data

CP.3 XD lenses house encoder chips to deliver ZEISS eXtended Data, currently assigned to two data sets:

- Key lens data (focal length, focus distance and iris position) based on the $\frac{1}{s}$ ® Technology, which is supported by a wide range of existing equipment.
- ZEISS specific lens data, which contains precise information about distortion and shading.



The ZEISS eXtended Data technology is planned to be expanded in future to offer additional features. Therefore ZEISS will offer lens firmware upgrades.

ZEISS eXtended Data software compatibility

Lens characteristics can be applied and previewed on set using Pomfort LiveGrade Pro. To apply recorded lens characteristics in post-production ZEISS provides an OFX-plugin. Initially the plug-in works with the grading software Blackmagic Design DaVinci Resolve. Support for other grading, editing and compositing software will be available in future.




"I used the ZEISS CP.3 XD lenses in a recent project and it really sped-up the production time. Their similar weight and size provides the advantage of changing lenses quickly while on set. Using the ZEISS eXtended Data shortens post-production time, because you can decide on the final look while shooting."



Wide range of coverage, regardless of the format

Ranging from 15 mm to 135 mm, the ten focal lengths available in the ZEISS Compact Prime CP.3 or CP.3 XD series cover all applications from wide-angle to telephoto. The graphic shows the horizontal angle of view between each of the focal lengths.





Adding greater depth to your images

Ready for HDR-projects

The ZEISS CP.3 lenses feature advanced lens coatings, painted lens rims and special light traps within the barrel to eliminate unwelcome veiling glare and flares. The result is higher contrast, richer blacks and more saturated colors, enabling shooting in High Dynamic Range (HDR) modes with subtly nuanced differences in deep shadows and bright highlights in the same scene. With the ZEISS CP.3 lenses, there is a greater depth to the images than ever before.



- Supporting pictures with a high dynamic range thanks to special lens coatings
- High resolution and contrast
- Great flare suppression through T*® anti-reflex coating and internal light traps
- Excellent color rendition
- Color matched




Interchangeable mount system

A future-proof solution

The ZEISS CP.3 lenses are equipped with an easy-to-operate, interchangeable mount system. It enables a quick change from the typical cine-style PL-mount to four other mount options (Canon EF, Nikon F, Sony E or MFT). This proven feature offers tremendous flexibility and future-proof investment in today's rapidly changing camera market. There are two versions of the PL-mount, one equipped with an electronic interface for recording lens data on the ZEISS CP.3 XD lenses via the internal camera interface and the other without the electronic interface for the standard ZEISS CP.3 lenses.

User Interchangeable Lens Mounts



- Allows a mix of professional cine cameras, for maximum flexibility on set
- No loss of image quality due to adapter solutions
- Five different mounts available (PL, EF, E, F and MFT)
- User Interchangeable Lens Mounts



PL-mount

PL-mount for
eXtended Data



EF-mount



Sony E-mount



Nikon F-mount



MFT-mount

ZEISS Compact Prime CP.3
Image Circle

Super 35

RED Helium 8K

Fullframe

RED VistaVision 8K

Future proof performance with full-frame coverage

ZEISS Compact Prime CP.3 lenses feature exquisite, high performing optics in a robust and durable package – two characteristics that will remain desirable for decades to come. Thanks to the interchangeable lens mounts, the Compact Prime CP.3 and CP.3 XD lenses offer the possibility to upgrade to any number of existing or future cine cameras without investing in a new set of lenses. They all cover a full-frame image format without vignetting.



- Full-frame coverage (24 mm x 36 mm) for all focal lengths from 15 mm to 135 mm
- Coverage up to 46.3 mm image circle
- Common T2.9 aperture for the 15 mm to 21 mm focal lengths and T2.1 for the lenses ranging from 25 mm to 135 mm.
- Interchangeable lens mount
- Robust, cine-style housing
- 300 degree focus rotation angle
- Calibrated focus scales
- Circular 14-blade aperture, provides a cinematic look and natural looking out of focus highlights



Accessories

Safety and flexibility for your equipment

The premium PELI™ Air Case provides protective storage for the ZEISS CP.3 lenses while on set and when travelling between shooting locations.

Molded from Pelican's™ next generation HPX² resin, it is up to 40% lighter than other polymer cases, while being enormously shock-proof at the same time. The weather sealed design keeps dust and water away from the ZEISS CP.3 lenses in rough shooting environments.

The transport case will fit up to five lenses, with a perfect cut-out for each focal length. The foam material is specially designed to prevent scratches and undesired movement during transit. Recesses between the cut-outs leave enough space to easily grip and remove the lenses. The lenses are stored horizontally, making it easy to view the focal length and iris settings at a quick glance. Additional cut-outs provide space for small accessories.



- Well-designed interior for convenient access to the lenses
- Super lightweight and compact (51.8 x 28.4 x 18.3 cm / 20.4 x 11.2 x 7.2 inches)
- Meets international airline standards for carry-on luggage
- Dust and waterproof
- Retractable handle extension and rubber padded handle
- Soft-sided wheels with stainless steel bearings
- Robust, double-throw latches and stainless steel hasp protectors
- Removable card holder with front or side placement

Technical Data

ZEISS Compact Prime CP.3 and CP.3 XD lenses

	Aperture	Close Focus ¹	Length ²	Front diameter	Weight ³	Horizontal Angle of View					
						Full-Frame ⁴	APS-H ⁵	Super 35 ⁶	Normal 35 ⁷	APS-C ⁸	MFT ⁹
CP.3 & CP.3 XD 15 mm T2.9	T 2.9 to T 22	0.3 m 12"	83.7 mm 3.30"	95 mm 3,7"	0.87 kg 1.9 lbs	100°	90°	79°	73°	73°	60°
CP.3 & CP.3 XD 18 mm T2.9	T2.9 to T22	0.3 m 12"	83.7 mm 3.30"	95 mm 3,7"	0.86 kg 1.9 lbs	89°	80°	69°	63°	64°	51°
CP.3 & CP.3 XD 21 mm T2.9	T 2.9 to T 22	0.24 m 10"	83.7 mm 3.30"	95 mm 3,7"	0.82 kg 1.8 lbs	81°	71°	61°	55°	56°	45°
CP.3 & CP.3 XD 25 mm T2.1	T 2.1 to T 22	0.26 m 10"	83.7 mm 3.30"	95 mm 3,7"	0.82 kg 1.8 lbs	72°	62°	53°	47°	48°	38°
CP.3 & CP.3 XD 28 mm T2.1	T 2.1 to T 22	0.24 m 10"	83.7 mm 3.30"	95 mm 3,7"	0.84 kg 1.9 lbs	65°	57°	48°	43°	43°	34°
CP.3 & CP.3 XD 35 mm T2.1	T 2.1 to T 22	0.3 m 12"	83.7 mm 3.30"	95 mm 3,7"	0.80 kg 1.8 lbs	54°	47°	39°	35°	35°	28°
CP.3 & CP.3 XD 50 mm T2.1	T 2.1 to T 22	0.45 m 18"	83.7 mm 3.30"	95 mm 3,7"	0.77 kg 1.7 lbs	40°	34°	28°	25°	25°	20°
CP.3 & CP.3 XD 85 mm T2.1	T 2.1 to T 22	1 m 3'3"	83.7 mm 3.30"	95 mm 3,7"	0.88 kg 1.9 lbs	24°	20°	17°	15°	15°	12°
CP.3 & CP.3 XD 100 mm CF¹⁰ T2.1	T 2.1 to T 22	0.7 m 2'6"	126.5 mm 4.98"	95 mm 3,7"	1.01 kg 2.2 lbs	20°	17°	14°	13°	13°	10°
CP.3 & CP.3 XD 135 mm T2.1	T 2.1 to T 22	1 m 3'3"	126.5 mm 4.98"	95 mm 3,7"	1.15 kg 2.5 lbs	15°	13°	11°	9°	9°	7°

¹ Close focus distance is measured from the image plane

² Front to PL mount flange

³ The specified weight refers to the ZEISS CP.3 standard lenses. The ZEISS CP.3 XD lenses weigh about 0.01 kg/0.02 lbs more.

⁴ Horizontal angle of view for a full-frame camera (aspect ratio 1:1.5, dimensions 36 mm x 24 mm / 1.42" x 0.94")

⁵ Horizontal angle of view for an APS-H camera (aspect ratio 1:1.81, dimensions 30.2 mm x 16.7 mm / 1.19" x 0.66")

⁶ Horizontal angle of view for an ANSI Super 35 Silent camera (aspect ratio 1:1.33, dimensions 24.9 mm x 18.7 mm / 0.98" x 0.74")

⁷ Horizontal angle of view for a Normal 35 Academy camera (aspect ratio 1:1.37, dimensions 22 mm x 16 mm / 0.87" x 0.63")

⁸ Horizontal angle of view for an APS-C camera (aspect ratio 1:1.50, dimensions 22.3 mm x 14.9 mm / 0.88" x 0.59")

⁹ Horizontal angle of view for a Micro 4/3 (MFT) camera (aspect ratio 1:1.33, dimensions 17.3 mm x 13 mm / 0.68" x 0.51")


¹⁰ CF: Close focus capability



ZEISS Compact Prime CP.3 and CP.3 XD

Mount Change Instructions





Delivery Contents of a ZEISS CP.3 and CP.3 XD

- 1x ZEISS CP.3 or CP.3 XD
 - 1x Front cap
 - 1x Rear cap
 - 1x Focus lever
- 3x Lens support riser 3/8"

Technical Data

ZEISS Compact Prime CP.3 and CP.3 XD lenses

Aperture	Close Focus ¹	Length ²	Front diameter	Weight ³	Horizontal Angle of View					
					Full-Frame ⁴	APS-H ⁵	Super 35 ⁶	Normal 35 ⁷	APS-C ⁸	MFT ⁹

¹ Close focus distance is measured from the image plane

² Front to PL mount flange

³ The specified weight refers to the ZEISS CP.3 standard lenses. The ZEISS CP.3 XD lenses weigh about 0.01 kg / 0.02 lbs more.

⁴ Horizontal angle of view for a full-frame camera (aspect ratio 1:1.5, dimensions 36 mm x 24 mm / 1.42" x 0.94")

⁵ Horizontal angle of view for an APS-H camera (aspect ratio 1:1.81, dimensions 30.2 mm x 16.7 mm / 1.19" x 0.66")

⁶ Horizontal angle of view for an ANSI Super 35 Silent camera (aspect ratio 1:1.33, dimensions 24.9 mm x 18.7 mm / 0.98" x 0.74")

⁷ Horizontal angle of view for a Normal 35 Academy camera (aspect ratio 1:1.37, dimensions 22 mm x 16 mm / 0.87" x 0.63")

⁸ Horizontal angle of view for an APS-C camera (aspect ratio 1:1.50, dimensions 22.3 mm x 14.9 mm / 0.88" x 0.59")

⁹ Horizontal angle of view for a Micro 4/3 (MFT) camera (aspect ratio 1:1.33, dimensions 17.3 mm x 13 mm / 0.68" x 0.51") ¹⁰ CF: Close focus capability

CP.3 & CP.3 XD 15 mm T2.9	T 2.9 to T 22	0.3 m 12"	83.7 mm 3.30"	95 mm 3,7"	0.87 kg 1.9 lbs	100°	90°	79°	73°	73°	60°
CP.3 & CP.3 XD 18 mm T2.9	T2.9 to T22	0.3 m 12"	83.7 mm 3.30"	95 mm 3,7"	0.86 kg 1.9 lbs	89°	80°	69°	63°	64°	51°
CP.3 & CP.3 XD 21 mm T2.9	T 2.9 to T 22	0.24 m 10"	83.7 mm 3.30"	95 mm 3,7"	0.82 kg 1.8 lbs	81°	71°	61°	55°	56°	45°
CP.3 & CP.3 XD 25 mm T2.1	T 2.1 to T 22	0.26 m 10"	83.7 mm 3.30"	95 mm 3,7"	0.82 kg 1.8 lbs	72°	62°	53°	47°	48°	38°
CP.3 & CP.3 XD 28 mm T2.1	T 2.1 to T 22	0.24 m 10"	83.7 mm 3.30"	95 mm 3,7"	0.84 kg 1.9 lbs	65°	57°	48°	43°	43°	34°
CP.3 & CP.3 XD 35 mm T2.1	T 2.1 to T 22	0.3 m 12"	83.7 mm 3.30"	95 mm 3,7"	0.80 kg 1.8 lbs	54°	47°	39°	35°	35°	28°
CP.3 & CP.3 XD 50 mm T2.1	T 2.1 to T 22	0.45 m 18"	83.7 mm 3.30"	95 mm 3,7"	0.77 kg 1.7 lbs	40°	34°	28°	25°	25°	20°
CP.3 & CP.3 XD 85 mm T2.1	T 2.1 to T 22	1 m 3'3"	83.7 mm 3.30"	95 mm 3,7"	0.88 kg 1.9 lbs	24°	20°	17°	15°	15°	12°
CP.3 & CP.3 XD 100 mm CF¹⁰ T2.1	T 2.1 to T 22	0.7 m 2'6"	126.5 mm 4.98"	95 mm 3,7"	1.01 kg 2.2 lbs	20°	17°	14°	13°	13°	10°
CP.3 & CP.3 XD 135 mm T2.1	T 2.1 to T 22	1 m 3'3"	126.5 mm 4.98"	95 mm 3,7"	1.15 kg 2.5 lbs	15°	13°	11°	9°	9°	7°

Changing the Mount of a ZEISS CP.3 Lens

In this chapter you learn how to change the mount of a ZEISS CP.3. The procedure consist of two parts which are both mandatory to successfully change a mount. You learn how to detach the currently attached mount and how to attach a different mount. To make sure the ZEISS CP.3 works properly, additionally complete the subsequent procedure: [Adjusting a ZEISS CP.3 to your Digital Camera](#).

Detaching a Mount

You need

- ☐ ZEISS CP.3
- ☐ ZEISS T6 torx wrench with a torque of 0.4 Nm alternatively: regular
- ☐ T6 torx wrench with a torque of 0.4 Nm ZEISS Interchangeable
- ☐ Mount Set for ZEISS CP.3



The use of tools offered by ZEISS is highly recommended. You can purchase these tools directly from ZEISS or your trusted ZEISS dealer. See [Mount Change Accessories](#)

Requirements

- ☐ Ensure that your working space is flat and leveled, in order to prevent the lens from tilting and falling over.
- ☐ Ensure that the environment is clean and free from dust so that no dust particles enter the ZEISS CP.3.
- ☐ Ensure that the front lens cap sits on your ZEISS CP.3, in order to avoid scratches.

-
- a. If the testing distance has changed, follow the steps of chapter [Correcting the Flange Focal Distance](#) once more.
- b. If you achieve the maximum sharpness at the testing distance proposed in the tables, you successfully tested your Compact Prime CP.3. No further steps are required.

In this chapter you learned how to adjust a Compact Prime CP.3


Appendix

Color Code of the Shims

Shimming Table

Minus sign: Enlarge the flange focal distance. → Remove Shims

Plus sign: Reduce the flange focal distance. → Add Shims

Shim color	Thickness [mm]	
Silver	0.013	
Gold	0.019	
Purple	0.025	
Light Blue	0.032	
Red	0.038	
Blue	0.051	
White	0.064	
Green	0.076	
Orange	0.102	
Light Purple	0.127	
Clear	0.152	

Compact Prime CP.3 15mm/T2.9

Meter distance scale		Feet distance scale	
Distance to test chart [mm]	1000	Distance to test chart [ft]	4
Object distance at best focus [mm]	Change of total washer thickness [mm]	Object distance at best focus [ft]	Change of total washer thickness [mm]
860	-0,04	3ft 4'	-0,04
895	-0,03	3ft 6'	-0,03
930	-0,02	3ft 8'	-0,02
965	-0,01	3ft 10'	-0,01
1000	0,00	4ft 0'	0,00
1035	+0,01	4ft 2'	+0,01
1070	+0,02	4ft 4'	+0,02
1105	+0,03	4ft 6'	+0,03
1140	+0,04	4ft 8'	+0,04

Compact Prime CP.3 18mm/T2.9

Meter distance scale

Feet distance scale

Distance to test chart [mm]	1000	Distance to test chart [ft]	4
Object distance at best focus [mm]	Change of total washer thickness [mm]	Object distance at best focus [ft]	Change of total washer thickness [mm]
900	-0,04	3ft 8'	-0,03
925	-0,03	3ft 9'	-0,02
950	-0,02	3ft 10'	-0,01
975	-0,01	3ft 11'	-0,01
1000	0,00	4ft 0'	0,00
1025	+0,01	4ft 1'	+0,01
1050	+0,02	4ft 2'	+0,01
1075	+0,03	4ft 3'	+0,02
1100	+0,04	4ft 4'	+0,03

Compact Prime CP.3 21mm/T2.9

Meter distance scale

Distance to test chart [mm]	1000	Distance to test chart [ft]	4
Object distance at best focus [mm]	Change of total washer thickness [mm]	Object distance at best focus [ft]	Change of total washer thickness [mm]
940	-0,04	3ft 8'	-0,04
955	-0,03	3ft 9'	-0,03
970	-0,02	3ft 10'	-0,02
985	-0,01	3ft 11'	-0,01
1000	0,00	4ft 0'	0,00
1015	+0,01	4ft 1'	+0,01
1030	+0,02	4ft 2'	+0,02
1045	+0,03	4ft 3'	+0,03
1060	+0,04	4ft 4'	+0,04

Compact Prime CP.3 25mm/T2.1

Meter distance scale		Feet distance scale	
Distance to test chart [mm]	1000	Distance to test chart [ft]	4
Object distance at best focus [mm]	Change of total washer thickness [mm]	Object distance at best focus [ft]	Change of total washer thickness [mm]
960	-0,03	3ft 8'	-0,05
970	-0,02	3ft 9'	-0,04
980	-0,02	3ft 10'	-0,03
990	-0,01	3ft 11'	-0,01
1000	0,00	4ft 0'	0,00
1010	+0,01	4ft 1'	+0,01
1020	+0,02	4ft 2'	+0,03
1030	+0,02	4ft 3'	+0,04
1040	+0,03	4ft 4'	+0,05

Compact Prime CP.3 28mm/T2.1

Meter distance scale		Feet distance scale	
Distance to test chart [mm]	1000	Distance to test chart [ft]	4
Object distance at best focus [mm]	Change of total washer thickness [mm]	Object distance at best focus [ft]	Change of total washer thickness [mm]
960	-0,04	3ft 10'	-0,03
970	-0,03	3ft 10' 1/2'	-0,03
980	-0,02	3ft 11'	-0,02
990	-0,01	3ft 11' 1/2'	-0,01
1000	0,00	4ft 0'	0,00
1010	+0,01	4ft 1'	+0,01
1020	+0,02	4ft 1' 1/2'	+0,02
1030	+0,03	4ft 2'	+0,03
1040	+0,04	4ft 2' 1/2'	+0,03

Compact Prime CP.3 35mm/T2.1

Meter distance scale

Distance to test chart [mm]	1000
Object distance at best focus [mm]	Change of total washer thickness [mm]
980	-0,03
985	-0,02
990	-0,02
995	-0,01
1000	0,00
1005	+0,01
1010	+0,02
1015	+0,02
1020	+0,03

Feet distance scale

Distance to test chart [ft]	4
Object distance at best focus [ft]	Change of total washer thickness [mm]
3ft 10'	-0,05
3ft 10' 1/2'	-0,04
3ft 11'	-0,03
3ft 11' 1/2'	-0,01
4ft 0'	0,00
4ft 1'	+0,01
4ft 1' 1/2'	+0,03
4ft 2'	+0,04
4ft 2' 1/2'	+0,05

Compact Prime CP.3 50mm/T2.1

Meter distance scale

Distance to test chart [mm]	1500
Object distance at best focus [mm]	Change of total washer thickness [mm]
1480	-0,03
1485	-0,02
1490	-0,01
1495	-0,01
1500	0,00
1505	+0,01
1510	+0,01
1515	+0,02
1520	+0,03

Feet distance scale

Distance to test chart [ft]	5
Object distance at best focus [ft]	Change of total washer thickness [mm]
4ft 11'	-0,03
4ft 11' 1/4'	-0,03
4ft 11' 1/2'	-0,02
4ft 11' 3/4'	-0,01
5ft 0'	0,00
5ft 1/4'	+0,01
5ft 1/2'	+0,02
5ft 3/4'	+0,03
5ft 1'	+0,03

Compact Prime CP.3 85mm/T2.1

Meter distance scale		Feet distance scale	
Distance to test chart [mm]	1500	Distance to test chart [ft]	5
Object distance at best focus [mm]	Change of total washer thickness [mm]	Object distance at best focus [ft]	Change of total washer thickness [mm]
1492	-0,03	4ft 11' 4/8'	-0,05
1494	-0,02	4ft 11' 5/8'	-0,04
1496	-0,02	4ft 11' 6/8'	-0,02
1498	-0,01	4ft 11' 7/8'	-0,01
1500	0,00	5ft 0'	0,00
1502	+0,01	5ft 1/8'	+0,01
1504	+0,02	5ft 2/8'	+0,02
1506	+0,02	5ft 3/8'	+0,04
1508	+0,03	5ft 4/8'	+0,05

Compact Prime CP.3 100mm/T2.1

Meter distance scale		Feet distance scale	
Distance to test chart [mm]	2000	Distance to test chart [ft]	7
Object distance at best focus [mm]	Change of total washer thickness [mm]	Object distance at best focus [ft]	Change of total washer thickness [mm]
1987	-0,04	6ft 11' 4/8'	-0,03
1990	-0,03	6ft 11' 5/8'	-0,02
1993	-0,02	6ft 11' 6/8'	-0,02
1997	-0,01	6ft 11' 7/8'	-0,01
2000	0,00	7ft 0'	0,00
2003	+0,01	7ft 1/8'	+0,01
2007	+0,02	7ft 2/8'	+0,02
2010	+0,03	7ft 3/8'	+0,03
2013	+0,04	7ft 4/8'	+0,03

Compact Prime CP.3 135mm/T2.1

Meter distance scale

Feet distance scale

Distance to test chart [mm]	2000	Distance to test chart [ft]	7
Object distance at best focus [mm]	Change of total washer thickness [mm]	Object distance at best focus [ft]	Change of total washer thickness [mm]
1992	-0,05	6ft 11 4/8'	-0,06
1994	-0,03	6ft 11 5/8'	-0,05
1996	-0,02	6ft 11 6/8'	-0,03
1998	-0,01	6ft 11 7/8'	-0,02
2000	0,00	7ft 0'	0,00
2002	+0,01	7ft 1/8'	+0,02
2004	+0,02	7ft 2/8'	+0,03
2006	+0,03	7ft 3/8'	+0,05
2008	+0,04	7ft 4/8'	+0,06

Mount Change Accessories

Accessories

	ZEISS Identification Number
Front Lens Cap CP.3	000000-2153-706
Rear Lens Cap - EF	000000-1793-167
Rear Lens Cap - PL	102160-0052-000
Rear Lens Cap - F	000000-1793-178
Rear Lens Cap - MFT	000000-1889-118
Rear Lens Cap - E	000000-1907-145
IMS PL - XD eXtended Data - T2.9/15; T2.1/50; T2.1/85	000000-2218-176
IMS PL - XD eXtended Data - T2.9/18	000000-2216-325
IMS PL - XD eXtended Data - T2.9/21; T2.1/25; T2.1/28; T2.1/35	000000-2218-392
IMS PL - XD eXtended Data - T2.1/100	000000-2218-398
IMS PL - XD eXtended Data - T2.1/135	000000-2218-404
IMS PL - T2.9/15; T2.1/50; T2.1/85	000000-2218-177
IMS PL - T2.9/18	000000-2218-175
IMS PL - T2.9/21; T2.1/25; T2.1/28; T2.1/35	000000-2218-393
IMS PL - T2.1/100	000000-2218-399
IMS PL - T2.1/135	000000-2218-405
IMS EF - T2.9/15; T2.1/50; T2.1/85	000000-2218-389
IMS EF - T2.9/18	000000-2217-359
IMS EF - T2.9/21; T2.1/25; T2.1/28; T2.1/35	000000-2218-395
IMS EF - T2.1/100	000000-2218-401
IMS EF - T2.1/135	000000-2218-407
IMS MFT - T2.9/15; T2.1/50; T2.1/85	000000-2218-390
IMS MFT - T2.9/18	000000-2217-359
IMS MFT - T2.9/21; T2.1/25; T2.1/28; T2.1/35	000000-2218-396
IMS MFT - T2.1/100	000000-2218-402
IMS MFT - T2.1/135	000000-2218-408
IMS E - T2.9/15; T2.1/50; T2.1/85	000000-2218-388
IMS E - T2.9/18	000000-2217-326
IMS E - T2.9/21; T2.1/25; T2.1/28; T2.1/35	000000-2218-396
IMS E - T2.1/100	000000-2218-402
IMS E - T2.1/135	000000-2218-408
IMS F - T2.9/15	000000-2218-391
IMS F - T2.9/18	000000-2217-358

IMS F - T2.9/21; T2.1/25; T2.1/28; T2.1/35	000000-2218-397
IMS F - T2.1/100	000000-2218-403
IMS F - T2.1/135	000000-2218-409
IMS F - T2.1/50; T2.1/85	000000-2223-503
IMS LPL – T2.1/100	000000-2329-762
IMS LPL – T2.1/135	000000-2329-933
IMS LPL – T2.9/15; T2.1/50; T2.1/85	000000-2329-759
IMS LPL – T2.9/18	000000-2329-760
IMS LPL – T2.1/21; T2.1/25; T2.1/28; T2.1/35	000000-2329-761

Glossary

Flange focal distance	flange-to-film distance, flange focal depth, flange back distance, flange focal length
Shim	washer
Index mark	aperture indicator, aperture line, aperture mark, aperture index
Flat-blade screwdriver	slotted screwdriver, flathead screwdriver



ZEISS Cinema Zoom Lenses

Mount Change Instructions




Table of Contents

Introduction	3
Explanation of Symbols	3
Overview	4
Delivery Contents of a ZEISS CZ.2	4
Technical Data	5
Changing the Mount of a ZEISS CZ.2	6
Detaching a Mount	6
Attaching a Mount	10
Adjusting a ZEISS CZ.2 to Your Digital Camera	15
Testing the Sharpness	16
Correcting the Flange Focal Distance	19
Appendix	21
Color Code of the Shims	21
Shimming Table	21
Mount Change Accessories	23
Glossary	23

Overview

- | | |
|------------------------------|--|
| 1 front lens | 9 lens barrel |
| 2 focus ring | 10 groove of the lens |
| 3 focus index mark | 11 small screw |
| 4 lens foot | 12 rear lens |
| 5 zoom index mark | 13 shims |
| 6 zoom ring | 14 mount including the black inner ring |
| 7 aperture index mark | 15 T6 screws |
| 8 aperture ring | |



Delivery Contents of a ZEISS CZ.2

- 1x ZEISS CZ.2
- 1x Front cap
- 1x Rear cap
- 1x Focus lever
- 3x Lens support riser 3/8"

Technical Data

	Cinema Zoom 15 – 30 mm	Cinema Zoom 28 – 80 mm	Cinema Zoom 70 – 200 mm
Aperture range	T 2.9 to T 22	T 2.9 to T 22	T 2.9 to T 22
Focal length	15 – 30 mm	28 – 80 mm	70 – 200 mm
Close focus distance ¹	0.55 m / 1'10"	0.83 m / 2'8"	1.51 m / 5'
Length ²	198 mm / 9.92"	196 mm / 7.72"	250 mm / 9.84"
Front diameter	114 mm / 4.49"	95 mm / 3.7"	95 mm / 3.7"
Weight	2.6 kg / 5.7 lbs	2.5 kg / 5.5 lbs	2.8 kg / 6.2 lbs
Horizontal Angle of View			
Full-Frame ³	100 – 62°	66 – 25°	29 – 10°
APS-H ⁴	90 – 54°	57 – 21°	24 – 9°
Super 35 ⁵	79 – 46°	48 – 18°	20 – 7°
Normal 35 ⁶	72 – 41°	43 – 16°	18 – 6°
APS-C ⁷	73 – 42°	43 – 16°	18 – 6°
MFT ⁸	59 – 33°	34 – 12°	14 – 5°

¹ Close focus distance is measured from the image plane

² Front to PL mount flange

³ Horizontal angle of view for a full-frame camera
(aspect ratio 1:1.5, dimensions 36 mm x 24 mm / 1.42" x 0.94")

⁴ Horizontal angle of view for an APS-H camera
(aspect ratio 1:1.81, dimensions 30.2 mm x 16.7 mm / 1.19" x 0.66")

⁵ Horizontal angle of view for an ANSI Super 35 Silent camera
(aspect ratio 1:1.33, dimensions 24.9 mm x 18.7 mm / 0.98" x 0.74")

⁶ Horizontal angle of view for a Normal 35 Academy camera
(aspect ratio 1:1.37, dimensions 22 mm x 16 mm / 0.87" x 0.63")

⁷ Horizontal angle of view for an APS-C camera
(aspect ratio 1:1.50, dimensions 22.3 mm x 14.9 mm / 0.88" x 0.59")

⁸ Horizontal angle of view for a Micro 4/3 (MFT) camera
(aspect ratio 1:1.33, dimensions 17.3 mm x 13 mm / 0.68" x 0.51")




If you are changing to a PL mount, skip Steps 1 and 2 in this chapter.

1. Carefully place the adapter ring, which came with your ZEISS Interchangeable Mount Set for the ZEISS CZ.2. Make sure the small screw in the groove of the ZEISS CZ.2 sinks into groove of the adapter ring.



The shape and height of the black adapter ring varies according to the different mounts.

2. With the T6 torque wrench tighten the torx screws using a torque of 0.4 N



Appendix

Color Code of the Shims

Shim color	Thickness [mm]	
Silver	0.013	
Gold	0.019	
Purple	0.025	
Light Blue	0.032	
Red	0.038	
Blue	0.051	
White	0.064	
Green	0.076	
Orange	0.102	
Light Purple	0.127	
Clear	0.152	

Shimming Table

Minus sign: Enlarge the flange focal distance. → Remove Shims

Plus sign: Reduce the flange focal distance. → Add Shims

Compact Zoom CZ.2 70 – 200 / T2.9

Meter distance scale		Feet distance scale	
Distance to test chart [mm]	4500	Distance to test chart [ft]	15
Object distance at best focus [mm]	Change of total washer thickness [mm]	Object distance at best focus [ft]	Change of total washer thickness [mm]
4460	-0,09	14ft 10'	-0,11
4470	-0,07	14ft 10 1/2'	-0,08
4480	-0,04	14ft 11'	-0,06
4490	-0,02	14ft 11 1/2'	-0,03
4500	0,00	15ft 0'	0,00
4510	+0,02	15ft 1/2'	+0,03
4520	+0,04	15ft 1'	+0,06
4530	+0,07	15ft 1 1/2'	+0,08
4540	+0,09	15ft 2'	+0,11

Compact Zoom CZ.2 28 – 80 / T2.9

Meter distance scale

Distance to test chart [mm]	2000
Object distance at best focus [mm]	Change of total washer thickness [mm]
1960	-0,07
1970	-0,06
1980	-0,04
1990	-0,02
2000	0,00
2010	+0,02
2020	+0,04
2030	+0,06
2040	+0,07

Feet distance scale

Distance to test chart [ft]	7
Object distance at best focus [ft]	Change of total washer thickness [mm]
7ft 10'	-0,10
7ft 10 1/2'	-0,07
7ft 11'	-0,05
7ft 11 1/2'	-0,02
7ft 0'	0,00
7ft 1/2'	+0,02
7ft 1'	+0,05
7ft 1 1/2'	+0,07
7ft 2'	+0,10

Compact Zoom CZ.2 15 – 30 / T2.9

Meter distance scale

Distance to test chart [mm]	1000
Object distance at best focus [mm]	Change of total washer thickness [mm]
960	-0,06
970	-0,04
980	-0,03
990	-0,01
1000	0,00
1010	+0,01
1020	+0,03
1030	+0,04
1040	+0,06

Feet distance scale

Distance to test chart [ft]	4
Object distance at best focus [ft]	Change of total washer thickness [mm]
3ft 10'	-0,04
3ft 10 1/2'	-0,03
3ft 11'	-0,02
3ft 11 1/2'	-0,01
4ft 0'	0,00
4ft 1'	+0,01
4ft 1 1/2'	+0,02
4ft 2'	+0,03
4ft 2 1/2'	+0,04

Mount Change Accessories

Accessories	ZEISS Identification Number
Interchangeable Mount Set EF (CZ.2 70 – 200 / T2.9)	2002-824
Interchangeable Mount Set EF (CZ.2 28 – 80 / T2.9)	2016-087
Interchangeable Mount Set EF (CZ.2 15 – 30 / T2.9)	2075-923
Interchangeable Mount Set PL (CZ.2 70 – 200 / T2.9)	2002-823
Interchangeable Mount Set PL (CZ.2 28 – 80 / T2.9)	2016-086
Interchangeable Mount Set PL (CZ.2 15 – 30 / T2.9)	2075-926
Interchangeable Mount Set F (CZ.2 70 – 200 / T2.9)	2002-825
Interchangeable Mount Set F (CZ.2 28 – 80 / T2.9)	2016-448
Interchangeable Mount Set F (CZ.2 15 – 30 / T2.9)	2075-924
Interchangeable Mount Set MFT (CZ.2 70 – 200 / T2.9)	2002-826
Interchangeable Mount Set MFT (CZ.2 28 – 80 / T2.9)	2016-449
Interchangeable Mount Set MFT (CZ.2 15 – 30 / T2.9)	2075-925
Interchangeable Mount Set E (CZ.2 70 – 200 / T2.9)	2002-827
Interchangeable Mount Set E (CZ.2 28 – 80 / T2.9)	2016-450
Interchangeable Mount Set E (CZ.2 15 – 30 / T2.9)	2075-922
Support Bracket EF, F, MFT, E (incl. screws)	1856-667
Torx torque wrench (T6, torque moment 0,4 Nm)	0520-065
Front Lens Cap Focal Lengths 18 – 85 mm & 100 mm CF	0097-227
Rear Lens Cap EF	1793-167
Rear Lens Cap PL	102160-0052-000
Rear Lens Cap F	1793-178
Rear Lens Cap MFT	1889-118
Rear Lens Cap E	1907-145
ZEISS Siemens Star Test Chart	1849-755
Set of Colored Shims CP.2	1853-634

Glossary

Flange focal distance	flange-to-film distance, flange focal depth, flange back distance, flange focal length
Shim	washer
Index mark	aperture indicator, aperture line, aperture mark, aperture index
Flat-blade screwdriver	slotted screwdriver, flathead screwdriver



Depth of Field Tables in Meter

for

Compact Zoom CZ.2 15-30mm/T2.9

for

	MFT format	ANSI Super 35, Normal 35, APS-H and APS-C Format	Full Format
15mm	■	■	■
22mm	■	■	■
30mm	■	■	■

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=15mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4,48	INF	3,15	INF	2,65	INF
20	3,72	INF	2,77	INF	2,38	INF
10	3,18	INF	2,47	INF	2,16	INF
7,5	2,90	INF	2,31	INF	2,04	INF
5	2,47	INF	2,03	INF	1,83	INF
4	2,22	34,69	1,87	48,31	1,70	INF
3,5	2,07	14,65	1,76	16,60	1,61	INF
3	1,90	8,28	1,64	8,85	1,51	INF
2,5	1,70	5,15	1,50	5,36	1,39	46,60
2	1,47	3,29	1,33	3,37	1,25	7,14
1,8	1,37	2,74	1,24	2,79	1,18	4,86
1,7	1,32	2,50	1,20	2,54	1,14	4,10
1,6	1,26	2,27	1,16	2,30	1,10	3,48
1,5	1,20	2,05	1,11	2,08	1,06	2,97
1,4	1,14	1,86	1,06	1,88	1,01	2,55
1,3	1,08	1,67	1,01	1,69	0,97	2,19
1,2	1,02	1,50	0,95	1,51	0,92	1,88
1,1	0,95	1,33	0,90	1,34	0,86	1,61
1	0,88	1,18	0,83	1,18	0,81	1,38
0,95	0,84	1,10	0,80	1,11	0,78	1,27
0,9	0,81	1,03	0,77	1,04	0,75	1,17
0,85	0,77	0,96	0,74	0,97	0,72	1,08
0,8	0,73	0,89	0,70	0,90	0,69	0,99
0,75	0,69	0,83	0,67	0,83	0,65	0,90
0,7	0,65	0,76	0,63	0,76	0,62	0,82
0,65	0,61	0,70	0,59	0,70	0,58	0,75
0,64	0,60	0,69	0,59	0,69	0,58	0,73
0,62	0,59	0,66	0,57	0,66	0,56	0,70
0,6	0,57	0,64	0,56	0,64	0,55	0,67
0,58	0,55	0,61	0,54	0,62	0,53	0,64
0,56	0,53	0,59	0,52	0,59	0,52	0,62
0,55	0,53	0,58	0,52	0,58	0,51	0,60

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=15mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	2,23	INF	1,71	INF	1,25	INF
20	2,04	INF	1,61	INF	1,20	INF
10	1,89	INF	1,51	INF	1,15	INF
7,5	1,79	INF	1,46	INF	1,12	INF
5	1,63	INF	1,35	INF	1,07	INF
4	1,53	INF	1,29	INF	1,03	INF
3,5	1,46	INF	1,24	INF	1,00	INF
3	1,38	INF	1,19	INF	0,97	INF
2,5	1,29	INF	1,12	INF	0,93	INF
2	1,16	INF	1,03	INF	0,87	INF
1,8	1,10	INF	0,99	INF	0,84	INF
1,7	1,07	INF	0,96	INF	0,83	INF
1,6	1,04	21,16	0,93	INF	0,81	INF
1,5	1,00	9,82	0,91	INF	0,79	INF
1,4	0,96	6,10	0,88	INF	0,77	INF
1,3	0,92	4,25	0,84	INF	0,75	INF
1,2	0,88	3,14	0,81	37,46	0,72	INF
1,1	0,83	2,40	0,77	7,26	0,69	INF
1	0,78	1,88	0,73	3,71	0,66	INF
0,95	0,75	1,67	0,71	2,89	0,65	INF
0,9	0,73	1,48	0,69	2,33	0,63	12,14
0,85	0,70	1,32	0,66	1,91	0,61	5,23
0,8	0,67	1,18	0,64	1,60	0,59	3,20
0,75	0,64	1,05	0,61	1,35	0,57	2,23
0,7	0,61	0,93	0,58	1,14	0,55	1,67
0,65	0,57	0,83	0,55	0,98	0,52	1,29
0,64	0,57	0,81	0,55	0,95	0,52	1,23
0,62	0,55	0,77	0,53	0,89	0,51	1,13
0,6	0,54	0,73	0,52	0,83	0,50	1,03
0,58	0,52	0,70	0,51	0,78	0,49	0,94
0,56	0,51	0,66	0,50	0,74	0,47	0,87
0,55	0,50	0,65	0,49	0,71	0,47	0,83

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=15mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,92	INF
20	0,90	INF
10	0,87	INF
7,5	0,86	INF
5	0,83	INF
4	0,81	INF
3,5	0,80	INF
3	0,78	INF
2,5	0,75	INF
2	0,72	INF
1,8	0,70	INF
1,7	0,69	INF
1,6	0,68	INF
1,5	0,67	INF
1,4	0,66	INF
1,3	0,64	INF
1,2	0,63	INF
1,1	0,61	INF
1	0,59	INF
0,95	0,58	INF
0,9	0,56	INF
0,85	0,55	INF
0,8	0,54	INF
0,75	0,52	INF
0,7	0,50	6,15
0,65	0,48	2,67
0,64	0,48	2,38
0,62	0,47	1,94
0,6	0,46	1,63
0,58	0,46	1,39
0,56	0,45	1,20
0,55	0,44	1,13

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=22mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	8,27	INF	5,45	INF	3,86	INF
20	5,94	INF	4,35	INF	3,30	INF
10	4,63	INF	3,62	213,61	2,87	INF
7,5	4,04	77,50	3,26	25,36	2,65	287,13
5	3,22	12,02	2,71	9,18	2,29	13,51
4	2,79	7,36	2,41	6,21	2,07	7,88
3,5	2,55	5,77	2,23	5,05	1,94	6,07
3	2,29	4,47	2,03	4,04	1,80	4,65
2,5	2,00	3,41	1,81	3,15	1,62	3,50
2	1,68	2,51	1,55	2,38	1,41	2,56
1,8	1,54	2,19	1,43	2,09	1,32	2,23
1,7	1,47	2,04	1,37	1,95	1,27	2,07
1,6	1,40	1,89	1,31	1,82	1,22	1,91
1,5	1,32	1,74	1,25	1,68	1,17	1,77
1,4	1,25	1,60	1,18	1,55	1,11	1,62
1,3	1,17	1,47	1,11	1,43	1,05	1,48
1,2	1,09	1,34	1,04	1,30	0,99	1,35
1,1	1,01	1,21	0,97	1,18	0,93	1,22
1	0,93	1,08	0,90	1,06	0,86	1,09
0,95	0,89	1,02	0,86	1,01	0,83	1,03
0,9	0,85	0,96	0,82	0,95	0,79	0,97
0,85	0,80	0,90	0,78	0,89	0,76	0,91
0,8	0,76	0,85	0,74	0,84	0,72	0,85
0,75	0,72	0,79	0,70	0,78	0,68	0,79
0,7	0,67	0,73	0,66	0,72	0,64	0,73
0,65	0,63	0,67	0,62	0,67	0,60	0,68
0,64	0,62	0,66	0,61	0,66	0,60	0,67
0,62	0,60	0,64	0,59	0,64	0,58	0,64
0,6	0,58	0,62	0,57	0,61	0,56	0,62
0,58	0,56	0,60	0,56	0,59	0,55	0,60
0,56	0,55	0,58	0,54	0,57	0,53	0,58
0,55	0,54	0,56	0,53	0,56	0,52	0,57

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=22mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	3,14	INF	2,52	INF	1,94	INF
20	2,76	INF	2,28	INF	1,80	INF
10	2,47	INF	2,08	INF	1,68	INF
7,5	2,30	INF	1,97	INF	1,61	INF
5	2,03	INF	1,77	INF	1,48	INF
4	1,86	33,67	1,65	INF	1,40	INF
3,5	1,76	14,47	1,57	INF	1,35	INF
3	1,64	8,23	1,48	INF	1,28	INF
2,5	1,50	5,13	1,36	18,13	1,20	INF
2	1,32	3,28	1,22	5,81	1,09	INF
1,8	1,24	2,73	1,16	4,23	1,04	17,29
1,7	1,20	2,49	1,12	3,64	1,01	10,10
1,6	1,16	2,26	1,08	3,15	0,98	6,89
1,5	1,11	2,05	1,04	2,73	0,95	5,06
1,4	1,06	1,85	1,00	2,38	0,92	3,89
1,3	1,01	1,67	0,95	2,06	0,88	3,07
1,2	0,95	1,49	0,91	1,79	0,84	2,47
1,1	0,89	1,33	0,86	1,55	0,80	2,00
1	0,83	1,18	0,80	1,33	0,75	1,64
0,95	0,80	1,10	0,77	1,24	0,73	1,48
0,9	0,77	1,03	0,74	1,14	0,71	1,34
0,85	0,74	0,96	0,71	1,05	0,68	1,21
0,8	0,70	0,89	0,68	0,97	0,65	1,09
0,75	0,67	0,83	0,65	0,89	0,62	0,98
0,7	0,63	0,76	0,62	0,81	0,59	0,88
0,65	0,59	0,70	0,58	0,74	0,56	0,79
0,64	0,59	0,69	0,57	0,72	0,56	0,78
0,62	0,57	0,66	0,56	0,69	0,54	0,74
0,6	0,56	0,64	0,55	0,67	0,53	0,71
0,58	0,54	0,61	0,53	0,64	0,52	0,68
0,56	0,52	0,59	0,52	0,61	0,50	0,64
0,55	0,52	0,58	0,51	0,60	0,50	0,63

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=22mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1,46	INF
20	1,38	INF
10	1,32	INF
7,5	1,28	INF
5	1,20	INF
4	1,15	INF
3,5	1,12	INF
3	1,07	INF
2,5	1,02	INF
2	0,95	INF
1,8	0,91	INF
1,7	0,89	INF
1,6	0,87	INF
1,5	0,85	INF
1,4	0,82	53,72
1,3	0,79	10,55
1,2	0,77	5,46
1,1	0,73	3,49
1	0,70	2,44
0,95	0,68	2,08
0,9	0,66	1,79
0,85	0,64	1,54
0,8	0,61	1,34
0,75	0,59	1,17
0,7	0,56	1,02
0,65	0,54	0,89
0,64	0,53	0,87
0,62	0,52	0,82
0,6	0,51	0,78
0,58	0,50	0,74
0,56	0,49	0,70
0,55	0,48	0,68

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=30mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	13,86	INF	19,55	INF	10,58	INF
20	8,29	INF	9,99	INF	7,02	INF
10	5,91	34,89	6,71	INF	5,25	INF
7,5	4,97	15,86	5,51	42,33	4,49	3692,66
5	3,76	7,59	4,05	10,69	3,49	14,10
4	3,18	5,45	3,38	6,85	2,99	8,07
3,5	2,86	4,54	3,02	5,45	2,71	6,18
3	2,53	3,71	2,65	4,29	2,41	4,72
2,5	2,17	2,96	2,26	3,30	2,09	3,54
2	1,79	2,27	1,85	2,45	1,74	2,58
1,8	1,64	2,01	1,68	2,15	1,59	2,24
1,7	1,55	1,88	1,59	2,00	1,51	2,08
1,6	1,47	1,76	1,51	1,86	1,44	1,92
1,5	1,39	1,63	1,42	1,72	1,36	1,77
1,4	1,31	1,51	1,33	1,58	1,28	1,63
1,3	1,22	1,39	1,24	1,45	1,20	1,49
1,2	1,13	1,28	1,15	1,32	1,11	1,35
1,1	1,05	1,16	1,06	1,20	1,03	1,22
1	0,96	1,05	0,97	1,08	0,94	1,09
0,95	0,91	0,99	0,92	1,02	0,90	1,03
0,9	0,87	0,94	0,88	0,96	0,86	0,97
0,85	0,82	0,88	0,83	0,90	0,81	0,91
0,8	0,78	0,83	0,78	0,84	0,77	0,85
0,75	0,73	0,77	0,74	0,78	0,72	0,79
0,7	0,68	0,72	0,69	0,73	0,68	0,73
0,65	0,64	0,66	0,64	0,67	0,63	0,68
0,64	0,63	0,65	0,63	0,66	0,62	0,67
0,62	0,61	0,63	0,61	0,64	0,60	0,64
0,6	0,59	0,61	0,59	0,62	0,59	0,62
0,58	0,57	0,59	0,57	0,60	0,57	0,60
0,56	0,55	0,57	0,55	0,57	0,55	0,58
0,55	0,54	0,56	0,54	0,56	0,54	0,57

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=30mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	6,75	INF	4,81	INF	3,46	INF
20	5,13	INF	3,94	INF	3,00	INF
10	4,13	INF	3,34	INF	2,65	INF
7,5	3,66	INF	3,03	INF	2,46	INF
5	2,98	31,32	2,56	INF	2,15	INF
4	2,61	11,66	2,29	64,84	1,96	INF
3,5	2,40	8,05	2,13	18,16	1,85	INF
3	2,17	5,70	1,95	9,27	1,71	127,62
2,5	1,91	4,05	1,74	5,50	1,56	11,77
2	1,62	2,82	1,50	3,42	1,37	4,99
1,8	1,49	2,42	1,39	2,83	1,28	3,79
1,7	1,43	2,23	1,34	2,57	1,23	3,31
1,6	1,36	2,05	1,28	2,33	1,19	2,91
1,5	1,29	1,88	1,22	2,10	1,14	2,55
1,4	1,22	1,71	1,16	1,89	1,08	2,24
1,3	1,15	1,56	1,09	1,70	1,03	1,97
1,2	1,07	1,41	1,03	1,52	0,97	1,72
1,1	0,99	1,26	0,96	1,35	0,91	1,50
1	0,92	1,13	0,89	1,19	0,85	1,30
0,95	0,88	1,06	0,85	1,11	0,81	1,20
0,9	0,84	0,99	0,81	1,04	0,78	1,12
0,85	0,79	0,93	0,77	0,97	0,75	1,03
0,8	0,75	0,87	0,73	0,90	0,71	0,95
0,75	0,71	0,81	0,69	0,83	0,67	0,87
0,7	0,67	0,75	0,65	0,77	0,64	0,80
0,65	0,62	0,69	0,61	0,70	0,60	0,73
0,64	0,61	0,67	0,60	0,69	0,59	0,71
0,62	0,60	0,65	0,59	0,66	0,58	0,69
0,6	0,58	0,63	0,57	0,64	0,56	0,66
0,58	0,56	0,60	0,55	0,62	0,54	0,63
0,56	0,54	0,58	0,54	0,59	0,53	0,61
0,55	0,53	0,57	0,53	0,58	0,52	0,59

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=30mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	2,47	INF
20	2,24	INF
10	2,05	INF
7,5	1,94	INF
5	1,75	INF
4	1,63	INF
3,5	1,55	INF
3	1,46	INF
2,5	1,35	INF
2	1,21	14,28
1,8	1,15	7,26
1,7	1,11	5,64
1,6	1,07	4,50
1,5	1,03	3,67
1,4	0,99	3,03
1,3	0,95	2,52
1,2	0,90	2,11
1,1	0,85	1,77
1	0,80	1,49
0,95	0,77	1,36
0,9	0,74	1,24
0,85	0,71	1,13
0,8	0,68	1,03
0,75	0,65	0,94
0,7	0,61	0,85
0,65	0,58	0,77
0,64	0,57	0,75
0,62	0,56	0,72
0,6	0,54	0,69
0,58	0,53	0,66
0,56	0,51	0,63
0,55	0,51	0,61

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=15mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	3,63	INF	2,63	INF	2,16	INF
20	3,12	INF	2,37	INF	1,99	INF
10	2,74	INF	2,15	INF	1,84	INF
7,5	2,54	INF	2,03	INF	1,75	INF
5	2,21	INF	1,82	INF	1,60	INF
4	2,01	INF	1,69	INF	1,50	INF
3,5	1,89	96,81	1,61	INF	1,44	INF
3	1,75	15,58	1,51	23,79	1,36	INF
2,5	1,58	7,17	1,39	8,47	1,27	INF
2	1,39	3,97	1,24	4,32	1,15	24,97
1,8	1,30	3,18	1,17	3,39	1,09	9,21
1,7	1,25	2,85	1,14	3,02	1,06	6,72
1,6	1,20	2,55	1,10	2,68	1,02	5,15
1,5	1,15	2,28	1,05	2,38	0,99	4,08
1,4	1,10	2,03	1,01	2,11	0,95	3,30
1,3	1,04	1,81	0,96	1,87	0,91	2,70
1,2	0,98	1,60	0,92	1,64	0,87	2,23
1,1	0,92	1,41	0,86	1,44	0,82	1,85
1	0,85	1,23	0,81	1,26	0,78	1,54
0,95	0,82	1,15	0,78	1,17	0,75	1,40
0,9	0,79	1,07	0,75	1,09	0,72	1,28
0,85	0,75	0,99	0,72	1,01	0,69	1,16
0,8	0,71	0,92	0,69	0,93	0,67	1,05
0,75	0,68	0,85	0,65	0,86	0,64	0,95
0,7	0,64	0,78	0,62	0,79	0,60	0,86
0,65	0,60	0,71	0,58	0,72	0,57	0,78
0,64	0,59	0,70	0,58	0,71	0,56	0,76
0,62	0,58	0,67	0,56	0,68	0,55	0,73
0,6	0,56	0,65	0,55	0,65	0,54	0,70
0,58	0,55	0,62	0,53	0,63	0,52	0,66
0,56	0,53	0,60	0,52	0,60	0,51	0,63
0,55	0,52	0,59	0,51	0,59	0,50	0,62

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=15mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	1,77	INF	1,36	INF	1,01	INF
20	1,66	INF	1,30	INF	0,98	INF
10	1,56	INF	1,24	INF	0,95	INF
7,5	1,50	INF	1,20	INF	0,93	INF
5	1,39	INF	1,14	INF	0,90	INF
4	1,32	INF	1,09	INF	0,87	INF
3,5	1,27	INF	1,06	INF	0,86	INF
3	1,21	INF	1,03	INF	0,83	INF
2,5	1,14	INF	0,98	INF	0,81	INF
2	1,05	INF	0,91	INF	0,77	INF
1,8	1,00	INF	0,88	INF	0,75	INF
1,7	0,98	INF	0,86	INF	0,73	INF
1,6	0,95	INF	0,84	INF	0,72	INF
1,5	0,92	INF	0,82	INF	0,71	INF
1,4	0,89	44,76	0,80	INF	0,69	INF
1,3	0,86	10,17	0,77	INF	0,68	INF
1,2	0,82	5,36	0,75	INF	0,66	INF
1,1	0,78	3,45	0,71	INF	0,64	INF
1	0,74	2,42	0,68	13,17	0,61	INF
0,95	0,72	2,06	0,66	6,30	0,60	INF
0,9	0,69	1,78	0,64	4,00	0,58	INF
0,85	0,67	1,54	0,62	2,85	0,57	INF
0,8	0,64	1,34	0,60	2,16	0,55	26,97
0,75	0,61	1,17	0,58	1,70	0,54	5,26
0,7	0,59	1,02	0,56	1,37	0,52	2,77
0,65	0,56	0,89	0,53	1,12	0,50	1,80
0,64	0,55	0,87	0,53	1,08	0,49	1,67
0,62	0,54	0,82	0,51	1,00	0,48	1,46
0,6	0,52	0,78	0,50	0,93	0,48	1,29
0,58	0,51	0,73	0,49	0,86	0,47	1,15
0,56	0,50	0,69	0,48	0,80	0,46	1,03
0,55	0,49	0,68	0,47	0,77	0,45	0,97

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=15mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,76	INF
20	0,75	INF
10	0,73	INF
7,5	0,72	INF
5	0,71	INF
4	0,69	INF
3,5	0,69	INF
3	0,67	INF
2,5	0,66	INF
2	0,64	INF
1,8	0,62	INF
1,7	0,62	INF
1,6	0,61	INF
1,5	0,60	INF
1,4	0,59	INF
1,3	0,58	INF
1,2	0,57	INF
1,1	0,55	INF
1	0,54	INF
0,95	0,53	INF
0,9	0,52	INF
0,85	0,51	INF
0,8	0,50	INF
0,75	0,49	INF
0,7	0,47	INF
0,65	0,46	INF
0,64	0,46	25,96
0,62	0,45	6,62
0,6	0,44	3,72
0,58	0,43	2,55
0,56	0,43	1,91
0,55	0,42	1,69

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=22mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	6,66	INF	4,62	INF	3,29	INF
20	5,08	INF	3,82	INF	2,88	INF
10	4,10	INF	3,25	INF	2,56	INF
7,5	3,64	INF	2,96	278,13	2,38	INF
5	2,96	18,88	2,51	13,49	2,09	41,71
4	2,60	9,40	2,25	7,87	1,91	12,82
3,5	2,39	6,92	2,10	6,07	1,81	8,58
3	2,16	5,12	1,92	4,65	1,68	5,95
2,5	1,90	3,76	1,72	3,50	1,53	4,17
2	1,61	2,68	1,49	2,56	1,35	2,88
1,8	1,49	2,32	1,38	2,23	1,26	2,46
1,7	1,42	2,14	1,33	2,07	1,22	2,26
1,6	1,36	1,98	1,27	1,91	1,17	2,08
1,5	1,29	1,82	1,21	1,77	1,12	1,90
1,4	1,22	1,67	1,15	1,62	1,07	1,73
1,3	1,14	1,52	1,09	1,48	1,02	1,57
1,2	1,07	1,38	1,02	1,35	0,96	1,42
1,1	0,99	1,24	0,95	1,22	0,90	1,27
1	0,92	1,11	0,88	1,09	0,84	1,13
0,95	0,88	1,04	0,85	1,03	0,81	1,06
0,9	0,83	0,98	0,81	0,97	0,78	1,00
0,85	0,79	0,92	0,77	0,91	0,74	0,93
0,8	0,75	0,86	0,73	0,85	0,71	0,87
0,75	0,71	0,80	0,69	0,79	0,67	0,81
0,7	0,67	0,74	0,65	0,73	0,63	0,75
0,65	0,62	0,68	0,61	0,68	0,60	0,69
0,64	0,61	0,67	0,60	0,67	0,59	0,68
0,62	0,60	0,65	0,59	0,64	0,57	0,65
0,6	0,58	0,62	0,57	0,62	0,56	0,63
0,58	0,56	0,60	0,55	0,60	0,54	0,61
0,56	0,54	0,58	0,54	0,58	0,53	0,58
0,55	0,53	0,57	0,53	0,57	0,52	0,57

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=22mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	2,63	INF	2,08	INF	1,60	INF
20	2,37	INF	1,92	INF	1,51	INF
10	2,15	INF	1,79	INF	1,43	INF
7,5	2,03	INF	1,70	INF	1,38	INF
5	1,82	INF	1,56	INF	1,29	INF
4	1,69	INF	1,47	INF	1,23	INF
3,5	1,61	INF	1,41	INF	1,19	INF
3	1,51	19,28	1,33	INF	1,14	INF
2,5	1,39	7,84	1,24	INF	1,08	INF
2	1,24	4,15	1,13	13,37	0,99	INF
1,8	1,17	3,30	1,07	7,03	0,95	INF
1,7	1,14	2,94	1,04	5,49	0,93	INF
1,6	1,10	2,62	1,01	4,41	0,91	227,70
1,5	1,05	2,33	0,98	3,61	0,88	16,68
1,4	1,01	2,07	0,94	2,99	0,85	8,11
1,3	0,96	1,84	0,90	2,50	0,82	5,10
1,2	0,92	1,62	0,86	2,10	0,79	3,57
1,1	0,86	1,43	0,82	1,76	0,76	2,63
1	0,81	1,25	0,77	1,48	0,72	2,01
0,95	0,78	1,16	0,74	1,35	0,70	1,77
0,9	0,75	1,08	0,72	1,24	0,67	1,56
0,85	0,72	1,00	0,69	1,13	0,65	1,38
0,8	0,69	0,93	0,66	1,03	0,63	1,22
0,75	0,65	0,85	0,63	0,94	0,60	1,08
0,7	0,62	0,78	0,60	0,85	0,57	0,96
0,65	0,58	0,72	0,57	0,77	0,55	0,85
0,64	0,58	0,70	0,56	0,75	0,54	0,82
0,62	0,56	0,68	0,55	0,72	0,53	0,78
0,6	0,55	0,65	0,53	0,69	0,52	0,75
0,58	0,53	0,63	0,52	0,66	0,50	0,71
0,56	0,52	0,60	0,51	0,63	0,49	0,67
0,55	0,51	0,59	0,50	0,61	0,49	0,65

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=22mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1,21	INF
20	1,16	INF
10	1,12	INF
7,5	1,09	INF
5	1,04	INF
4	1,00	INF
3,5	0,98	INF
3	0,95	INF
2,5	0,91	INF
2	0,85	INF
1,8	0,83	INF
1,7	0,81	INF
1,6	0,79	INF
1,5	0,78	INF
1,4	0,76	INF
1,3	0,73	INF
1,2	0,71	INF
1,1	0,68	10,29
1	0,65	4,32
0,95	0,64	3,24
0,9	0,62	2,54
0,85	0,60	2,05
0,8	0,58	1,68
0,75	0,56	1,40
0,7	0,54	1,18
0,65	0,52	1,00
0,64	0,51	0,97
0,62	0,50	0,91
0,6	0,49	0,85
0,58	0,48	0,80
0,56	0,47	0,75
0,55	0,47	0,72

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=30mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	11,13	INF	14,04	INF	8,17	INF
20	7,25	INF	8,35	INF	5,89	INF
10	5,38	95,57	5,95	INF	4,61	INF
7,5	4,59	22,16	4,99	327,59	4,02	INF
5	3,54	8,74	3,77	13,58	3,20	23,59
4	3,03	6,01	3,19	7,90	2,78	10,42
3,5	2,74	4,91	2,87	6,09	2,54	7,45
3	2,43	3,95	2,53	4,66	2,28	5,40
2,5	2,11	3,10	2,18	3,51	1,99	3,90
2	1,75	2,35	1,80	2,56	1,67	2,75
1,8	1,60	2,07	1,64	2,23	1,54	2,37
1,7	1,52	1,93	1,56	2,07	1,47	2,19
1,6	1,44	1,80	1,47	1,92	1,40	2,01
1,5	1,37	1,67	1,39	1,77	1,32	1,85
1,4	1,28	1,54	1,31	1,62	1,25	1,69
1,3	1,20	1,42	1,22	1,48	1,17	1,54
1,2	1,12	1,30	1,13	1,35	1,09	1,39
1,1	1,03	1,18	1,05	1,22	1,01	1,25
1	0,95	1,06	0,96	1,09	0,93	1,12
0,95	0,90	1,00	0,91	1,03	0,89	1,05
0,9	0,86	0,95	0,87	0,97	0,85	0,99
0,85	0,82	0,89	0,82	0,91	0,80	0,92
0,8	0,77	0,83	0,78	0,85	0,76	0,86
0,75	0,73	0,78	0,73	0,79	0,72	0,80
0,7	0,68	0,72	0,68	0,73	0,67	0,74
0,65	0,63	0,67	0,64	0,68	0,63	0,68
0,64	0,62	0,66	0,63	0,67	0,62	0,67
0,62	0,61	0,64	0,61	0,64	0,60	0,65
0,6	0,59	0,61	0,59	0,62	0,58	0,63
0,58	0,57	0,59	0,57	0,60	0,56	0,60
0,56	0,55	0,57	0,55	0,58	0,55	0,58
0,55	0,54	0,56	0,54	0,57	0,54	0,57

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=30mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	5,37	INF	3,84	INF	2,78	INF
20	4,30	INF	3,28	INF	2,48	INF
10	3,59	INF	2,86	INF	2,25	INF
7,5	3,23	INF	2,64	INF	2,11	INF
5	2,70	INF	2,28	INF	1,89	INF
4	2,40	21,93	2,07	INF	1,74	INF
3,5	2,22	11,80	1,94	INF	1,66	INF
3	2,02	7,31	1,79	19,49	1,55	INF
2,5	1,80	4,77	1,62	7,87	1,42	279,33
2	1,54	3,14	1,41	4,16	1,27	8,13
1,8	1,43	2,64	1,32	3,30	1,20	5,29
1,7	1,37	2,41	1,27	2,94	1,16	4,39
1,6	1,31	2,20	1,22	2,62	1,12	3,68
1,5	1,24	2,00	1,16	2,34	1,07	3,12
1,4	1,18	1,81	1,11	2,08	1,03	2,65
1,3	1,11	1,64	1,05	1,84	0,98	2,26
1,2	1,04	1,47	0,99	1,63	0,93	1,93
1,1	0,97	1,31	0,93	1,43	0,87	1,65
1	0,90	1,16	0,86	1,25	0,82	1,40
0,95	0,86	1,09	0,83	1,16	0,79	1,29
0,9	0,82	1,02	0,79	1,08	0,76	1,19
0,85	0,78	0,95	0,76	1,00	0,72	1,09
0,8	0,74	0,89	0,72	0,93	0,69	1,00
0,75	0,70	0,82	0,68	0,85	0,66	0,91
0,7	0,66	0,76	0,64	0,78	0,62	0,83
0,65	0,62	0,70	0,60	0,72	0,59	0,75
0,64	0,61	0,68	0,60	0,70	0,58	0,74
0,62	0,59	0,66	0,58	0,68	0,57	0,71
0,6	0,57	0,63	0,56	0,65	0,55	0,68
0,58	0,56	0,61	0,55	0,63	0,53	0,65
0,56	0,54	0,59	0,53	0,60	0,52	0,62
0,55	0,53	0,58	0,52	0,59	0,51	0,61

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=30mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	2,01	INF
20	1,86	INF
10	1,73	INF
7,5	1,65	INF
5	1,52	INF
4	1,43	INF
3,5	1,37	INF
3	1,31	INF
2,5	1,22	INF
2	1,11	INF
1,8	1,06	41,31
1,7	1,03	15,16
1,6	1,00	8,86
1,5	0,96	6,03
1,4	0,93	4,42
1,3	0,89	3,38
1,2	0,85	2,66
1,1	0,81	2,12
1	0,76	1,71
0,95	0,74	1,54
0,9	0,71	1,38
0,85	0,68	1,25
0,8	0,66	1,12
0,75	0,63	1,01
0,7	0,60	0,90
0,65	0,57	0,80
0,64	0,56	0,79
0,62	0,55	0,75
0,6	0,53	0,72
0,58	0,52	0,68
0,56	0,50	0,65
0,55	0,50	0,63

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=15mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	3,06	INF	2,27	INF	1,84	INF
20	2,70	INF	2,08	INF	1,71	INF
10	2,42	INF	1,91	INF	1,61	INF
7,5	2,26	INF	1,82	INF	1,54	INF
5	2,00	INF	1,65	INF	1,43	INF
4	1,84	INF	1,55	INF	1,35	INF
3,5	1,74	INF	1,48	INF	1,30	INF
3	1,62	163,48	1,40	INF	1,24	INF
2,5	1,48	12,01	1,30	21,18	1,16	INF
2	1,31	5,03	1,17	6,08	1,07	INF
1,8	1,23	3,81	1,11	4,36	1,02	139,68
1,7	1,19	3,33	1,08	3,74	0,99	20,31
1,6	1,15	2,92	1,04	3,22	0,96	10,37
1,5	1,10	2,56	1,01	2,79	0,93	6,67
1,4	1,05	2,25	0,97	2,42	0,90	4,75
1,3	1,00	1,97	0,93	2,09	0,87	3,56
1,2	0,95	1,72	0,88	1,81	0,83	2,76
1,1	0,89	1,50	0,83	1,56	0,79	2,19
1	0,83	1,30	0,78	1,34	0,74	1,75
0,95	0,80	1,21	0,76	1,24	0,72	1,57
0,9	0,77	1,12	0,73	1,15	0,70	1,41
0,85	0,73	1,03	0,70	1,06	0,67	1,26
0,8	0,70	0,95	0,67	0,97	0,65	1,13
0,75	0,67	0,87	0,64	0,89	0,62	1,02
0,7	0,63	0,80	0,61	0,81	0,59	0,91
0,65	0,59	0,73	0,57	0,74	0,56	0,81
0,64	0,59	0,71	0,57	0,72	0,55	0,79
0,62	0,57	0,69	0,55	0,70	0,54	0,76
0,6	0,55	0,66	0,54	0,67	0,53	0,72
0,58	0,54	0,63	0,53	0,64	0,51	0,69
0,56	0,52	0,61	0,51	0,61	0,50	0,65
0,55	0,52	0,59	0,50	0,60	0,49	0,64

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=15mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	1,49	INF	1,14	INF	0,86	INF
20	1,41	INF	1,10	INF	0,84	INF
10	1,34	INF	1,06	INF	0,82	INF
7,5	1,30	INF	1,04	INF	0,81	INF
5	1,22	INF	0,99	INF	0,79	INF
4	1,17	INF	0,96	INF	0,77	INF
3,5	1,13	INF	0,94	INF	0,76	INF
3	1,09	INF	0,91	INF	0,74	INF
2,5	1,03	INF	0,88	INF	0,72	INF
2	0,96	INF	0,83	INF	0,69	INF
1,8	0,92	INF	0,80	INF	0,68	INF
1,7	0,90	INF	0,79	INF	0,67	INF
1,6	0,88	INF	0,77	INF	0,66	INF
1,5	0,85	INF	0,75	INF	0,65	INF
1,4	0,83	INF	0,74	INF	0,63	INF
1,3	0,80	INF	0,72	INF	0,62	INF
1,2	0,77	21,64	0,69	INF	0,61	INF
1,1	0,74	6,40	0,67	INF	0,59	INF
1	0,70	3,48	0,64	INF	0,57	INF
0,95	0,68	2,76	0,63	INF	0,56	INF
0,9	0,66	2,24	0,61	18,64	0,55	INF
0,85	0,64	1,86	0,59	6,10	0,54	INF
0,8	0,62	1,56	0,57	3,49	0,52	INF
0,75	0,59	1,32	0,56	2,36	0,51	INF
0,7	0,57	1,13	0,53	1,73	0,49	10,86
0,65	0,54	0,96	0,51	1,33	0,48	3,22
0,64	0,53	0,93	0,51	1,27	0,47	2,80
0,62	0,52	0,88	0,50	1,15	0,47	2,20
0,6	0,51	0,83	0,49	1,05	0,46	1,79
0,58	0,50	0,78	0,48	0,96	0,45	1,50
0,56	0,49	0,73	0,47	0,88	0,44	1,28
0,55	0,48	0,71	0,46	0,84	0,44	1,19

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=15mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,66	INF
20	0,65	INF
10	0,64	INF
7,5	0,64	INF
5	0,63	INF
4	0,62	INF
3,5	0,61	INF
3	0,60	INF
2,5	0,59	INF
2	0,57	INF
1,8	0,57	INF
1,7	0,56	INF
1,6	0,55	INF
1,5	0,55	INF
1,4	0,54	INF
1,3	0,53	INF
1,2	0,52	INF
1,1	0,51	INF
1	0,50	INF
0,95	0,49	INF
0,9	0,49	INF
0,85	0,48	INF
0,8	0,47	INF
0,75	0,46	INF
0,7	0,45	INF
0,65	0,44	INF
0,64	0,43	INF
0,62	0,43	INF
0,6	0,42	INF
0,58	0,42	228,86
0,56	0,41	6,28
0,55	0,41	4,18

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=22mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	5,59	INF	4,01	INF	2,88	INF
20	4,44	INF	3,40	INF	2,56	INF
10	3,68	INF	2,95	INF	2,31	INF
7,5	3,31	INF	2,71	INF	2,17	INF
5	2,75	44,76	2,33	25,74	1,93	INF
4	2,44	13,08	2,11	10,81	1,78	35,71
3,5	2,25	8,69	1,98	7,64	1,69	14,83
3	2,05	6,01	1,82	5,50	1,58	8,34
2,5	1,82	4,19	1,64	3,95	1,45	5,17
2	1,56	2,89	1,43	2,77	1,28	3,30
1,8	1,44	2,46	1,33	2,38	1,21	2,75
1,7	1,38	2,27	1,28	2,20	1,17	2,50
1,6	1,32	2,08	1,23	2,02	1,13	2,27
1,5	1,25	1,90	1,18	1,86	1,08	2,06
1,4	1,19	1,74	1,12	1,70	1,04	1,86
1,3	1,12	1,57	1,06	1,54	0,99	1,67
1,2	1,05	1,42	1,00	1,40	0,93	1,50
1,1	0,98	1,27	0,93	1,26	0,88	1,33
1	0,90	1,13	0,87	1,12	0,82	1,18
0,95	0,86	1,07	0,83	1,05	0,79	1,10
0,9	0,82	1,00	0,80	0,99	0,76	1,03
0,85	0,78	0,93	0,76	0,93	0,73	0,96
0,8	0,74	0,87	0,72	0,86	0,70	0,89
0,75	0,70	0,81	0,68	0,80	0,66	0,83
0,7	0,66	0,75	0,65	0,74	0,63	0,76
0,65	0,62	0,69	0,61	0,68	0,59	0,70
0,64	0,61	0,68	0,60	0,67	0,58	0,69
0,62	0,59	0,65	0,58	0,65	0,57	0,66
0,6	0,57	0,63	0,56	0,63	0,55	0,64
0,58	0,56	0,61	0,55	0,60	0,54	0,61
0,56	0,54	0,58	0,53	0,58	0,52	0,59
0,55	0,53	0,57	0,52	0,57	0,51	0,58

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=22mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	2,27	INF	1,79	INF	1,37	INF
20	2,08	INF	1,67	INF	1,31	INF
10	1,92	INF	1,57	INF	1,25	INF
7,5	1,82	INF	1,51	INF	1,21	INF
5	1,66	INF	1,40	INF	1,15	INF
4	1,55	INF	1,33	INF	1,10	INF
3,5	1,48	INF	1,28	INF	1,07	INF
3	1,40	INF	1,22	INF	1,03	INF
2,5	1,30	17,26	1,15	INF	0,98	INF
2	1,17	5,73	1,05	INF	0,92	INF
1,8	1,11	4,18	1,01	22,88	0,88	INF
1,7	1,08	3,61	0,98	11,75	0,87	INF
1,6	1,04	3,13	0,95	7,60	0,85	INF
1,5	1,01	2,72	0,92	5,43	0,82	INF
1,4	0,97	2,36	0,89	4,10	0,80	INF
1,3	0,93	2,06	0,86	3,20	0,78	17,21
1,2	0,88	1,78	0,82	2,54	0,75	6,76
1,1	0,83	1,54	0,78	2,05	0,72	3,95
1	0,78	1,33	0,74	1,67	0,68	2,64
0,95	0,76	1,23	0,72	1,50	0,67	2,22
0,9	0,73	1,14	0,69	1,36	0,65	1,88
0,85	0,70	1,05	0,67	1,22	0,63	1,62
0,8	0,67	0,97	0,64	1,10	0,60	1,39
0,75	0,64	0,89	0,61	0,99	0,58	1,21
0,7	0,61	0,81	0,59	0,89	0,56	1,05
0,65	0,57	0,74	0,56	0,80	0,53	0,91
0,64	0,57	0,72	0,55	0,78	0,53	0,88
0,62	0,55	0,69	0,54	0,75	0,52	0,84
0,6	0,54	0,67	0,52	0,71	0,50	0,79
0,58	0,53	0,64	0,51	0,68	0,49	0,75
0,56	0,51	0,61	0,50	0,65	0,48	0,70
0,55	0,50	0,60	0,49	0,63	0,48	0,68

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=22mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1,04	INF
20	1,01	INF
10	0,98	INF
7,5	0,96	INF
5	0,92	INF
4	0,90	INF
3,5	0,88	INF
3	0,85	INF
2,5	0,82	INF
2	0,78	INF
1,8	0,76	INF
1,7	0,75	INF
1,6	0,73	INF
1,5	0,72	INF
1,4	0,70	INF
1,3	0,69	INF
1,2	0,67	INF
1,1	0,64	INF
1	0,62	27,44
0,95	0,61	8,29
0,9	0,59	4,69
0,85	0,58	3,16
0,8	0,56	2,32
0,75	0,54	1,79
0,7	0,52	1,42
0,65	0,50	1,15
0,64	0,50	1,11
0,62	0,49	1,02
0,6	0,48	0,95
0,58	0,47	0,88
0,56	0,46	0,81
0,55	0,45	0,78

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=30mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	9,32	INF	10,97	INF	6,68	INF
20	6,45	INF	7,18	INF	5,09	INF
10	4,93	INF	5,34	INF	4,11	INF
7,5	4,26	36,96	4,56	INF	3,64	INF
5	3,35	10,32	3,53	18,69	2,97	74,21
4	2,89	6,70	3,02	9,36	2,60	14,76
3,5	2,63	5,36	2,73	6,90	2,39	9,39
3	2,35	4,23	2,43	5,11	2,16	6,32
2,5	2,04	3,27	2,10	3,75	1,90	4,34
2	1,71	2,44	1,75	2,68	1,61	2,95
1,8	1,57	2,13	1,60	2,31	1,49	2,51
1,7	1,49	1,99	1,52	2,14	1,42	2,31
1,6	1,42	1,85	1,44	1,98	1,36	2,11
1,5	1,34	1,71	1,36	1,82	1,29	1,93
1,4	1,26	1,58	1,28	1,67	1,22	1,76
1,3	1,18	1,45	1,20	1,52	1,14	1,59
1,2	1,10	1,32	1,12	1,38	1,07	1,43
1,1	1,02	1,20	1,03	1,24	0,99	1,28
1	0,94	1,07	0,95	1,11	0,92	1,14
0,95	0,90	1,01	0,90	1,04	0,88	1,07
0,9	0,85	0,96	0,86	0,98	0,83	1,01
0,85	0,81	0,90	0,81	0,92	0,79	0,94
0,8	0,76	0,84	0,77	0,86	0,75	0,88
0,75	0,72	0,78	0,72	0,80	0,71	0,81
0,7	0,68	0,73	0,68	0,74	0,67	0,75
0,65	0,63	0,67	0,63	0,68	0,62	0,69
0,64	0,62	0,66	0,62	0,67	0,61	0,68
0,62	0,60	0,64	0,61	0,65	0,60	0,65
0,6	0,58	0,62	0,59	0,62	0,58	0,63
0,58	0,57	0,60	0,57	0,60	0,56	0,61
0,56	0,55	0,57	0,55	0,58	0,54	0,58
0,55	0,54	0,56	0,54	0,57	0,53	0,57

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=30mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4,47	INF	3,21	INF	2,33	INF
20	3,71	INF	2,82	INF	2,13	INF
10	3,18	INF	2,51	INF	1,96	INF
7,5	2,90	INF	2,34	INF	1,86	INF
5	2,47	INF	2,06	INF	1,68	INF
4	2,22	215,09	1,89	INF	1,57	INF
3,5	2,07	22,48	1,78	INF	1,50	INF
3	1,90	10,25	1,66	INF	1,42	INF
2,5	1,70	5,82	1,51	14,11	1,32	INF
2	1,47	3,54	1,33	5,35	1,18	23,29
1,8	1,37	2,90	1,25	3,98	1,12	8,97
1,7	1,32	2,63	1,21	3,46	1,09	6,59
1,6	1,26	2,38	1,16	3,02	1,05	5,08
1,5	1,20	2,14	1,12	2,64	1,02	4,04
1,4	1,14	1,92	1,07	2,30	0,98	3,27
1,3	1,08	1,72	1,01	2,01	0,93	2,68
1,2	1,02	1,54	0,96	1,75	0,89	2,22
1,1	0,95	1,36	0,90	1,52	0,84	1,84
1	0,88	1,20	0,84	1,31	0,79	1,53
0,95	0,84	1,12	0,81	1,22	0,76	1,40
0,9	0,81	1,05	0,77	1,13	0,73	1,27
0,85	0,77	0,97	0,74	1,04	0,70	1,16
0,8	0,73	0,90	0,71	0,96	0,67	1,05
0,75	0,69	0,84	0,67	0,88	0,64	0,95
0,7	0,65	0,77	0,63	0,80	0,61	0,86
0,65	0,61	0,70	0,60	0,73	0,58	0,78
0,64	0,60	0,69	0,59	0,72	0,57	0,76
0,62	0,59	0,67	0,57	0,69	0,56	0,73
0,6	0,57	0,64	0,56	0,66	0,54	0,69
0,58	0,55	0,62	0,54	0,64	0,53	0,66
0,56	0,53	0,59	0,52	0,61	0,51	0,63
0,55	0,53	0,58	0,52	0,60	0,50	0,62

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 15-30mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=30mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1,70	INF
20	1,60	INF
10	1,50	INF
7,5	1,45	INF
5	1,35	INF
4	1,28	INF
3,5	1,24	INF
3	1,18	INF
2,5	1,12	INF
2	1,03	INF
1,8	0,98	INF
1,7	0,96	INF
1,6	0,93	INF
1,5	0,90	18,66
1,4	0,87	8,54
1,3	0,84	5,26
1,2	0,81	3,64
1,1	0,77	2,67
1	0,73	2,03
0,95	0,71	1,78
0,9	0,68	1,57
0,85	0,66	1,39
0,8	0,64	1,23
0,75	0,61	1,09
0,7	0,58	0,96
0,65	0,55	0,85
0,64	0,55	0,83
0,62	0,53	0,79
0,6	0,52	0,75
0,58	0,51	0,71
0,56	0,50	0,67
0,55	0,49	0,66



Depth of Field Tables in Meter

for

Compact Zoom CZ.2 28-80mm/T2.9

for

	MFT format	ANSI Super 35, Normal 35, APS-H and APS-C Format	Full Format
28mm	■	■	■
50mm	■	■	■
80mm	■	■	■

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=28mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	14,68	INF	10,03	INF	7,41	INF
30	9,94	INF	7,59	INF	6,00	INF
15	7,52	INF	6,10	INF	5,05	INF
10	6,04	30,63	5,10	35,71	4,35	INF
8	5,27	17,15	4,55	18,61	3,94	56,95
6	4,34	9,89	3,85	10,35	3,41	16,38
5	3,80	7,39	3,42	7,64	3,08	10,44
4,5	3,51	6,32	3,19	6,51	2,89	8,41
4	3,21	5,36	2,94	5,49	2,69	6,76
3,5	2,89	4,48	2,67	4,57	2,46	5,40
3	2,55	3,67	2,38	3,73	2,21	4,26
2,7	2,33	3,22	2,19	3,27	2,05	3,66
2,5	2,18	2,94	2,06	2,97	1,94	3,29
2,3	2,03	2,66	1,93	2,69	1,82	2,94
2,2	1,96	2,52	1,86	2,55	1,76	2,77
2,1	1,88	2,39	1,79	2,41	1,70	2,61
2	1,80	2,26	1,72	2,28	1,64	2,45
1,9	1,72	2,13	1,65	2,15	1,57	2,30
1,8	1,64	2,00	1,57	2,02	1,51	2,15
1,7	1,56	1,87	1,50	1,89	1,44	2,00
1,6	1,48	1,75	1,42	1,76	1,37	1,86
1,5	1,39	1,63	1,35	1,64	1,30	1,72
1,4	1,31	1,51	1,27	1,52	1,23	1,58
1,3	1,22	1,39	1,19	1,40	1,15	1,45
1,2	1,13	1,27	1,11	1,28	1,08	1,33
1,1	1,05	1,16	1,02	1,16	1,00	1,20
1	0,96	1,05	0,94	1,05	0,92	1,08
0,95	0,91	0,99	0,90	0,99	0,88	1,02
0,9	0,87	0,94	0,85	0,94	0,84	0,96
0,85	0,82	0,88	0,81	0,88	0,80	0,90
0,83	0,80	0,86	0,79	0,86	0,78	0,88

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=28mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	5,21	INF	3,70	INF	2,71	INF
30	4,49	INF	3,34	INF	2,51	INF
15	3,94	INF	3,03	INF	2,34	INF
10	3,51	INF	2,78	INF	2,20	INF
8	3,25	INF	2,62	INF	2,10	INF
6	2,89	53,81	2,38	INF	1,95	INF
5	2,65	18,54	2,22	INF	1,85	INF
4,5	2,51	12,90	2,13	56,29	1,78	INF
4	2,36	9,35	2,02	20,87	1,71	INF
3,5	2,19	6,91	1,90	11,54	1,62	INF
3	1,99	5,12	1,75	7,23	1,52	20,96
2,7	1,87	4,27	1,66	5,61	1,45	11,20
2,5	1,77	3,76	1,59	4,75	1,40	8,16
2,3	1,68	3,31	1,51	4,03	1,34	6,19
2,2	1,63	3,09	1,47	3,71	1,31	5,44
2,1	1,58	2,89	1,43	3,41	1,28	4,81
2	1,52	2,69	1,39	3,14	1,25	4,26
1,9	1,47	2,50	1,34	2,88	1,21	3,79
1,8	1,41	2,32	1,30	2,64	1,17	3,37
1,7	1,35	2,15	1,25	2,42	1,14	3,00
1,6	1,29	1,99	1,20	2,20	1,10	2,67
1,5	1,23	1,83	1,15	2,01	1,05	2,38
1,4	1,17	1,67	1,09	1,82	1,01	2,11
1,3	1,10	1,53	1,04	1,64	0,96	1,87
1,2	1,03	1,38	0,98	1,48	0,91	1,65
1,1	0,96	1,25	0,91	1,32	0,86	1,45
1	0,89	1,11	0,85	1,17	0,81	1,26
0,95	0,85	1,05	0,82	1,10	0,78	1,18
0,9	0,81	0,99	0,78	1,02	0,75	1,09
0,85	0,77	0,92	0,75	0,96	0,72	1,01
0,83	0,76	0,90	0,73	0,93	0,70	0,98

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=28mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	2,01	INF
30	1,91	INF
15	1,81	INF
10	1,73	INF
8	1,67	INF
6	1,58	INF
5	1,51	INF
4,5	1,47	INF
4	1,42	INF
3,5	1,37	INF
3	1,30	INF
2,7	1,25	INF
2,5	1,21	INF
2,3	1,17	36,93
2,2	1,15	19,83
2,1	1,13	13,16
2	1,10	9,60
1,9	1,07	7,40
1,8	1,05	5,90
1,7	1,02	4,81
1,6	0,99	3,98
1,5	0,95	3,33
1,4	0,92	2,81
1,3	0,88	2,38
1,2	0,84	2,02
1,1	0,80	1,71
1	0,75	1,45
0,95	0,73	1,33
0,9	0,70	1,22
0,85	0,68	1,12
0,83	0,67	1,08

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=50mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	49,44	INF	36,11	INF	26,02	INF
30	18,76	75,78	16,48	81,41	14,03	389,03
15	11,58	21,37	10,68	21,79	9,61	27,54
10	8,37	12,44	7,90	12,58	7,30	14,28
8	6,93	9,47	6,61	9,55	6,19	10,49
6	5,39	6,78	5,19	6,82	4,93	7,27
5	4,57	5,52	4,43	5,55	4,25	5,84
4,5	4,15	4,91	4,04	4,93	3,89	5,16
4	3,73	4,32	3,64	4,33	3,51	4,51
3,5	3,29	3,74	3,22	3,75	3,13	3,88
3	2,85	3,17	2,80	3,18	2,73	3,27
2,7	2,58	2,83	2,54	2,84	2,48	2,91
2,5	2,40	2,61	2,36	2,62	2,31	2,68
2,3	2,21	2,39	2,18	2,40	2,14	2,45
2,2	2,12	2,29	2,09	2,29	2,06	2,33
2,1	2,03	2,18	2,00	2,18	1,97	2,22
2	1,94	2,07	1,91	2,07	1,88	2,11
1,9	1,84	1,96	1,82	1,96	1,79	1,99
1,8	1,75	1,85	1,73	1,86	1,71	1,88
1,7	1,66	1,75	1,64	1,75	1,62	1,77
1,6	1,56	1,64	1,55	1,64	1,53	1,66
1,5	1,47	1,54	1,45	1,54	1,44	1,55
1,4	1,37	1,43	1,36	1,43	1,35	1,45
1,3	1,28	1,33	1,27	1,33	1,25	1,34
1,2	1,18	1,22	1,17	1,22	1,16	1,23
1,1	1,08	1,12	1,08	1,12	1,07	1,13
1	0,99	1,01	0,98	1,01	0,98	1,02
0,95	0,94	0,96	0,93	0,96	0,93	0,97
0,9	0,89	0,91	0,89	0,91	0,88	0,92
0,85	0,84	0,86	0,84	0,86	0,83	0,86
0,83	0,82	0,84	0,82	0,84	0,81	0,84

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=50mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	18,26	INF	12,66	INF	9,06	INF
30	11,44	INF	8,99	INF	7,03	INF
15	8,33	41,65	6,96	125,72	5,74	INF
10	6,55	17,27	5,68	23,77	4,85	59,06
8	5,65	12,00	5,00	14,78	4,35	23,38
6	4,59	7,96	4,16	9,07	3,70	11,65
5	3,99	6,27	3,66	6,93	3,31	8,32
4,5	3,67	5,49	3,40	5,98	3,09	6,98
4	3,34	4,75	3,11	5,12	2,86	5,82
3,5	2,99	4,05	2,81	4,31	2,60	4,79
3	2,62	3,39	2,49	3,56	2,33	3,88
2,7	2,40	3,01	2,28	3,14	2,15	3,38
2,5	2,24	2,76	2,14	2,87	2,02	3,06
2,3	2,08	2,51	2,00	2,60	1,90	2,76
2,2	2,00	2,39	1,92	2,47	1,83	2,61
2,1	1,92	2,27	1,85	2,34	1,76	2,47
2	1,84	2,15	1,77	2,22	1,70	2,33
1,9	1,75	2,04	1,70	2,09	1,63	2,19
1,8	1,67	1,92	1,62	1,97	1,55	2,05
1,7	1,58	1,81	1,54	1,85	1,48	1,92
1,6	1,50	1,69	1,46	1,73	1,41	1,79
1,5	1,41	1,58	1,38	1,61	1,33	1,66
1,4	1,32	1,47	1,29	1,49	1,26	1,54
1,3	1,24	1,36	1,21	1,38	1,18	1,41
1,2	1,15	1,25	1,13	1,26	1,10	1,29
1,1	1,06	1,14	1,04	1,15	1,02	1,18
1	0,97	1,03	0,95	1,04	0,93	1,06
0,95	0,92	0,98	0,91	0,99	0,89	1,00
0,9	0,87	0,92	0,86	0,93	0,85	0,94
0,85	0,83	0,87	0,82	0,88	0,81	0,89
0,83	0,81	0,85	0,80	0,85	0,79	0,87

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=50mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	6,62	INF
30	5,48	INF
15	4,68	INF
10	4,08	INF
8	3,72	248,68
6	3,25	20,95
5	2,94	12,10
4,5	2,77	9,44
4	2,59	7,40
3,5	2,38	5,80
3	2,15	4,50
2,7	2,00	3,83
2,5	1,89	3,42
2,3	1,78	3,04
2,2	1,72	2,86
2,1	1,66	2,69
2	1,60	2,52
1,9	1,54	2,36
1,8	1,48	2,20
1,7	1,41	2,05
1,6	1,35	1,90
1,5	1,28	1,75
1,4	1,21	1,61
1,3	1,14	1,48
1,2	1,06	1,34
1,1	0,99	1,21
1	0,91	1,09
0,95	0,87	1,03
0,9	0,83	0,97
0,85	0,79	0,91
0,83	0,77	0,88

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=80mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	93,56	INF	64,79	INF	45,80	INF
30	22,79	43,99	20,59	39,80	18,22	46,26
15	12,97	17,79	12,24	17,07	11,37	18,15
10	9,07	11,15	8,71	10,87	8,27	11,29
8	7,40	8,71	7,16	8,54	6,86	8,79
6	5,66	6,39	5,52	6,29	5,34	6,43
5	4,76	5,26	4,67	5,20	4,54	5,29
4,5	4,31	4,71	4,23	4,66	4,13	4,73
4	3,85	4,16	3,79	4,12	3,71	4,18
3,5	3,39	3,62	3,34	3,59	3,28	3,63
3	2,92	3,09	2,88	3,07	2,84	3,10
2,7	2,63	2,77	2,61	2,75	2,57	2,78
2,5	2,44	2,56	2,42	2,54	2,39	2,56
2,3	2,25	2,35	2,23	2,34	2,21	2,35
2,2	2,16	2,24	2,14	2,23	2,12	2,25
2,1	2,06	2,14	2,05	2,13	2,02	2,14
2	1,97	2,04	1,95	2,03	1,93	2,04
1,9	1,87	1,93	1,86	1,92	1,84	1,94
1,8	1,77	1,83	1,76	1,82	1,75	1,83
1,7	1,68	1,72	1,67	1,72	1,65	1,73
1,6	1,58	1,62	1,57	1,62	1,56	1,62
1,5	1,48	1,52	1,47	1,51	1,46	1,52
1,4	1,38	1,42	1,38	1,41	1,37	1,42
1,3	1,29	1,31	1,28	1,31	1,27	1,31
1,2	1,19	1,21	1,18	1,21	1,18	1,21
1,1	1,09	1,11	1,09	1,11	1,08	1,11
1	0,99	1,01	0,99	1,01	0,99	1,01
0,95	0,94	0,96	0,94	0,95	0,94	0,96
0,9	0,89	0,91	0,89	0,90	0,89	0,91
0,85	0,85	0,85	0,84	0,85	0,84	0,86
0,83	0,83	0,83	0,82	0,83	0,82	0,83

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=80mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	34,43	INF	24,53	INF	17,69	INF
30	16,13	67,30	13,59	145,10	11,22	INF
15	10,53	20,65	9,40	24,65	8,21	34,85
10	7,82	12,19	7,18	13,47	6,48	15,99
8	6,55	9,33	6,10	10,05	5,59	11,38
6	5,16	6,70	4,88	7,06	4,55	7,68
5	4,41	5,47	4,21	5,71	3,97	6,10
4,5	4,02	4,88	3,85	5,06	3,65	5,36
4	3,62	4,29	3,49	4,43	3,32	4,66
3,5	3,21	3,72	3,10	3,82	2,98	3,98
3	2,79	3,15	2,71	3,23	2,61	3,34
2,7	2,53	2,82	2,47	2,88	2,39	2,97
2,5	2,35	2,60	2,30	2,65	2,23	2,73
2,3	2,18	2,39	2,13	2,42	2,07	2,49
2,2	2,09	2,28	2,05	2,31	1,99	2,37
2,1	2,00	2,17	1,96	2,20	1,91	2,25
2	1,91	2,06	1,88	2,09	1,83	2,14
1,9	1,82	1,96	1,79	1,98	1,75	2,02
1,8	1,73	1,85	1,70	1,87	1,67	1,91
1,7	1,64	1,74	1,61	1,76	1,58	1,79
1,6	1,54	1,64	1,52	1,65	1,50	1,68
1,5	1,45	1,53	1,43	1,55	1,41	1,57
1,4	1,36	1,43	1,34	1,44	1,32	1,46
1,3	1,27	1,32	1,25	1,33	1,23	1,35
1,2	1,17	1,22	1,16	1,23	1,15	1,24
1,1	1,08	1,12	1,07	1,12	1,06	1,13
1	0,98	1,01	0,97	1,02	0,96	1,03
0,95	0,93	0,96	0,93	0,97	0,92	0,97
0,9	0,89	0,91	0,88	0,91	0,87	0,92
0,85	0,84	0,86	0,83	0,86	0,83	0,87
0,83	0,82	0,84	0,81	0,84	0,81	0,85

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm



F=80mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	12,95	INF
30	9,13	INF
15	7,05	96,47
10	5,74	22,50
8	5,04	14,29
6	4,18	8,88
5	3,69	6,82
4,5	3,41	5,90
4	3,13	5,06
3,5	2,82	4,27
3	2,49	3,54
2,7	2,29	3,12
2,5	2,15	2,85
2,3	2,00	2,59
2,2	1,93	2,46
2,1	1,85	2,33
2	1,78	2,21
1,9	1,70	2,08
1,8	1,62	1,96
1,7	1,54	1,84
1,6	1,46	1,72
1,5	1,38	1,60
1,4	1,30	1,49
1,3	1,21	1,37
1,2	1,13	1,26
1,1	1,04	1,15
1	0,95	1,04
0,95	0,91	0,98
0,9	0,86	0,93
0,85	0,82	0,88
0,83	0,80	0,85

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=28mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	11,78	INF	8,28	INF	6,09	INF
30	8,54	INF	6,56	INF	5,12	INF
15	6,70	INF	5,43	INF	4,41	INF
10	5,51	64,48	4,63	162,14	3,88	INF
8	4,86	24,18	4,17	31,14	3,55	INF
6	4,06	11,84	3,57	13,27	3,12	32,93
5	3,59	8,41	3,21	9,10	2,84	15,25
4,5	3,33	7,05	3,01	7,52	2,68	11,24
4	3,06	5,86	2,78	6,18	2,51	8,45
3,5	2,77	4,82	2,54	5,03	2,31	6,41
3	2,45	3,90	2,28	4,03	2,10	4,85
2,7	2,25	3,39	2,11	3,49	1,95	4,08
2,5	2,12	3,07	1,99	3,15	1,85	3,62
2,3	1,98	2,77	1,87	2,83	1,75	3,19
2,2	1,90	2,62	1,80	2,68	1,69	3,00
2,1	1,83	2,48	1,74	2,52	1,63	2,80
2	1,76	2,33	1,67	2,38	1,58	2,62
1,9	1,68	2,19	1,60	2,23	1,52	2,44
1,8	1,60	2,06	1,53	2,09	1,46	2,27
1,7	1,53	1,92	1,46	1,95	1,39	2,11
1,6	1,45	1,79	1,39	1,82	1,33	1,95
1,5	1,37	1,67	1,32	1,69	1,26	1,80
1,4	1,29	1,54	1,24	1,56	1,20	1,65
1,3	1,20	1,42	1,17	1,43	1,13	1,50
1,2	1,12	1,30	1,09	1,31	1,05	1,37
1,1	1,03	1,18	1,01	1,19	0,98	1,23
1	0,95	1,06	0,93	1,07	0,90	1,10
0,95	0,90	1,00	0,89	1,01	0,86	1,04
0,9	0,86	0,95	0,84	0,95	0,83	0,98
0,85	0,82	0,89	0,80	0,89	0,78	0,92
0,83	0,80	0,87	0,78	0,87	0,77	0,89

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=28mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4,31	INF	3,08	INF	2,25	INF
30	3,81	INF	2,82	INF	2,12	INF
15	3,41	INF	2,61	INF	2,00	INF
10	3,09	INF	2,42	INF	1,90	INF
8	2,89	INF	2,30	INF	1,82	INF
6	2,60	INF	2,12	INF	1,72	INF
5	2,41	97,99	2,00	INF	1,64	INF
4,5	2,30	29,26	1,92	INF	1,59	INF
4	2,17	15,59	1,84	INF	1,53	INF
3,5	2,03	9,74	1,73	39,60	1,46	INF
3	1,86	6,50	1,62	12,80	1,38	INF
2,7	1,75	5,16	1,54	8,39	1,33	523,15
2,5	1,67	4,43	1,48	6,58	1,28	27,53
2,3	1,59	3,80	1,41	5,25	1,24	13,04
2,2	1,54	3,52	1,38	4,71	1,21	10,04
2,1	1,50	3,25	1,34	4,23	1,19	8,02
2	1,45	3,00	1,31	3,81	1,16	6,57
1,9	1,40	2,77	1,27	3,43	1,13	5,47
1,8	1,35	2,55	1,23	3,08	1,10	4,62
1,7	1,30	2,34	1,18	2,78	1,07	3,93
1,6	1,24	2,14	1,14	2,49	1,03	3,37
1,5	1,19	1,95	1,09	2,24	0,99	2,90
1,4	1,13	1,78	1,05	2,00	0,96	2,50
1,3	1,07	1,61	0,99	1,79	0,91	2,16
1,2	1,00	1,45	0,94	1,59	0,87	1,87
1,1	0,94	1,30	0,88	1,40	0,82	1,61
1	0,87	1,15	0,82	1,23	0,77	1,38
0,95	0,83	1,08	0,79	1,15	0,75	1,27
0,9	0,80	1,01	0,76	1,07	0,72	1,17
0,85	0,76	0,95	0,73	0,99	0,69	1,08
0,83	0,75	0,92	0,72	0,96	0,68	1,04

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=28mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1,68	INF
30	1,61	INF
15	1,54	INF
10	1,48	INF
8	1,44	INF
6	1,38	INF
5	1,33	INF
4,5	1,30	INF
4	1,26	INF
3,5	1,22	INF
3	1,17	INF
2,7	1,13	INF
2,5	1,10	INF
2,3	1,07	INF
2,2	1,05	INF
2,1	1,03	INF
2	1,01	INF
1,9	0,99	79,41
1,8	0,97	20,51
1,7	0,94	11,22
1,6	0,92	7,44
1,5	0,89	5,38
1,4	0,86	4,09
1,3	0,83	3,21
1,2	0,79	2,56
1,1	0,76	2,07
1	0,72	1,69
0,95	0,70	1,52
0,9	0,67	1,38
0,85	0,65	1,24
0,83	0,64	1,19

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=50mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	39,60	INF	29,63	INF	21,28	INF
30	17,16	122,93	15,01	162,26	12,55	INF
15	10,96	23,92	10,05	25,09	8,89	36,11
10	8,05	13,25	7,55	13,60	6,89	16,25
8	6,71	9,93	6,36	10,12	5,89	11,50
6	5,25	7,00	5,04	7,10	4,75	7,74
5	4,48	5,67	4,33	5,73	4,11	6,13
4,5	4,08	5,03	3,95	5,08	3,77	5,39
4	3,67	4,41	3,56	4,44	3,42	4,68
3,5	3,24	3,80	3,17	3,83	3,05	4,00
3	2,81	3,22	2,76	3,23	2,67	3,35
2,7	2,55	2,87	2,50	2,88	2,43	2,98
2,5	2,37	2,64	2,33	2,66	2,27	2,73
2,3	2,19	2,42	2,16	2,43	2,11	2,49
2,2	2,10	2,31	2,07	2,32	2,03	2,37
2,1	2,01	2,20	1,98	2,20	1,94	2,26
2	1,92	2,09	1,90	2,09	1,86	2,14
1,9	1,83	1,98	1,81	1,98	1,77	2,02
1,8	1,74	1,87	1,72	1,87	1,69	1,91
1,7	1,64	1,76	1,63	1,76	1,60	1,80
1,6	1,55	1,65	1,54	1,66	1,51	1,68
1,5	1,46	1,54	1,44	1,55	1,42	1,57
1,4	1,36	1,44	1,35	1,44	1,34	1,46
1,3	1,27	1,33	1,26	1,33	1,25	1,35
1,2	1,18	1,23	1,17	1,23	1,15	1,24
1,1	1,08	1,12	1,07	1,12	1,06	1,13
1	0,98	1,02	0,98	1,02	0,97	1,03
0,95	0,94	0,96	0,93	0,97	0,92	0,97
0,9	0,89	0,91	0,88	0,91	0,88	0,92
0,85	0,84	0,86	0,84	0,86	0,83	0,87
0,83	0,82	0,84	0,82	0,84	0,81	0,85

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=50mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	14,97	INF	10,44	INF	7,48	INF
30	10,08	INF	7,82	INF	6,05	INF
15	7,59	85,32	6,25	INF	5,08	INF
10	6,09	21,84	5,20	40,38	4,37	INF
8	5,30	14,02	4,62	19,79	3,96	54,85
6	4,36	8,78	3,90	10,70	3,43	16,21
5	3,82	6,76	3,47	7,83	3,09	10,37
4,5	3,53	5,86	3,23	6,64	2,90	8,36
4	3,22	5,03	2,97	5,58	2,69	6,73
3,5	2,90	4,25	2,69	4,63	2,47	5,38
3	2,55	3,52	2,40	3,77	2,22	4,25
2,7	2,34	3,11	2,21	3,30	2,06	3,65
2,5	2,19	2,84	2,08	3,00	1,95	3,28
2,3	2,04	2,58	1,94	2,71	1,83	2,93
2,2	1,96	2,45	1,87	2,57	1,77	2,77
2,1	1,88	2,33	1,80	2,43	1,71	2,60
2	1,80	2,20	1,73	2,29	1,64	2,45
1,9	1,72	2,08	1,66	2,16	1,58	2,29
1,8	1,64	1,96	1,58	2,03	1,51	2,14
1,7	1,56	1,84	1,51	1,90	1,44	2,00
1,6	1,48	1,72	1,43	1,77	1,37	1,86
1,5	1,39	1,60	1,35	1,65	1,30	1,72
1,4	1,31	1,49	1,27	1,52	1,23	1,58
1,3	1,22	1,37	1,19	1,40	1,15	1,45
1,2	1,14	1,26	1,11	1,28	1,08	1,32
1,1	1,05	1,15	1,03	1,17	1,00	1,20
1	0,96	1,04	0,94	1,05	0,92	1,08
0,95	0,91	0,98	0,90	1,00	0,88	1,02
0,9	0,87	0,93	0,85	0,94	0,84	0,96
0,85	0,82	0,87	0,81	0,88	0,80	0,90
0,83	0,80	0,85	0,79	0,86	0,78	0,88

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=50mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	5,45	INF
30	4,66	INF
15	4,07	INF
10	3,62	INF
8	3,34	INF
6	2,95	77,14
5	2,71	20,66
4,5	2,56	13,89
4	2,40	9,85
3,5	2,22	7,17
3	2,02	5,26
2,7	1,89	4,36
2,5	1,80	3,84
2,3	1,70	3,36
2,2	1,65	3,14
2,1	1,59	2,93
2	1,54	2,73
1,9	1,48	2,53
1,8	1,42	2,35
1,7	1,37	2,17
1,6	1,30	2,00
1,5	1,24	1,84
1,4	1,18	1,69
1,3	1,11	1,54
1,2	1,04	1,39
1,1	0,97	1,25
1	0,89	1,12
0,95	0,86	1,05
0,9	0,82	0,99
0,85	0,78	0,93
0,83	0,76	0,90

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=80mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	74,89	INF	54,39	INF	38,44	INF
30	21,50	49,81	19,42	45,09	16,95	57,40
15	12,55	18,66	11,82	17,97	10,87	19,62
10	8,86	11,48	8,50	11,22	8,00	11,83
8	7,26	8,91	7,02	8,75	6,68	9,12
6	5,58	6,49	5,44	6,41	5,24	6,60
5	4,71	5,33	4,61	5,28	4,46	5,40
4,5	4,27	4,76	4,18	4,72	4,06	4,82
4	3,82	4,20	3,75	4,17	3,66	4,25
3,5	3,36	3,65	3,31	3,63	3,24	3,69
3	2,90	3,11	2,86	3,09	2,81	3,13
2,7	2,62	2,79	2,59	2,77	2,55	2,80
2,5	2,43	2,57	2,41	2,56	2,37	2,59
2,3	2,24	2,36	2,22	2,35	2,19	2,37
2,2	2,15	2,26	2,13	2,25	2,10	2,27
2,1	2,05	2,15	2,04	2,14	2,01	2,16
2	1,96	2,04	1,94	2,04	1,92	2,05
1,9	1,86	1,94	1,85	1,93	1,83	1,95
1,8	1,77	1,84	1,75	1,83	1,74	1,84
1,7	1,67	1,73	1,66	1,73	1,64	1,74
1,6	1,57	1,63	1,56	1,62	1,55	1,63
1,5	1,48	1,52	1,47	1,52	1,46	1,53
1,4	1,38	1,42	1,37	1,42	1,36	1,42
1,3	1,28	1,32	1,28	1,31	1,27	1,32
1,2	1,19	1,21	1,18	1,21	1,17	1,22
1,1	1,09	1,11	1,09	1,11	1,08	1,11
1	0,99	1,01	0,99	1,01	0,98	1,01
0,95	0,94	0,96	0,94	0,96	0,94	0,96
0,9	0,89	0,91	0,89	0,91	0,89	0,91
0,85	0,84	0,86	0,84	0,85	0,84	0,86
0,83	0,82	0,84	0,82	0,83	0,82	0,84

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=80mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	28,61	INF	20,38	INF	14,67	INF
30	14,74	112,43	12,23	INF	9,94	INF
15	9,93	23,50	8,74	31,05	7,51	59,59
10	7,49	13,12	6,79	15,15	6,04	19,70
8	6,32	9,86	5,82	10,95	5,27	13,11
6	5,02	6,97	4,70	7,49	4,34	8,42
5	4,31	5,65	4,08	5,98	3,80	6,55
4,5	3,93	5,01	3,74	5,27	3,51	5,70
4	3,55	4,39	3,40	4,59	3,21	4,91
3,5	3,16	3,79	3,04	3,93	2,89	4,17
3	2,75	3,21	2,66	3,31	2,54	3,46
2,7	2,50	2,86	2,42	2,94	2,33	3,06
2,5	2,33	2,64	2,26	2,70	2,18	2,80
2,3	2,15	2,42	2,10	2,47	2,03	2,55
2,2	2,07	2,30	2,02	2,35	1,96	2,43
2,1	1,98	2,19	1,94	2,24	1,88	2,30
2	1,89	2,08	1,85	2,12	1,80	2,18
1,9	1,80	1,97	1,77	2,01	1,72	2,06
1,8	1,71	1,87	1,68	1,90	1,64	1,94
1,7	1,62	1,76	1,60	1,78	1,56	1,82
1,6	1,53	1,65	1,51	1,67	1,48	1,71
1,5	1,44	1,54	1,42	1,56	1,39	1,59
1,4	1,35	1,44	1,33	1,45	1,31	1,48
1,3	1,26	1,33	1,24	1,34	1,22	1,37
1,2	1,17	1,23	1,15	1,24	1,13	1,25
1,1	1,07	1,12	1,06	1,13	1,05	1,14
1	0,98	1,02	0,97	1,02	0,96	1,03
0,95	0,93	0,96	0,92	0,97	0,91	0,98
0,9	0,88	0,91	0,88	0,92	0,87	0,93
0,85	0,84	0,86	0,83	0,87	0,82	0,87
0,83	0,82	0,84	0,81	0,84	0,80	0,85

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm



F=80mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	10,69	INF
30	7,96	INF
15	6,34	INF
10	5,26	36,15
8	4,67	18,73
6	3,93	10,39
5	3,49	7,66
4,5	3,25	6,52
4	2,99	5,50
3,5	2,71	4,57
3	2,41	3,74
2,7	2,22	3,27
2,5	2,09	2,98
2,3	1,95	2,69
2,2	1,88	2,55
2,1	1,81	2,41
2	1,74	2,28
1,9	1,66	2,15
1,8	1,59	2,02
1,7	1,51	1,89
1,6	1,43	1,76
1,5	1,36	1,64
1,4	1,28	1,52
1,3	1,20	1,40
1,2	1,11	1,28
1,1	1,03	1,16
1	0,94	1,05
0,95	0,90	0,99
0,9	0,86	0,94
0,85	0,81	0,88
0,83	0,79	0,86

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=28mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	9,85	INF	7,07	INF	5,18	INF
30	7,49	INF	5,78	INF	4,46	INF
15	6,04	INF	4,89	INF	3,92	INF
10	5,06	INF	4,24	INF	3,50	INF
8	4,51	41,20	3,85	97,12	3,24	INF
6	3,82	14,79	3,34	18,55	2,88	INF
5	3,40	9,77	3,02	11,27	2,64	28,64
4,5	3,17	7,97	2,84	8,93	2,50	17,05
4	2,92	6,48	2,64	7,09	2,35	11,32
3,5	2,66	5,22	2,43	5,61	2,18	7,91
3	2,37	4,15	2,19	4,38	1,99	5,64
2,7	2,18	3,58	2,03	3,75	1,86	4,61
2,5	2,06	3,22	1,92	3,36	1,77	4,03
2,3	1,92	2,89	1,81	2,99	1,68	3,50
2,2	1,86	2,73	1,75	2,82	1,63	3,26
2,1	1,79	2,57	1,69	2,65	1,57	3,04
2	1,72	2,42	1,62	2,49	1,52	2,82
1,9	1,64	2,27	1,56	2,33	1,47	2,61
1,8	1,57	2,12	1,50	2,17	1,41	2,42
1,7	1,50	1,98	1,43	2,02	1,35	2,23
1,6	1,42	1,84	1,36	1,88	1,29	2,05
1,5	1,34	1,70	1,29	1,74	1,23	1,88
1,4	1,27	1,57	1,22	1,60	1,17	1,72
1,3	1,19	1,44	1,15	1,46	1,10	1,56
1,2	1,11	1,32	1,07	1,33	1,03	1,41
1,1	1,02	1,19	1,00	1,21	0,96	1,27
1	0,94	1,07	0,92	1,08	0,89	1,13
0,95	0,90	1,01	0,88	1,02	0,85	1,06
0,9	0,85	0,96	0,83	0,96	0,81	1,00
0,85	0,81	0,90	0,79	0,90	0,77	0,93
0,83	0,79	0,87	0,78	0,88	0,76	0,91

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=28mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	3,68	INF	2,64	INF	1,94	INF
30	3,31	INF	2,45	INF	1,84	INF
15	3,01	INF	2,29	INF	1,76	INF
10	2,76	INF	2,15	INF	1,68	INF
8	2,60	INF	2,06	INF	1,62	INF
6	2,37	INF	1,92	INF	1,54	INF
5	2,21	INF	1,82	INF	1,48	INF
4,5	2,12	INF	1,75	INF	1,44	INF
4	2,01	48,69	1,68	INF	1,39	INF
3,5	1,89	16,75	1,60	INF	1,34	INF
3	1,75	8,94	1,50	60,76	1,27	INF
2,7	1,65	6,56	1,43	17,08	1,22	INF
2,5	1,58	5,41	1,38	10,84	1,19	INF
2,3	1,51	4,49	1,33	7,59	1,15	INF
2,2	1,47	4,09	1,30	6,49	1,13	80,50
2,1	1,43	3,73	1,27	5,60	1,11	26,06
2	1,38	3,40	1,23	4,86	1,08	14,95
1,9	1,34	3,10	1,20	4,25	1,06	10,16
1,8	1,29	2,82	1,16	3,72	1,03	7,50
1,7	1,25	2,56	1,13	3,27	1,00	5,80
1,6	1,20	2,32	1,09	2,88	0,97	4,62
1,5	1,14	2,10	1,05	2,54	0,94	3,76
1,4	1,09	1,90	1,00	2,23	0,91	3,10
1,3	1,03	1,70	0,96	1,96	0,87	2,58
1,2	0,98	1,52	0,91	1,72	0,83	2,16
1,1	0,91	1,35	0,86	1,50	0,79	1,81
1	0,85	1,19	0,80	1,30	0,75	1,52
0,95	0,82	1,12	0,77	1,21	0,72	1,39
0,9	0,78	1,04	0,74	1,12	0,70	1,27
0,85	0,75	0,97	0,71	1,04	0,67	1,15
0,83	0,73	0,94	0,70	1,00	0,66	1,11

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=28mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1,45	INF
30	1,40	INF
15	1,35	INF
10	1,31	INF
8	1,28	INF
6	1,23	INF
5	1,19	INF
4,5	1,17	INF
4	1,14	INF
3,5	1,10	INF
3	1,06	INF
2,7	1,03	INF
2,5	1,01	INF
2,3	0,98	INF
2,2	0,97	INF
2,1	0,95	INF
2	0,94	INF
1,9	0,92	INF
1,8	0,90	INF
1,7	0,88	INF
1,6	0,86	86,29
1,5	0,84	15,28
1,4	0,81	7,88
1,3	0,78	5,06
1,2	0,75	3,58
1,1	0,72	2,66
1	0,69	2,03
0,95	0,67	1,79
0,9	0,65	1,58
0,85	0,63	1,40
0,83	0,62	1,33

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=50mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	33,03	INF	25,13	INF	18,02	INF
30	15,82	326,57	13,77	INF	11,35	INF
15	10,40	27,18	9,49	29,59	8,28	52,52
10	7,75	14,18	7,23	14,80	6,52	18,87
8	6,50	10,44	6,14	10,77	5,62	12,74
6	5,13	7,25	4,90	7,40	4,57	8,27
5	4,39	5,82	4,22	5,92	3,98	6,46
4,5	4,00	5,15	3,87	5,23	3,66	5,63
4	3,61	4,50	3,50	4,56	3,33	4,86
3,5	3,20	3,87	3,11	3,91	2,98	4,13
3	2,78	3,26	2,72	3,29	2,62	3,44
2,7	2,52	2,91	2,47	2,93	2,39	3,05
2,5	2,35	2,67	2,31	2,69	2,24	2,79
2,3	2,17	2,44	2,14	2,46	2,08	2,54
2,2	2,08	2,33	2,05	2,34	2,00	2,42
2,1	2,00	2,22	1,96	2,23	1,92	2,29
2	1,91	2,10	1,88	2,12	1,83	2,17
1,9	1,82	1,99	1,79	2,00	1,75	2,05
1,8	1,73	1,88	1,70	1,89	1,67	1,94
1,7	1,63	1,77	1,61	1,78	1,58	1,82
1,6	1,54	1,66	1,53	1,67	1,50	1,70
1,5	1,45	1,55	1,44	1,56	1,41	1,59
1,4	1,36	1,45	1,34	1,45	1,32	1,47
1,3	1,26	1,34	1,25	1,34	1,24	1,36
1,2	1,17	1,23	1,16	1,23	1,15	1,25
1,1	1,08	1,13	1,07	1,13	1,06	1,14
1	0,98	1,02	0,97	1,02	0,97	1,03
0,95	0,93	0,97	0,93	0,97	0,92	0,98
0,9	0,89	0,92	0,88	0,92	0,87	0,92
0,85	0,84	0,86	0,83	0,86	0,83	0,87
0,83	0,82	0,84	0,81	0,84	0,81	0,85

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=50mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	12,70	INF	8,89	INF	6,37	INF
30	9,00	INF	6,93	INF	5,31	INF
15	6,97	INF	5,67	INF	4,55	INF
10	5,69	29,77	4,80	136,36	3,98	INF
8	5,00	16,88	4,31	30,06	3,64	INF
6	4,16	9,80	3,68	13,08	3,19	26,79
5	3,67	7,34	3,29	9,01	2,90	13,81
4,5	3,40	6,29	3,07	7,46	2,73	10,44
4	3,11	5,33	2,84	6,14	2,55	8,00
3,5	2,81	4,46	2,59	5,00	2,35	6,15
3	2,49	3,66	2,32	4,01	2,12	4,70
2,7	2,28	3,22	2,14	3,48	1,98	3,97
2,5	2,14	2,93	2,02	3,14	1,87	3,54
2,3	2,00	2,65	1,89	2,82	1,77	3,13
2,2	1,92	2,52	1,82	2,67	1,71	2,94
2,1	1,85	2,38	1,76	2,52	1,65	2,76
2	1,77	2,25	1,69	2,37	1,59	2,58
1,9	1,70	2,12	1,62	2,23	1,53	2,41
1,8	1,62	2,00	1,55	2,09	1,47	2,24
1,7	1,54	1,87	1,48	1,95	1,41	2,08
1,6	1,46	1,75	1,40	1,82	1,34	1,93
1,5	1,38	1,63	1,33	1,68	1,27	1,78
1,4	1,29	1,51	1,25	1,55	1,20	1,63
1,3	1,21	1,39	1,18	1,43	1,13	1,49
1,2	1,13	1,27	1,10	1,31	1,06	1,36
1,1	1,04	1,16	1,01	1,18	0,98	1,23
1	0,95	1,05	0,93	1,07	0,91	1,10
0,95	0,91	0,99	0,89	1,01	0,87	1,04
0,9	0,86	0,94	0,85	0,95	0,83	0,97
0,85	0,82	0,88	0,80	0,89	0,79	0,91
0,83	0,80	0,86	0,79	0,87	0,77	0,89

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=50mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	4,64	INF
30	4,06	INF
15	3,61	INF
10	3,25	INF
8	3,03	INF
6	2,71	INF
5	2,50	73,57
4,5	2,38	26,64
4	2,25	14,83
3,5	2,09	9,44
3	1,92	6,37
2,7	1,80	5,08
2,5	1,71	4,37
2,3	1,62	3,76
2,2	1,58	3,48
2,1	1,53	3,22
2	1,48	2,98
1,9	1,43	2,74
1,8	1,37	2,53
1,7	1,32	2,32
1,6	1,26	2,13
1,5	1,20	1,94
1,4	1,14	1,77
1,3	1,08	1,60
1,2	1,02	1,44
1,1	0,95	1,29
1	0,88	1,15
0,95	0,84	1,08
0,9	0,80	1,01
0,85	0,77	0,94
0,83	0,75	0,92

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=80mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	62,45	INF	46,88	INF	33,13	INF
30	20,35	57,42	18,39	52,01	15,84	75,65
15	12,16	19,62	11,44	18,96	10,41	21,36
10	8,67	11,83	8,30	11,59	7,75	12,44
8	7,13	9,12	6,88	8,98	6,50	9,47
6	5,50	6,60	5,36	6,52	5,13	6,78
5	4,66	5,40	4,55	5,35	4,39	5,52
4,5	4,22	4,82	4,14	4,78	4,00	4,91
4	3,78	4,25	3,71	4,22	3,61	4,32
3,5	3,33	3,69	3,28	3,66	3,20	3,74
3	2,88	3,13	2,84	3,12	2,78	3,17
2,7	2,60	2,81	2,57	2,79	2,52	2,83
2,5	2,42	2,59	2,39	2,58	2,35	2,61
2,3	2,23	2,37	2,21	2,37	2,17	2,39
2,2	2,14	2,27	2,12	2,26	2,09	2,28
2,1	2,04	2,16	2,03	2,15	2,00	2,18
2	1,95	2,05	1,93	2,05	1,91	2,07
1,9	1,85	1,95	1,84	1,94	1,82	1,96
1,8	1,76	1,84	1,75	1,84	1,73	1,85
1,7	1,66	1,74	1,65	1,73	1,63	1,75
1,6	1,57	1,63	1,56	1,63	1,54	1,64
1,5	1,47	1,53	1,46	1,52	1,45	1,54
1,4	1,38	1,42	1,37	1,42	1,36	1,43
1,3	1,28	1,32	1,27	1,32	1,26	1,33
1,2	1,18	1,22	1,18	1,21	1,17	1,22
1,1	1,09	1,11	1,08	1,11	1,08	1,12
1	0,99	1,01	0,99	1,01	0,98	1,01
0,95	0,94	0,96	0,94	0,96	0,93	0,96
0,9	0,89	0,91	0,89	0,91	0,89	0,91
0,85	0,84	0,86	0,84	0,86	0,84	0,86
0,83	0,82	0,84	0,82	0,84	0,82	0,84

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=80mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	24,49	INF	17,44	INF	12,54	INF
30	13,58	343,20	11,12	INF	8,92	INF
15	9,39	27,29	8,16	42,01	6,93	208,13
10	7,18	14,21	6,45	17,33	5,66	25,67
8	6,10	10,45	5,57	12,03	4,98	15,49
6	4,88	7,26	4,54	7,97	4,14	9,32
5	4,21	5,83	3,95	6,27	3,65	7,07
4,5	3,85	5,15	3,64	5,50	3,39	6,09
4	3,48	4,50	3,31	4,76	3,10	5,19
3,5	3,10	3,87	2,97	4,06	2,80	4,36
3	2,71	3,26	2,61	3,39	2,48	3,60
2,7	2,47	2,91	2,38	3,01	2,28	3,17
2,5	2,30	2,67	2,23	2,76	2,14	2,89
2,3	2,13	2,44	2,07	2,51	1,99	2,62
2,2	2,05	2,33	1,99	2,39	1,92	2,49
2,1	1,96	2,22	1,91	2,27	1,85	2,36
2	1,88	2,11	1,83	2,15	1,77	2,23
1,9	1,79	1,99	1,75	2,04	1,69	2,10
1,8	1,70	1,88	1,66	1,92	1,62	1,98
1,7	1,61	1,77	1,58	1,81	1,54	1,86
1,6	1,52	1,66	1,49	1,69	1,46	1,74
1,5	1,43	1,55	1,41	1,58	1,38	1,62
1,4	1,34	1,45	1,32	1,47	1,29	1,50
1,3	1,25	1,34	1,23	1,36	1,21	1,38
1,2	1,16	1,23	1,14	1,25	1,12	1,27
1,1	1,07	1,13	1,06	1,14	1,04	1,15
1	0,97	1,02	0,96	1,03	0,95	1,04
0,95	0,93	0,97	0,92	0,98	0,91	0,99
0,9	0,88	0,92	0,87	0,92	0,86	0,93
0,85	0,83	0,86	0,83	0,87	0,82	0,88
0,83	0,81	0,84	0,81	0,85	0,80	0,86

Schärfentieftabellen / Depth of field tables

COMPACT Zoom CZ.2 28-80mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm



F=80mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	9,11	INF
30	7,06	INF
15	5,76	INF
10	4,87	92,97
8	4,36	27,28
6	3,71	12,53
5	3,32	8,75
4,5	3,10	7,28
4	2,86	6,02
3,5	2,61	4,93
3	2,33	3,96
2,7	2,15	3,44
2,5	2,03	3,11
2,3	1,90	2,80
2,2	1,83	2,65
2,1	1,77	2,50
2	1,70	2,36
1,9	1,63	2,21
1,8	1,56	2,07
1,7	1,48	1,94
1,6	1,41	1,81
1,5	1,33	1,68
1,4	1,26	1,55
1,3	1,18	1,42
1,2	1,10	1,30
1,1	1,02	1,18
1	0,93	1,06
0,95	0,89	1,01
0,9	0,85	0,95
0,85	0,81	0,89
0,83	0,79	0,87



Depth of Field Tables in Meter

for

Compact Zoom CZ.2 70-200mm/T2.9

for

	MFT format	ANSI Super 35, Normal 35, APS-H and APS-C Format	Full Format
70mm	■	■	■
135mm	■	■	■
200mm	■	■	■

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

F=70mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	89.89	INF	96.16	INF	63.97	INF
40	27.83	71.36	28.39	145.33	24.77	2585.53
20	16.46	25.51	16.65	31.06	15.36	38.74
15	12.94	17.86	13.06	20.38	12.26	23.39
12	10.66	13.74	10.74	15.16	10.20	16.75
10	9.06	11.16	9.12	12.08	8.73	13.05
8	7.40	8.71	7.43	9.25	7.18	9.80
7	6.54	7.53	6.57	7.92	6.37	8.32
6	5.66	6.38	5.68	6.65	5.54	6.92
5.5	5.22	5.81	5.24	6.04	5.11	6.26
5	4.77	5.25	4.78	5.43	4.68	5.61
4.5	4.32	4.70	4.33	4.84	4.25	4.98
4	3.86	4.16	3.87	4.26	3.80	4.36
3.5	3.39	3.61	3.40	3.69	3.35	3.77
3.2	3.11	3.29	3.12	3.36	3.08	3.42
3	2.92	3.08	2.93	3.14	2.89	3.19
2.8	2.73	2.87	2.74	2.92	2.71	2.96
2.6	2.54	2.66	2.55	2.70	2.52	2.73
2.4	2.35	2.45	2.36	2.48	2.34	2.51
2.3	2.26	2.34	2.26	2.37	2.24	2.40
2.2	2.16	2.24	2.16	2.27	2.15	2.29
2.1	2.07	2.13	2.07	2.16	2.05	2.18
2	1.97	2.03	1.97	2.05	1.96	2.07
1.9	1.87	1.93	1.88	1.95	1.86	1.96
1.8	1.78	1.82	1.78	1.84	1.77	1.85
1.7	1.68	1.72	1.68	1.73	1.67	1.75
1.6	1.58	1.62	1.58	1.63	1.58	1.64
1.52	1.50	1.54	1.51	1.55	1.50	1.55

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

F=70mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	41.52	INF	27.93	INF	19.17	INF
40	20.54	INF	16.61	INF	13.11	INF
20	13.65	56.26	11.82	162.56	9.96	INF
15	11.15	28.72	9.91	42.86	8.58	145.92
12	9.43	19.28	8.54	24.69	7.54	41.28
10	8.17	14.51	7.50	17.34	6.73	24.04
8	6.80	10.59	6.34	11.98	5.79	14.78
7	6.07	8.87	5.71	9.82	5.26	11.59
6	5.32	7.30	5.04	7.91	4.69	9.01
5.5	4.93	6.56	4.69	7.04	4.39	7.89
5	4.53	5.84	4.33	6.22	4.08	6.86
4.5	4.12	5.16	3.96	5.45	3.75	5.92
4	3.70	4.50	3.57	4.71	3.41	5.06
3.5	3.28	3.87	3.18	4.02	3.05	4.26
3.2	3.02	3.50	2.93	3.62	2.82	3.81
3	2.84	3.25	2.77	3.36	2.67	3.52
2.8	2.66	3.02	2.60	3.10	2.52	3.23
2.6	2.48	2.78	2.43	2.85	2.36	2.96
2.4	2.30	2.55	2.26	2.61	2.20	2.70
2.3	2.21	2.43	2.17	2.49	2.12	2.57
2.2	2.12	2.32	2.08	2.37	2.03	2.44
2.1	2.03	2.21	2.00	2.25	1.95	2.31
2	1.94	2.10	1.91	2.13	1.87	2.19
1.9	1.84	1.98	1.82	2.02	1.78	2.06
1.8	1.75	1.87	1.73	1.90	1.70	1.94
1.7	1.66	1.76	1.64	1.79	1.61	1.82
1.6	1.56	1.65	1.55	1.67	1.52	1.70
1.52	1.49	1.57	1.47	1.58	1.45	1.61

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

F=70mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	13.33	INF
40	10.13	INF
20	8.16	INF
15	7.23	INF
12	6.49	1098.47
10	5.88	53.87
8	5.16	22.21
7	4.74	15.64
6	4.28	11.22
5.5	4.04	9.51
5	3.77	8.04
4.5	3.49	6.76
4	3.20	5.64
3.5	2.88	4.65
3.2	2.69	4.11
3	2.55	3.77
2.8	2.41	3.44
2.6	2.27	3.13
2.4	2.12	2.83
2.3	2.04	2.69
2.2	1.97	2.55
2.1	1.89	2.41
2	1.81	2.27
1.9	1.73	2.13
1.8	1.65	2.00
1.7	1.57	1.87
1.6	1.49	1.75
1.52	1.42	1.65

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

F=135mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	300.14	INF	264.16	INF	193.22	INF
40	35.37	46.04	34.82	47.38	33.24	51.70
20	18.79	21.38	18.64	21.66	18.18	22.50
15	14.32	15.75	14.23	15.90	13.96	16.35
12	11.56	12.47	11.51	12.56	11.34	12.84
10	9.70	10.32	9.66	10.38	9.54	10.57
8	7.81	8.20	7.78	8.24	7.71	8.35
7	6.86	7.15	6.84	7.18	6.78	7.26
6	5.90	6.11	5.88	6.13	5.84	6.19
5.5	5.41	5.59	5.40	5.61	5.37	5.66
5	4.93	5.07	4.92	5.09	4.89	5.13
4.5	4.44	4.56	4.44	4.57	4.41	4.60
4	3.96	4.05	3.95	4.05	3.93	4.08
3.5	3.47	3.53	3.46	3.54	3.45	3.56
3.2	3.17	3.23	3.17	3.23	3.16	3.25
3	2.98	3.02	2.97	3.03	2.96	3.04
2.8	2.78	2.82	2.78	2.82	2.77	2.84
2.6	2.58	2.62	2.58	2.62	2.57	2.63
2.4	2.39	2.41	2.38	2.42	2.38	2.42
2.3	2.29	2.31	2.29	2.32	2.28	2.32
2.2	2.19	2.21	2.19	2.21	2.18	2.22
2.1	2.09	2.11	2.09	2.11	2.08	2.12
2	1.99	2.01	1.99	2.01	1.99	2.02
1.9	1.89	1.91	1.89	1.91	1.89	1.91
1.8	1.79	1.81	1.79	1.81	1.79	1.81
1.7	1.69	1.71	1.69	1.71	1.69	1.71
1.6	1.59	1.61	1.59	1.61	1.59	1.61
1.52	1.52	1.52	1.51	1.53	1.51	1.53

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

F=135mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	134.69	INF	94.18	INF	66.59	INF
40	30.96	58.44	28.22	71.59	25.15	106.35
20	17.49	23.67	16.60	25.54	15.50	28.84
15	13.56	16.95	13.02	17.87	12.34	19.41
12	11.07	13.20	10.71	13.75	10.26	14.63
10	9.35	10.81	9.10	11.17	8.77	11.74
8	7.59	8.50	7.42	8.72	7.21	9.05
7	6.69	7.37	6.56	7.54	6.39	7.78
6	5.77	6.27	5.68	6.38	5.56	6.55
5.5	5.31	5.72	5.23	5.82	5.13	5.96
5	4.84	5.18	4.78	5.26	4.69	5.37
4.5	4.38	4.64	4.32	4.70	4.25	4.79
4	3.90	4.11	3.86	4.16	3.81	4.22
3.5	3.43	3.58	3.40	3.62	3.36	3.67
3.2	3.14	3.27	3.12	3.29	3.08	3.33
3	2.95	3.06	2.93	3.08	2.90	3.12
2.8	2.76	2.85	2.74	2.87	2.71	2.90
2.6	2.56	2.64	2.55	2.66	2.53	2.68
2.4	2.37	2.43	2.36	2.45	2.34	2.47
2.3	2.27	2.33	2.26	2.34	2.24	2.36
2.2	2.17	2.23	2.16	2.24	2.15	2.26
2.1	2.08	2.12	2.07	2.13	2.05	2.15
2	1.98	2.02	1.97	2.03	1.96	2.04
1.9	1.88	1.92	1.87	1.93	1.86	1.94
1.8	1.78	1.82	1.78	1.82	1.77	1.83
1.7	1.69	1.71	1.68	1.72	1.67	1.73
1.6	1.59	1.61	1.58	1.62	1.58	1.63
1.52	1.51	1.53	1.51	1.54	1.50	1.54

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

F=135mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	47.49	INF
40	21.88	361.97
20	14.22	35.53
15	11.52	22.19
12	9.69	16.13
10	8.36	12.67
8	6.93	9.59
7	6.18	8.17
6	5.39	6.82
5.5	4.99	6.17
5	4.58	5.54
4.5	4.16	4.93
4	3.74	4.33
3.5	3.30	3.74
3.2	3.04	3.40
3	2.86	3.17
2.8	2.68	2.94
2.6	2.50	2.72
2.4	2.31	2.50
2.3	2.22	2.39
2.2	2.13	2.28
2.1	2.04	2.17
2	1.94	2.06
1.9	1.85	1.96
1.8	1.76	1.85
1.7	1.66	1.74
1.6	1.57	1.64
1.52	1.49	1.55

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

F=200mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	591.72	INF	489.13	INF	289.76	INF
40	37.51	42.85	37.02	42.87	35.22	43.11
20	19.37	20.68	19.24	20.68	18.75	20.74
15	14.65	15.37	14.57	15.37	14.29	15.40
12	11.77	12.23	11.73	12.24	11.55	12.25
10	9.84	10.16	9.81	10.16	9.69	10.17
8	7.90	8.10	7.88	8.10	7.80	8.11
7	6.93	7.08	6.91	7.08	6.85	7.08
6	5.95	6.05	5.94	6.05	5.89	6.06
5.5	5.46	5.55	5.45	5.55	5.41	5.55
5	4.96	5.04	4.96	5.04	4.93	5.04
4.5	4.47	4.53	4.46	4.53	4.44	4.53
4	3.98	4.02	3.97	4.02	3.95	4.02
3.5	3.48	3.52	3.48	3.52	3.47	3.52
3.2	3.19	3.21	3.18	3.21	3.17	3.22
3	2.99	3.01	2.99	3.01	2.98	3.01
2.8	2.79	2.81	2.79	2.81	2.78	2.81
2.6	2.59	2.61	2.59	2.61	2.58	2.61
2.4	2.39	2.41	2.39	2.41	2.39	2.41
2.3	2.29	2.31	2.29	2.31	2.29	2.31
2.2	2.19	2.21	2.19	2.21	2.19	2.21
2.1	2.09	2.11	2.09	2.11	2.09	2.11
2	2.00	2.00	1.99	2.00	1.99	2.01
1.9	1.90	1.90	1.90	1.90	1.89	1.90
1.8	1.80	1.80	1.80	1.80	1.79	1.80
1.7	1.70	1.70	1.70	1.70	1.69	1.70
1.6	1.60	1.60	1.60	1.60	1.59	1.60
1.52	1.52	1.52	1.52	1.52	1.52	1.52

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

F=200mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	197.75	INF	144.30	INF	107.98	INF
40	33.37	44.19	31.43	46.64	29.32	51.44
20	18.22	20.98	17.64	21.51	16.96	22.45
15	13.99	15.54	13.65	15.82	13.24	16.32
12	11.35	12.34	11.13	12.51	10.86	12.82
10	9.55	10.23	9.39	10.35	9.20	10.56
8	7.71	8.14	7.61	8.22	7.49	8.35
7	6.78	7.11	6.71	7.16	6.61	7.26
6	5.84	6.08	5.79	6.12	5.72	6.19
5.5	5.37	5.56	5.32	5.60	5.26	5.65
5	4.89	5.05	4.85	5.08	4.81	5.13
4.5	4.41	4.54	4.38	4.56	4.35	4.60
4	3.93	4.03	3.91	4.05	3.88	4.08
3.5	3.45	3.52	3.43	3.54	3.41	3.56
3.2	3.16	3.22	3.14	3.23	3.13	3.25
3	2.96	3.02	2.95	3.03	2.94	3.04
2.8	2.77	2.81	2.76	2.82	2.75	2.83
2.6	2.57	2.61	2.57	2.62	2.55	2.63
2.4	2.38	2.41	2.37	2.42	2.36	2.42
2.3	2.28	2.31	2.27	2.31	2.27	2.32
2.2	2.18	2.21	2.18	2.21	2.17	2.22
2.1	2.08	2.11	2.08	2.11	2.07	2.12
2	1.99	2.01	1.98	2.01	1.98	2.02
1.9	1.89	1.91	1.88	1.91	1.88	1.91
1.8	1.79	1.81	1.79	1.81	1.78	1.81
1.7	1.69	1.70	1.69	1.71	1.68	1.71
1.6	1.59	1.60	1.59	1.61	1.59	1.61
1.52	1.51	1.52	1.51	1.52	1.51	1.53

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.020 mm

F=200mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	81.23	INF
40	26.95	61.11
20	16.16	24.09
15	12.75	17.16
12	10.53	13.33
10	8.97	10.89
8	7.34	8.55
7	6.49	7.41
6	5.63	6.29
5.5	5.19	5.74
5	4.75	5.20
4.5	4.30	4.66
4	3.84	4.12
3.5	3.38	3.59
3.2	3.10	3.27
3	2.92	3.06
2.8	2.73	2.85
2.6	2.54	2.65
2.4	2.35	2.44
2.3	2.25	2.33
2.2	2.16	2.23
2.1	2.06	2.13
2	1.97	2.02
1.9	1.87	1.92
1.8	1.77	1.82
1.7	1.68	1.72
1.6	1.58	1.61
1.52	1.50	1.53

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

F=70mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	71.96	INF	71.54	INF	48.39	INF
40	25.87	88.82	25.81	301.76	22.07	INF
20	15.77	27.40	15.75	34.86	14.29	47.95
15	12.51	18.75	12.50	21.93	11.57	26.41
12	10.37	14.26	10.36	16.00	9.72	18.23
10	8.85	11.50	8.85	12.59	8.38	13.91
8	7.26	8.91	7.26	9.54	6.95	10.27
7	6.43	7.68	6.43	8.14	6.19	8.65
6	5.59	6.48	5.58	6.80	5.40	7.15
5.5	5.15	5.90	5.15	6.16	5.00	6.44
5	4.72	5.32	4.71	5.53	4.59	5.75
4.5	4.27	4.75	4.27	4.92	4.17	5.09
4	3.82	4.20	3.82	4.32	3.74	4.45
3.5	3.37	3.64	3.37	3.73	3.31	3.83
3.2	3.09	3.32	3.09	3.39	3.04	3.47
3	2.91	3.10	2.90	3.16	2.86	3.23
2.8	2.72	2.89	2.72	2.94	2.68	2.99
2.6	2.53	2.67	2.53	2.72	2.50	2.76
2.4	2.34	2.46	2.34	2.50	2.32	2.53
2.3	2.25	2.35	2.25	2.39	2.22	2.42
2.2	2.15	2.25	2.15	2.28	2.13	2.31
2.1	2.06	2.14	2.06	2.17	2.04	2.20
2	1.96	2.04	1.96	2.06	1.95	2.09
1.9	1.87	1.93	1.87	1.95	1.85	1.98
1.8	1.77	1.83	1.77	1.85	1.76	1.87
1.7	1.68	1.73	1.67	1.74	1.66	1.76
1.6	1.58	1.62	1.58	1.64	1.57	1.65
1.52	1.50	1.54	1.50	1.55	1.49	1.56

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

F=70mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	32.08	INF	21.85	INF	15.12	INF
40	17.97	INF	14.29	INF	11.11	INF
20	12.48	93.09	10.61	INF	8.78	INF
15	10.37	35.88	9.06	74.32	7.70	INF
12	8.87	22.23	7.90	32.52	6.86	96.89
10	7.75	16.10	7.01	20.81	6.18	35.90
8	6.51	11.39	5.99	13.52	5.39	18.46
7	5.85	9.42	5.43	10.81	4.93	13.71
6	5.14	7.66	4.82	8.53	4.43	10.21
5.5	4.78	6.84	4.50	7.53	4.17	8.78
5	4.40	6.07	4.17	6.59	3.88	7.52
4.5	4.02	5.33	3.83	5.72	3.59	6.40
4	3.62	4.63	3.47	4.91	3.28	5.39
3.5	3.21	3.96	3.10	4.16	2.95	4.48
3.2	2.96	3.57	2.87	3.73	2.74	3.98
3	2.80	3.32	2.71	3.45	2.60	3.66
2.8	2.62	3.07	2.55	3.18	2.45	3.36
2.6	2.45	2.82	2.39	2.92	2.30	3.06
2.4	2.28	2.58	2.22	2.66	2.15	2.78
2.3	2.19	2.47	2.14	2.53	2.07	2.64
2.2	2.10	2.35	2.05	2.41	1.99	2.50
2.1	2.01	2.23	1.97	2.29	1.91	2.37
2	1.92	2.12	1.88	2.16	1.83	2.23
1.9	1.83	2.00	1.80	2.04	1.75	2.11
1.8	1.74	1.89	1.71	1.92	1.67	1.98
1.7	1.64	1.78	1.62	1.81	1.59	1.85
1.6	1.55	1.67	1.53	1.69	1.50	1.73
1.52	1.48	1.58	1.46	1.60	1.43	1.63

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

F=70mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	10.58	INF
40	8.48	INF
20	7.07	INF
15	6.37	INF
12	5.79	INF
10	5.31	INF
8	4.72	38.84
7	4.38	22.27
6	3.99	14.20
5.5	3.77	11.54
5	3.54	9.42
4.5	3.30	7.70
4	3.04	6.26
3.5	2.76	5.05
3.2	2.58	4.41
3	2.45	4.02
2.8	2.33	3.65
2.6	2.19	3.29
2.4	2.06	2.96
2.3	1.99	2.80
2.2	1.92	2.64
2.1	1.84	2.49
2	1.77	2.34
1.9	1.70	2.20
1.8	1.62	2.06
1.7	1.54	1.92
1.6	1.46	1.79
1.52	1.40	1.68

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

F=135mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	240.16	INF	210.44	INF	152.96	INF
40	34.37	47.85	33.70	49.62	31.82	55.58
20	18.51	21.75	18.32	22.11	17.76	23.19
15	14.16	15.95	14.04	16.14	13.72	16.71
12	11.46	12.60	11.39	12.71	11.17	13.05
10	9.63	10.40	9.58	10.48	9.43	10.71
8	7.76	8.25	7.73	8.30	7.63	8.44
7	6.82	7.19	6.80	7.23	6.72	7.33
6	5.87	6.14	5.85	6.16	5.80	6.24
5.5	5.39	5.61	5.38	5.63	5.33	5.70
5	4.91	5.09	4.90	5.11	4.86	5.16
4.5	4.43	4.57	4.42	4.59	4.39	4.63
4	3.95	4.06	3.94	4.07	3.91	4.10
3.5	3.46	3.54	3.45	3.55	3.44	3.57
3.2	3.17	3.23	3.16	3.24	3.15	3.26
3	2.97	3.03	2.97	3.04	2.95	3.05
2.8	2.78	2.83	2.77	2.83	2.76	2.84
2.6	2.58	2.62	2.58	2.63	2.57	2.64
2.4	2.38	2.42	2.38	2.42	2.37	2.43
2.3	2.28	2.32	2.28	2.32	2.28	2.33
2.2	2.19	2.21	2.18	2.22	2.18	2.22
2.1	2.09	2.11	2.09	2.12	2.08	2.12
2	1.99	2.01	1.99	2.01	1.98	2.02
1.9	1.89	1.91	1.89	1.91	1.88	1.92
1.8	1.79	1.81	1.79	1.81	1.79	1.82
1.7	1.69	1.71	1.69	1.71	1.69	1.71
1.6	1.59	1.61	1.59	1.61	1.59	1.61
1.52	1.51	1.53	1.51	1.53	1.51	1.53

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

F=135mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	106.99	INF	75.01	INF	53.07	INF
40	29.25	65.77	26.24	88.74	22.98	179.35
20	16.94	24.77	15.90	27.39	14.66	32.35
15	13.23	17.50	12.59	18.75	11.81	20.92
12	10.85	13.53	10.43	14.25	9.89	15.46
10	9.20	11.02	8.89	11.50	8.51	12.26
8	7.49	8.63	7.29	8.91	7.03	9.35
7	6.61	7.47	6.46	7.68	6.25	8.00
6	5.72	6.34	5.60	6.48	5.45	6.71
5.5	5.26	5.78	5.17	5.90	5.04	6.08
5	4.81	5.23	4.73	5.32	4.62	5.47
4.5	4.34	4.68	4.28	4.75	4.20	4.87
4	3.88	4.14	3.83	4.20	3.76	4.28
3.5	3.41	3.60	3.37	3.64	3.32	3.71
3.2	3.13	3.28	3.09	3.32	3.05	3.37
3	2.94	3.07	2.91	3.10	2.87	3.15
2.8	2.74	2.86	2.72	2.89	2.69	2.92
2.6	2.55	2.65	2.53	2.67	2.51	2.70
2.4	2.36	2.44	2.35	2.46	2.32	2.49
2.3	2.26	2.34	2.25	2.35	2.23	2.38
2.2	2.17	2.23	2.16	2.25	2.14	2.27
2.1	2.07	2.13	2.06	2.14	2.04	2.16
2	1.97	2.03	1.96	2.04	1.95	2.06
1.9	1.88	1.92	1.87	1.93	1.86	1.95
1.8	1.78	1.82	1.77	1.83	1.76	1.84
1.7	1.68	1.72	1.68	1.73	1.67	1.74
1.6	1.59	1.62	1.58	1.62	1.57	1.63
1.52	1.51	1.53	1.50	1.54	1.49	1.55

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

F=135mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	37.80	INF
40	19.61	INF
20	13.24	43.84
15	10.88	25.13
12	9.23	17.61
10	8.02	13.56
8	6.70	10.08
7	6.00	8.52
6	5.26	7.06
5.5	4.88	6.37
5	4.49	5.69
4.5	4.09	5.04
4	3.68	4.41
3.5	3.26	3.80
3.2	3.00	3.45
3	2.82	3.21
2.8	2.65	2.98
2.6	2.47	2.75
2.4	2.29	2.52
2.3	2.20	2.41
2.2	2.11	2.30
2.1	2.02	2.19
2	1.93	2.08
1.9	1.84	1.97
1.8	1.75	1.86
1.7	1.65	1.75
1.6	1.56	1.65
1.52	1.48	1.56

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

F=200mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	473.45	INF	398.06	INF	243.27	INF
40	36.93	43.63	36.40	43.73	34.43	44.36
20	19.22	20.85	19.07	20.88	18.53	21.01
15	14.56	15.47	14.48	15.48	14.17	15.56
12	11.72	12.29	11.67	12.30	11.47	12.35
10	9.81	10.20	9.77	10.21	9.63	10.24
8	7.88	8.13	7.86	8.13	7.77	8.15
7	6.91	7.09	6.89	7.10	6.82	7.11
6	5.93	6.07	5.92	6.07	5.87	6.08
5.5	5.44	5.56	5.43	5.56	5.39	5.57
5	4.95	5.05	4.95	5.05	4.91	5.05
4.5	4.46	4.54	4.46	4.54	4.43	4.54
4	3.97	4.03	3.97	4.03	3.95	4.03
3.5	3.48	3.52	3.48	3.52	3.46	3.53
3.2	3.18	3.22	3.18	3.22	3.17	3.22
3	2.99	3.01	2.98	3.02	2.97	3.02
2.8	2.79	2.81	2.78	2.81	2.78	2.82
2.6	2.59	2.61	2.59	2.61	2.58	2.61
2.4	2.39	2.41	2.39	2.41	2.38	2.41
2.3	2.29	2.31	2.29	2.31	2.28	2.31
2.2	2.19	2.21	2.19	2.21	2.19	2.21
2.1	2.09	2.11	2.09	2.11	2.09	2.11
2	1.99	2.01	1.99	2.01	1.99	2.01
1.9	1.89	1.91	1.89	1.91	1.89	1.91
1.8	1.80	1.80	1.79	1.80	1.79	1.81
1.7	1.70	1.70	1.70	1.70	1.69	1.70
1.6	1.60	1.60	1.60	1.60	1.59	1.60
1.52	1.52	1.52	1.52	1.52	1.51	1.52

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

F=200mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	167.02	INF	121.31	INF	89.97	INF
40	32.38	46.06	30.21	49.66	27.84	56.84
20	17.93	21.38	17.25	22.11	16.46	23.41
15	13.82	15.76	13.42	16.14	12.94	16.81
12	11.24	12.47	10.98	12.71	10.66	13.12
10	9.47	10.32	9.29	10.48	9.06	10.76
8	7.66	8.20	7.54	8.30	7.40	8.47
7	6.74	7.15	6.65	7.23	6.54	7.35
6	5.81	6.11	5.75	6.16	5.66	6.25
5.5	5.35	5.59	5.29	5.63	5.22	5.71
5	4.87	5.07	4.83	5.11	4.77	5.17
4.5	4.40	4.56	4.36	4.59	4.32	4.63
4	3.92	4.05	3.89	4.07	3.86	4.10
3.5	3.44	3.53	3.42	3.55	3.39	3.58
3.2	3.15	3.23	3.13	3.24	3.11	3.26
3	2.96	3.02	2.94	3.04	2.92	3.05
2.8	2.76	2.82	2.75	2.83	2.73	2.85
2.6	2.57	2.62	2.56	2.63	2.54	2.64
2.4	2.38	2.41	2.37	2.42	2.35	2.43
2.3	2.28	2.31	2.27	2.32	2.26	2.33
2.2	2.18	2.21	2.17	2.22	2.16	2.23
2.1	2.08	2.11	2.08	2.12	2.07	2.12
2	1.98	2.01	1.98	2.01	1.97	2.02
1.9	1.89	1.91	1.88	1.91	1.87	1.92
1.8	1.79	1.81	1.78	1.81	1.78	1.82
1.7	1.69	1.71	1.69	1.71	1.68	1.71
1.6	1.59	1.61	1.59	1.61	1.58	1.61
1.52	1.51	1.52	1.51	1.53	1.50	1.53

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.025 mm

F=200mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	67.00	INF
40	25.21	72.73
20	15.52	25.68
15	12.36	17.94
12	10.26	13.79
10	8.78	11.19
8	7.21	8.73
7	6.40	7.55
6	5.56	6.39
5.5	5.13	5.82
5	4.70	5.26
4.5	4.26	4.71
4	3.81	4.16
3.5	3.36	3.62
3.2	3.08	3.30
3	2.90	3.08
2.8	2.71	2.87
2.6	2.53	2.66
2.4	2.34	2.45
2.3	2.24	2.34
2.2	2.15	2.24
2.1	2.06	2.14
2	1.96	2.03
1.9	1.86	1.93
1.8	1.77	1.82
1.7	1.67	1.72
1.6	1.58	1.62
1.52	1.50	1.54

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

F=70mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	60.00	INF	56.97	INF	38.93	INF
40	24.16	117.63	23.67	INF	19.90	INF
20	15.13	29.60	14.93	39.72	13.37	62.95
15	12.11	19.75	11.99	23.73	10.97	30.35
12	10.09	14.82	10.01	16.92	9.30	19.99
10	8.65	11.86	8.59	13.15	8.07	14.91
8	7.13	9.12	7.09	9.85	6.73	10.79
7	6.33	7.83	6.30	8.36	6.02	9.01
6	5.51	6.59	5.49	6.95	5.28	7.39
5.5	5.09	5.99	5.07	6.28	4.89	6.63
5	4.66	5.39	4.65	5.63	4.50	5.90
4.5	4.23	4.81	4.22	4.99	4.10	5.20
4	3.79	4.24	3.78	4.38	3.68	4.53
3.5	3.34	3.68	3.33	3.78	3.26	3.89
3.2	3.07	3.34	3.06	3.42	3.00	3.52
3	2.89	3.12	2.88	3.19	2.83	3.27
2.8	2.70	2.90	2.70	2.96	2.65	3.03
2.6	2.52	2.69	2.51	2.74	2.48	2.79
2.4	2.33	2.47	2.33	2.51	2.30	2.56
2.3	2.24	2.37	2.23	2.40	2.21	2.44
2.2	2.14	2.26	2.14	2.29	2.12	2.33
2.1	2.05	2.15	2.05	2.18	2.02	2.21
2	1.96	2.05	1.95	2.07	1.93	2.10
1.9	1.86	1.94	1.86	1.96	1.84	1.99
1.8	1.77	1.84	1.76	1.86	1.75	1.88
1.7	1.67	1.73	1.67	1.75	1.65	1.77
1.6	1.57	1.63	1.57	1.64	1.56	1.66
1.52	1.50	1.54	1.50	1.56	1.49	1.57

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

F=70mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	26.16	INF	17.96	INF	12.50	INF
40	15.98	INF	12.54	INF	9.65	INF
20	11.50	270.96	9.63	INF	7.85	INF
15	9.69	47.85	8.34	282.58	6.99	INF
12	8.37	26.24	7.36	47.73	6.29	INF
10	7.37	18.08	6.58	26.07	5.72	71.23
8	6.25	12.33	5.68	15.51	5.04	24.64
7	5.64	10.05	5.17	12.03	4.64	16.79
6	4.98	8.06	4.63	9.26	4.20	11.79
5.5	4.64	7.16	4.33	8.08	3.96	9.91
5	4.29	6.31	4.03	7.01	3.71	8.32
4.5	3.92	5.51	3.71	6.03	3.44	6.96
4	3.55	4.76	3.37	5.13	3.16	5.77
3.5	3.16	4.05	3.02	4.31	2.85	4.74
3.2	2.92	3.64	2.80	3.85	2.66	4.18
3	2.75	3.38	2.65	3.55	2.52	3.83
2.8	2.59	3.12	2.50	3.26	2.39	3.49
2.6	2.42	2.87	2.34	2.98	2.25	3.17
2.4	2.25	2.62	2.19	2.71	2.10	2.86
2.3	2.16	2.50	2.11	2.58	2.03	2.71
2.2	2.08	2.38	2.02	2.45	1.96	2.57
2.1	1.99	2.26	1.94	2.32	1.88	2.43
2	1.90	2.14	1.86	2.20	1.80	2.29
1.9	1.81	2.02	1.77	2.07	1.72	2.15
1.8	1.72	1.91	1.69	1.95	1.65	2.02
1.7	1.63	1.79	1.60	1.83	1.57	1.89
1.6	1.54	1.68	1.52	1.71	1.48	1.76
1.52	1.47	1.59	1.45	1.62	1.42	1.66

Compact Zoom CZ.2 70-200mm/T2.9 T*

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

F=70mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	8.78	INF
40	7.30	INF
20	6.25	INF
15	5.70	INF
12	5.24	INF
10	4.85	INF
8	4.36	158.63
7	4.06	38.88
6	3.73	19.38
5.5	3.54	14.70
5	3.34	11.39
4.5	3.13	8.94
4	2.90	7.04
3.5	2.64	5.53
3.2	2.48	4.77
3	2.37	4.31
2.8	2.25	3.88
2.6	2.13	3.48
2.4	2.00	3.10
2.3	1.93	2.93
2.2	1.87	2.75
2.1	1.80	2.59
2	1.73	2.43
1.9	1.66	2.27
1.8	1.59	2.12
1.7	1.51	1.97
1.6	1.44	1.83
1.52	1.38	1.72

Carl Zeiss Compact Zoom CZ.2 70-200/T2.9

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

F=135mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	200.18	INF	174.89	INF	126.59	INF
40	33.43	49.81	32.66	52.09	30.52	60.08
20	18.24	22.14	18.01	22.57	17.35	23.93
15	14.00	16.16	13.86	16.39	13.48	17.08
12	11.36	12.72	11.27	12.86	11.01	13.28
10	9.55	10.49	9.49	10.58	9.31	10.86
8	7.72	8.30	7.68	8.36	7.56	8.53
7	6.79	7.23	6.76	7.27	6.67	7.40
6	5.84	6.16	5.82	6.19	5.76	6.28
5.5	5.37	5.64	5.35	5.66	5.30	5.74
5	4.89	5.11	4.88	5.13	4.83	5.19
4.5	4.42	4.59	4.40	4.60	4.37	4.65
4	3.93	4.07	3.93	4.08	3.90	4.12
3.5	3.45	3.55	3.44	3.56	3.42	3.59
3.2	3.16	3.24	3.15	3.25	3.14	3.27
3	2.97	3.04	2.96	3.04	2.95	3.06
2.8	2.77	2.83	2.77	2.84	2.75	2.85
2.6	2.57	2.63	2.57	2.63	2.56	2.64
2.4	2.38	2.42	2.38	2.43	2.37	2.44
2.3	2.28	2.32	2.28	2.32	2.27	2.33
2.2	2.18	2.22	2.18	2.22	2.17	2.23
2.1	2.08	2.12	2.08	2.12	2.08	2.13
2	1.99	2.01	1.98	2.02	1.98	2.02
1.9	1.89	1.91	1.89	1.91	1.88	1.92
1.8	1.79	1.81	1.79	1.81	1.78	1.82
1.7	1.69	1.71	1.69	1.71	1.69	1.72
1.6	1.59	1.61	1.59	1.61	1.59	1.61
1.52	1.51	1.53	1.51	1.53	1.51	1.53

Carl Zeiss Compact Zoom CZ.2 70-200/T2.9

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

F=135mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	88.75	INF	62.34	INF	44.12	INF
40	27.72	75.20	24.53	116.75	21.15	574.41
20	16.42	25.97	15.27	29.54	13.91	36.84
15	12.92	18.08	12.20	19.72	11.32	22.69
12	10.64	13.87	10.16	14.80	9.55	16.39
10	9.05	11.25	8.70	11.85	8.25	12.83
8	7.39	8.76	7.16	9.12	6.86	9.68
7	6.53	7.57	6.35	7.83	6.12	8.23
6	5.66	6.41	5.53	6.59	5.35	6.87
5.5	5.22	5.84	5.10	5.98	4.96	6.21
5	4.77	5.27	4.67	5.39	4.55	5.57
4.5	4.31	4.72	4.24	4.81	4.14	4.95
4	3.85	4.17	3.80	4.24	3.72	4.34
3.5	3.39	3.62	3.35	3.67	3.29	3.75
3.2	3.11	3.30	3.07	3.34	3.03	3.40
3	2.92	3.09	2.89	3.12	2.85	3.18
2.8	2.73	2.87	2.71	2.90	2.67	2.95
2.6	2.54	2.66	2.52	2.69	2.49	2.73
2.4	2.35	2.45	2.33	2.47	2.31	2.50
2.3	2.26	2.35	2.24	2.37	2.22	2.39
2.2	2.16	2.24	2.15	2.26	2.12	2.28
2.1	2.07	2.14	2.05	2.15	2.03	2.18
2	1.97	2.03	1.96	2.05	1.94	2.07
1.9	1.87	1.93	1.86	1.94	1.85	1.96
1.8	1.78	1.83	1.77	1.84	1.75	1.85
1.7	1.68	1.72	1.67	1.73	1.66	1.74
1.6	1.58	1.62	1.58	1.63	1.57	1.64
1.52	1.50	1.54	1.50	1.54	1.49	1.55

Carl Zeiss Compact Zoom CZ.2 70-200/T2.9

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

F=135mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	31.42	INF
40	17.76	INF
20	12.38	57.29
15	10.30	28.98
12	8.82	19.40
10	7.71	14.58
8	6.49	10.62
7	5.83	8.90
6	5.13	7.31
5.5	4.77	6.57
5	4.39	5.85
4.5	4.01	5.17
4	3.62	4.51
3.5	3.21	3.87
3.2	2.96	3.50
3	2.79	3.26
2.8	2.62	3.02
2.6	2.45	2.78
2.4	2.27	2.55
2.3	2.18	2.44
2.2	2.10	2.32
2.1	2.01	2.21
2	1.92	2.10
1.9	1.83	1.98
1.8	1.74	1.87
1.7	1.64	1.76
1.6	1.55	1.65
1.52	1.48	1.57

Carl Zeiss Compact Zoom CZ.2 70-200/T2.9

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

F=200mm

Gravur Engraving	T-Blende / T-Stop					
	2.9		4		5.6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	394.60	INF	335.61	INF	209.66	INF
40	36.38	44.44	35.81	44.64	33.68	45.68
20	19.07	21.03	18.91	21.08	18.31	21.30
15	14.47	15.57	14.39	15.59	14.04	15.71
12	11.67	12.36	11.61	12.37	11.39	12.45
10	9.77	10.24	9.73	10.25	9.57	10.30
8	7.85	8.15	7.83	8.16	7.73	8.19
7	6.89	7.11	6.87	7.12	6.79	7.14
6	5.92	6.08	5.91	6.09	5.85	6.10
5.5	5.43	5.57	5.42	5.57	5.38	5.59
5	4.95	5.06	4.94	5.06	4.90	5.07
4.5	4.46	4.54	4.45	4.55	4.42	4.56
4	3.97	4.03	3.96	4.04	3.94	4.04
3.5	3.47	3.53	3.47	3.53	3.45	3.53
3.2	3.18	3.22	3.18	3.22	3.16	3.23
3	2.98	3.02	2.98	3.02	2.97	3.02
2.8	2.78	2.82	2.78	2.82	2.77	2.82
2.6	2.59	2.61	2.58	2.61	2.58	2.62
2.4	2.39	2.41	2.39	2.41	2.38	2.41
2.3	2.29	2.31	2.29	2.31	2.28	2.31
2.2	2.19	2.21	2.19	2.21	2.18	2.21
2.1	2.09	2.11	2.09	2.11	2.09	2.11
2	1.99	2.01	1.99	2.01	1.99	2.01
1.9	1.89	1.91	1.89	1.91	1.89	1.91
1.8	1.79	1.81	1.79	1.81	1.79	1.81
1.7	1.70	1.70	1.69	1.70	1.69	1.71
1.6	1.60	1.60	1.60	1.60	1.59	1.60
1.52	1.52	1.52	1.52	1.52	1.51	1.52

Carl Zeiss Compact Zoom CZ.2 70-200/T2.9

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

F=200mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	144.56	INF	104.65	INF	77.13	INF
40	31.45	48.10	29.08	53.10	26.49	63.50
20	17.64	21.80	16.88	22.76	15.99	24.45
15	13.65	15.98	13.19	16.48	12.65	17.34
12	11.13	12.61	10.83	12.92	10.46	13.43
10	9.39	10.42	9.18	10.62	8.92	10.96
8	7.61	8.26	7.48	8.39	7.31	8.59
7	6.71	7.20	6.60	7.29	6.47	7.44
6	5.79	6.14	5.71	6.21	5.61	6.32
5.5	5.32	5.62	5.26	5.67	5.18	5.76
5	4.85	5.09	4.80	5.14	4.73	5.21
4.5	4.38	4.58	4.34	4.61	4.29	4.67
4	3.91	4.06	3.88	4.09	3.83	4.13
3.5	3.43	3.54	3.41	3.56	3.38	3.60
3.2	3.14	3.24	3.12	3.25	3.10	3.28
3	2.95	3.03	2.93	3.04	2.91	3.07
2.8	2.76	2.83	2.74	2.84	2.72	2.86
2.6	2.57	2.62	2.55	2.63	2.54	2.65
2.4	2.37	2.42	2.36	2.43	2.35	2.44
2.3	2.27	2.32	2.26	2.32	2.25	2.34
2.2	2.18	2.21	2.17	2.22	2.16	2.23
2.1	2.08	2.11	2.07	2.12	2.06	2.13
2	1.98	2.01	1.97	2.02	1.97	2.03
1.9	1.88	1.91	1.88	1.92	1.87	1.92
1.8	1.79	1.81	1.78	1.81	1.77	1.82
1.7	1.69	1.71	1.68	1.71	1.68	1.72
1.6	1.59	1.61	1.59	1.61	1.58	1.61
1.52	1.51	1.53	1.51	1.53	1.50	1.53

Carl Zeiss Compact Zoom CZ.2 70-200/T2.9

Zerstreuungskreisdurchmesser / circle of confusion: 0.030 mm

F=200mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	57.03	INF
40	23.68	89.85
20	14.94	27.50
15	11.99	18.80
12	10.01	14.28
10	8.59	11.51
8	7.09	8.92
7	6.30	7.69
6	5.49	6.49
5.5	5.07	5.90
5	4.65	5.33
4.5	4.22	4.76
4	3.78	4.20
3.5	3.33	3.65
3.2	3.06	3.32
3	2.88	3.10
2.8	2.70	2.89
2.6	2.51	2.67
2.4	2.33	2.46
2.3	2.24	2.36
2.2	2.14	2.25
2.1	2.05	2.14
2	1.95	2.04
1.9	1.86	1.93
1.8	1.76	1.83
1.7	1.67	1.73
1.6	1.57	1.62
1.52	1.50	1.54



Depth of Field Tables in Meter for Compact Prime CP.3 Lenses for

Lenses	MFT Format	ANSI Super 35, Normal 35, APS-H and APS-C Format	Full Format
CP.3 15 mm/T2.9	■	■	■
CP.3 18 mm/T2.9	■	■	■
CP.3 21 mm/T2.9	■	■	■
CP.3 25 mm/T2.1	■	■	■
CP.3 28 mm/T2.1	■	■	■
CP.3 35 mm/T2.1	■	■	■
CP.3 50 mm/T2.1	■	■	■
CP.3 85 mm/T2.1	■	■	■
CP.3 100 mm/T2.1 CF	■	■	■
CP.3 135 mm/T2.1	■	■	■

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4,28	INF	3,35	INF	3,01	INF
10	3,04	INF	2,55	INF	2,35	INF
5	2,36	INF	2,06	INF	1,93	INF
3	1,82	9,60	1,64	33,77	1,56	INF
2,5	1,63	5,73	1,49	9,90	1,42	INF
2	1,41	3,58	1,30	4,81	1,25	INF
1,8	1,31	2,96	1,22	3,74	1,18	18,39
1,6	1,21	2,43	1,13	2,93	1,09	7,56
1,4	1,09	1,98	1,03	2,29	1,00	4,31
1,2	0,97	1,59	0,93	1,77	0,90	2,74
1	0,84	1,24	0,81	1,35	0,79	1,81
0,9	0,77	1,09	0,75	1,16	0,73	1,48
0,85	0,74	1,01	0,71	1,08	0,70	1,34
0,8	0,70	0,94	0,68	0,99	0,67	1,21
0,75	0,66	0,87	0,64	0,91	0,63	1,08
0,7	0,63	0,80	0,61	0,84	0,60	0,97
0,65	0,59	0,73	0,57	0,76	0,57	0,87
0,6	0,55	0,67	0,54	0,69	0,53	0,77
0,55	0,51	0,60	0,50	0,62	0,49	0,69
0,5	0,47	0,54	0,46	0,55	0,45	0,60
0,48	0,45	0,52	0,44	0,53	0,44	0,57
0,46	0,43	0,49	0,43	0,50	0,42	0,54
0,44	0,42	0,47	0,41	0,48	0,41	0,51
0,42	0,40	0,44	0,39	0,45	0,39	0,48
0,4	0,38	0,42	0,38	0,43	0,37	0,45
0,39	0,37	0,41	0,37	0,42	0,37	0,44
0,38	0,36	0,40	0,36	0,41	0,36	0,43
0,37	0,35	0,39	0,35	0,39	0,35	0,41
0,36	0,35	0,38	0,34	0,38	0,34	0,40
0,35	0,34	0,36	0,33	0,37	0,33	0,39
0,34	0,33	0,35	0,32	0,36	0,32	0,37
0,33	0,32	0,34	0,32	0,35	0,31	0,36
0,32	0,31	0,33	0,31	0,33	0,31	0,35
0,31	0,30	0,32	0,30	0,32	0,30	0,33
0,3	0,29	0,31	0,29	0,31	0,29	0,32

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	2,30	INF	1,59	INF	1,09	INF
10	1,90	INF	1,40	INF	1,01	INF
5	1,62	INF	1,25	INF	0,93	INF
3	1,36	INF	1,09	INF	0,84	INF
2,5	1,25	INF	1,02	INF	0,81	INF
2	1,12	INF	0,94	INF	0,76	INF
1,8	1,06	INF	0,90	INF	0,73	INF
1,6	1,00	INF	0,85	INF	0,70	INF
1,4	0,92	INF	0,80	INF	0,67	INF
1,2	0,84	7,90	0,74	INF	0,63	INF
1	0,74	3,10	0,67	27,75	0,58	INF
0,9	0,69	2,21	0,63	5,71	0,55	INF
0,85	0,66	1,89	0,60	3,89	0,53	INF
0,8	0,63	1,62	0,58	2,87	0,52	INF
0,75	0,61	1,40	0,56	2,21	0,50	11,67
0,7	0,57	1,21	0,53	1,75	0,48	4,67
0,65	0,54	1,05	0,51	1,42	0,46	2,77
0,6	0,51	0,91	0,48	1,16	0,44	1,88
0,55	0,48	0,78	0,45	0,95	0,41	1,36
0,5	0,44	0,67	0,42	0,79	0,39	1,03
0,48	0,43	0,63	0,41	0,73	0,38	0,92
0,46	0,41	0,59	0,39	0,67	0,37	0,83
0,44	0,40	0,56	0,38	0,62	0,36	0,75
0,42	0,38	0,52	0,37	0,58	0,35	0,68
0,4	0,37	0,49	0,35	0,53	0,33	0,62
0,39	0,36	0,47	0,35	0,51	0,33	0,59
0,38	0,35	0,45	0,34	0,49	0,32	0,56
0,37	0,34	0,44	0,33	0,47	0,32	0,53
0,36	0,33	0,42	0,32	0,45	0,31	0,51
0,35	0,33	0,41	0,32	0,43	0,30	0,48
0,34	0,32	0,39	0,31	0,42	0,30	0,46
0,33	0,31	0,38	0,30	0,40	0,29	0,44
0,32	0,30	0,36	0,29	0,38	0,28	0,41
0,31	0,29	0,35	0,29	0,37	0,28	0,39
0,3	0,28	0,33	0,28	0,35	0,27	0,37

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,77	INF
10	0,73	INF
5	0,69	INF
3	0,65	INF
2,5	0,63	INF
2	0,60	INF
1,8	0,59	INF
1,6	0,57	INF
1,4	0,55	INF
1,2	0,52	INF
1	0,49	INF
0,9	0,47	INF
0,85	0,46	INF
0,8	0,45	INF
0,75	0,44	INF
0,7	0,42	INF
0,65	0,41	INF
0,6	0,39	35,44
0,55	0,37	3,94
0,5	0,36	1,92
0,48	0,35	1,56
0,46	0,34	1,29
0,44	0,33	1,09
0,42	0,32	0,93
0,4	0,31	0,80
0,39	0,31	0,75
0,38	0,30	0,70
0,37	0,30	0,65
0,36	0,29	0,61
0,35	0,29	0,57
0,34	0,28	0,54
0,33	0,28	0,50
0,32	0,27	0,47
0,31	0,26	0,44
0,3	0,26	0,42

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	6,18	INF	4,54	INF	3,63	INF
60	5,62	INF	4,24	INF	3,44	INF
50	5,52	INF	4,18	INF	3,40	INF
30	5,15	INF	3,97	INF	3,26	INF
20	4,76	INF	3,73	INF	3,10	INF
15	4,42	INF	3,52	INF	2,96	INF
12	4,13	INF	3,34	INF	2,83	INF
10	3,87	INF	3,17	INF	2,71	INF
9	3,72	INF	3,07	INF	2,63	INF
8	3,54	INF	2,95	INF	2,55	INF
7	3,34	INF	2,81	INF	2,44	INF
6	3,10	207,21	2,64	INF	2,31	INF
5,5	2,96	48,71	2,54	INF	2,24	INF
5	2,82	25,40	2,43	INF	2,16	INF
4,5	2,66	16,03	2,31	55,90	2,06	INF
4	2,48	10,97	2,18	21,30	1,96	INF
3,8	2,40	9,54	2,12	16,47	1,91	INF
3,6	2,33	8,34	2,06	13,15	1,86	INF
3,5	2,28	7,80	2,03	11,86	1,84	INF
3,4	2,24	7,30	2,00	10,74	1,81	INF
3,2	2,16	6,41	1,93	8,90	1,76	INF
3	2,07	5,63	1,86	7,46	1,70	65,99
2,8	1,97	4,95	1,78	6,29	1,64	24,56
2,6	1,88	4,34	1,70	5,33	1,57	14,24
2,5	1,82	4,06	1,66	4,91	1,53	11,53
2,4	1,77	3,79	1,62	4,52	1,50	9,56
2,2	1,66	3,30	1,53	3,83	1,42	6,88
2	1,55	2,86	1,43	3,24	1,34	5,15
1,9	1,49	2,65	1,38	2,98	1,30	4,50
1,8	1,43	2,45	1,33	2,73	1,25	3,94
1,7	1,37	2,27	1,28	2,50	1,21	3,46
1,6	1,31	2,09	1,22	2,28	1,16	3,05
1,5	1,24	1,91	1,17	2,07	1,11	2,68
1,45	1,21	1,83	1,14	1,97	1,08	2,52
1,4	1,17	1,75	1,11	1,88	1,05	2,36
1,35	1,14	1,67	1,08	1,79	1,03	2,21
1,3	1,10	1,59	1,05	1,70	1,00	2,07
1,25	1,07	1,51	1,02	1,61	0,97	1,94
1,2	1,03	1,44	0,98	1,52	0,94	1,81

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
1,15	1,00	1,37	0,95	1,44	0,91	1,70
1,1	0,96	1,29	0,92	1,36	0,88	1,58
1,05	0,92	1,22	0,89	1,28	0,85	1,47
1	0,89	1,15	0,85	1,20	0,82	1,37
0,98	0,87	1,13	0,84	1,17	0,81	1,33
0,96	0,86	1,10	0,82	1,14	0,79	1,29
0,95	0,85	1,09	0,82	1,13	0,79	1,27
0,94	0,84	1,07	0,81	1,12	0,78	1,25
0,92	0,82	1,04	0,79	1,09	0,77	1,22
0,9	0,81	1,02	0,78	1,06	0,76	1,18
0,88	0,79	0,99	0,77	1,03	0,74	1,14
0,86	0,78	0,97	0,75	1,00	0,73	1,11
0,85	0,77	0,95	0,74	0,99	0,72	1,09
0,84	0,76	0,94	0,74	0,97	0,71	1,07
0,82	0,75	0,91	0,72	0,94	0,70	1,04
0,8	0,73	0,89	0,71	0,92	0,69	1,00
0,78	0,71	0,86	0,69	0,89	0,67	0,97
0,76	0,70	0,84	0,68	0,86	0,66	0,94
0,75	0,69	0,83	0,67	0,85	0,65	0,92
0,74	0,68	0,81	0,66	0,84	0,64	0,91
0,72	0,66	0,79	0,65	0,81	0,63	0,87
0,7	0,65	0,76	0,63	0,78	0,62	0,84
0,68	0,63	0,74	0,62	0,76	0,60	0,81
0,66	0,61	0,71	0,60	0,73	0,59	0,78
0,65	0,61	0,70	0,59	0,72	0,58	0,77
0,64	0,60	0,69	0,58	0,71	0,57	0,75
0,62	0,58	0,67	0,57	0,68	0,56	0,72
0,6	0,56	0,64	0,55	0,66	0,54	0,69
0,59	0,55	0,63	0,54	0,64	0,53	0,68
0,58	0,55	0,62	0,53	0,63	0,52	0,67
0,57	0,54	0,61	0,53	0,62	0,52	0,65
0,56	0,53	0,60	0,52	0,61	0,51	0,64
0,55	0,52	0,58	0,51	0,59	0,50	0,62
0,54	0,51	0,57	0,50	0,58	0,49	0,61
0,53	0,50	0,56	0,49	0,57	0,49	0,60
0,52	0,49	0,55	0,49	0,56	0,48	0,58
0,51	0,49	0,54	0,48	0,55	0,47	0,57
0,5	0,48	0,53	0,47	0,53	0,46	0,56
0,49	0,47	0,52	0,46	0,52	0,45	0,54

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0,48	0,46	0,50	0,45	0,51	0,44	0,53
0,47	0,45	0,49	0,44	0,50	0,44	0,52
0,46	0,44	0,48	0,43	0,49	0,43	0,51
0,45	0,43	0,47	0,43	0,48	0,42	0,49
0,44	0,42	0,46	0,42	0,46	0,41	0,48
0,43	0,41	0,45	0,41	0,45	0,40	0,47
0,42	0,40	0,44	0,40	0,44	0,39	0,46
0,41	0,40	0,43	0,39	0,43	0,39	0,44
0,4	0,39	0,41	0,38	0,42	0,38	0,43
0,39	0,38	0,40	0,37	0,41	0,37	0,42
0,38	0,37	0,39	0,36	0,40	0,36	0,41
0,37	0,36	0,38	0,36	0,39	0,35	0,39
0,36	0,35	0,37	0,35	0,37	0,34	0,38
0,35	0,34	0,36	0,34	0,36	0,33	0,37
0,34	0,33	0,35	0,33	0,35	0,33	0,36
0,33	0,32	0,34	0,32	0,34	0,32	0,35
0,32	0,31	0,33	0,31	0,33	0,31	0,34
0,31	0,30	0,32	0,30	0,32	0,30	0,32
0,3	0,29	0,31	0,29	0,31	0,29	0,31

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	2,77	INF	1,98	INF	1,40	INF
60	2,65	INF	1,92	INF	1,37	INF
50	2,63	INF	1,91	INF	1,37	INF
30	2,55	INF	1,87	INF	1,34	INF
20	2,45	INF	1,82	INF	1,32	INF
15	2,36	INF	1,77	INF	1,30	INF
12	2,28	INF	1,73	INF	1,27	INF
10	2,20	INF	1,68	INF	1,25	INF
9	2,16	INF	1,66	INF	1,23	INF
8	2,10	INF	1,62	INF	1,22	INF
7	2,03	INF	1,58	INF	1,19	INF
6	1,94	INF	1,53	INF	1,17	INF
5,5	1,89	INF	1,50	INF	1,15	INF
5	1,83	INF	1,46	INF	1,13	INF
4,5	1,76	INF	1,42	INF	1,11	INF
4	1,69	INF	1,37	INF	1,08	INF
3,8	1,65	INF	1,35	INF	1,06	INF
3,6	1,62	INF	1,33	INF	1,05	INF
3,5	1,60	INF	1,32	INF	1,04	INF
3,4	1,58	INF	1,30	INF	1,04	INF
3,2	1,54	INF	1,28	INF	1,02	INF
3	1,49	INF	1,25	INF	1,00	INF
2,8	1,45	INF	1,21	INF	0,98	INF
2,6	1,40	INF	1,18	INF	0,96	INF
2,5	1,37	INF	1,16	INF	0,95	INF
2,4	1,34	INF	1,14	INF	0,93	INF
2,2	1,28	INF	1,10	INF	0,91	INF
2	1,21	27,08	1,05	INF	0,88	INF
1,9	1,18	15,12	1,02	INF	0,86	INF
1,8	1,14	10,14	1,00	INF	0,84	INF
1,7	1,10	7,41	0,97	INF	0,82	INF
1,6	1,06	5,69	0,94	INF	0,80	INF
1,5	1,02	4,51	0,91	38,75	0,78	INF
1,45	1,00	4,04	0,89	19,07	0,77	INF
1,4	0,98	3,64	0,87	12,36	0,75	INF
1,35	0,96	3,29	0,86	8,97	0,74	INF
1,3	0,93	2,98	0,84	6,92	0,73	INF
1,25	0,91	2,71	0,82	5,55	0,71	INF
1,2	0,88	2,46	0,80	4,58	0,70	INF

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
1,15	0,86	2,24	0,78	3,84	0,69	569,04
1,1	0,83	2,04	0,76	3,27	0,67	19,98
1,05	0,80	1,86	0,74	2,81	0,65	9,72
1	0,78	1,69	0,71	2,43	0,64	6,21
0,98	0,77	1,63	0,70	2,30	0,63	5,38
0,96	0,75	1,57	0,69	2,18	0,62	4,72
0,95	0,75	1,54	0,69	2,12	0,62	4,44
0,94	0,74	1,51	0,68	2,07	0,61	4,19
0,92	0,73	1,46	0,68	1,96	0,61	3,75
0,9	0,72	1,40	0,67	1,86	0,60	3,38
0,88	0,71	1,35	0,66	1,76	0,59	3,06
0,86	0,69	1,30	0,65	1,67	0,58	2,79
0,85	0,69	1,27	0,64	1,63	0,58	2,66
0,84	0,68	1,25	0,64	1,59	0,58	2,55
0,82	0,67	1,20	0,62	1,51	0,57	2,34
0,8	0,66	1,15	0,61	1,43	0,56	2,15
0,78	0,64	1,11	0,60	1,36	0,55	1,99
0,76	0,63	1,07	0,59	1,29	0,54	1,84
0,75	0,63	1,04	0,59	1,26	0,54	1,77
0,74	0,62	1,02	0,58	1,23	0,53	1,70
0,72	0,61	0,98	0,57	1,17	0,52	1,58
0,7	0,59	0,94	0,56	1,11	0,51	1,47
0,68	0,58	0,90	0,55	1,05	0,50	1,37
0,66	0,57	0,86	0,53	1,00	0,50	1,27
0,65	0,56	0,85	0,53	0,97	0,49	1,23
0,64	0,55	0,83	0,52	0,95	0,49	1,19
0,62	0,54	0,79	0,51	0,90	0,48	1,11
0,6	0,52	0,76	0,50	0,85	0,46	1,03
0,59	0,52	0,74	0,49	0,83	0,46	1,00
0,58	0,51	0,72	0,49	0,81	0,45	0,97
0,57	0,50	0,70	0,48	0,79	0,45	0,93
0,56	0,49	0,69	0,47	0,76	0,44	0,90
0,55	0,49	0,67	0,47	0,74	0,44	0,87
0,54	0,48	0,66	0,46	0,72	0,43	0,84
0,53	0,47	0,64	0,45	0,70	0,43	0,81
0,52	0,47	0,62	0,45	0,68	0,42	0,79
0,51	0,46	0,61	0,44	0,66	0,42	0,76
0,5	0,45	0,59	0,43	0,64	0,41	0,73
0,49	0,44	0,58	0,43	0,63	0,40	0,71

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0,48	0,43	0,56	0,42	0,61	0,40	0,68
0,47	0,43	0,55	0,41	0,59	0,39	0,66
0,46	0,42	0,53	0,40	0,57	0,39	0,64
0,45	0,41	0,52	0,40	0,55	0,38	0,61
0,44	0,40	0,50	0,39	0,54	0,37	0,59
0,43	0,40	0,49	0,38	0,52	0,37	0,57
0,42	0,39	0,48	0,38	0,50	0,36	0,55
0,41	0,38	0,46	0,37	0,49	0,35	0,53
0,4	0,37	0,45	0,36	0,47	0,35	0,51
0,39	0,36	0,43	0,35	0,46	0,34	0,49
0,38	0,36	0,42	0,35	0,44	0,33	0,47
0,37	0,35	0,41	0,34	0,43	0,33	0,46
0,36	0,34	0,39	0,33	0,41	0,32	0,44
0,35	0,33	0,38	0,32	0,40	0,31	0,42
0,34	0,32	0,37	0,31	0,38	0,31	0,40
0,33	0,31	0,36	0,31	0,37	0,30	0,39
0,32	0,30	0,34	0,30	0,36	0,29	0,37
0,31	0,30	0,33	0,29	0,34	0,28	0,36
0,3	0,29	0,32	0,28	0,33	0,28	0,34

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,99	INF
60	0,98	INF
50	0,98	INF
30	0,97	INF
20	0,96	INF
15	0,95	INF
12	0,93	INF
10	0,92	INF
9	0,91	INF
8	0,91	INF
7	0,89	INF
6	0,88	INF
5,5	0,87	INF
5	0,86	INF
4,5	0,85	INF
4	0,83	INF
3,8	0,82	INF
3,6	0,82	INF
3,5	0,81	INF
3,4	0,81	INF
3,2	0,80	INF
3	0,79	INF
2,8	0,78	INF
2,6	0,76	INF
2,5	0,76	INF
2,4	0,75	INF
2,2	0,73	INF
2	0,71	INF
1,9	0,70	INF
1,8	0,69	INF
1,7	0,68	INF
1,6	0,67	INF
1,5	0,65	INF
1,45	0,64	INF
1,4	0,63	INF
1,35	0,63	INF
1,3	0,62	INF
1,25	0,61	INF
1,2	0,60	INF

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
1,15	0,59	INF
1,1	0,58	INF
1,05	0,57	INF
1	0,55	INF
0,98	0,55	INF
0,96	0,54	INF
0,95	0,54	INF
0,94	0,54	INF
0,92	0,53	INF
0,9	0,53	INF
0,88	0,52	INF
0,86	0,52	124,74
0,85	0,51	38,50
0,84	0,51	22,55
0,82	0,50	12,13
0,8	0,50	8,17
0,78	0,49	6,09
0,76	0,48	4,80
0,75	0,48	4,32
0,74	0,48	3,93
0,72	0,47	3,29
0,7	0,46	2,81
0,68	0,46	2,44
0,66	0,45	2,14
0,65	0,45	2,01
0,64	0,44	1,89
0,62	0,43	1,68
0,6	0,43	1,51
0,59	0,42	1,43
0,58	0,42	1,36
0,57	0,41	1,29
0,56	0,41	1,22
0,55	0,40	1,16
0,54	0,40	1,11
0,53	0,39	1,06
0,52	0,39	1,01
0,51	0,39	0,96
0,5	0,38	0,92
0,49	0,38	0,88

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
0,48	0,37	0,84
0,47	0,37	0,80
0,46	0,36	0,76
0,45	0,36	0,73
0,44	0,35	0,70
0,43	0,34	0,67
0,42	0,34	0,64
0,41	0,33	0,61
0,4	0,33	0,58
0,39	0,32	0,55
0,38	0,32	0,53
0,37	0,31	0,51
0,36	0,30	0,48
0,35	0,30	0,46
0,34	0,29	0,44
0,33	0,29	0,42
0,32	0,28	0,40
0,31	0,27	0,38
0,3	0,27	0,36

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	8,36	INF	7,00	INF	7,20	INF
10	4,61	INF	4,17	INF	4,24	INF
5	3,18	12,15	2,97	21,71	3,00	INF
3	2,25	4,57	2,14	5,44	2,16	17,00
2	1,65	2,56	1,59	2,81	1,60	4,24
1,7	1,44	2,08	1,40	2,24	1,41	3,04
1,5	1,30	1,78	1,27	1,89	1,27	2,42
1,3	1,15	1,50	1,12	1,58	1,13	1,92
1,1	0,99	1,24	0,97	1,28	0,98	1,49
1	0,91	1,11	0,90	1,15	0,90	1,31
0,9	0,83	0,98	0,82	1,01	0,82	1,13
0,8	0,75	0,86	0,74	0,89	0,74	0,97
0,75	0,70	0,80	0,70	0,82	0,70	0,89
0,7	0,66	0,75	0,65	0,76	0,65	0,82
0,65	0,62	0,69	0,61	0,70	0,61	0,75
0,6	0,57	0,63	0,57	0,64	0,57	0,68
0,55	0,53	0,58	0,52	0,58	0,52	0,61
0,5	0,48	0,52	0,48	0,53	0,48	0,55
0,48	0,46	0,50	0,46	0,50	0,46	0,52
0,46	0,45	0,48	0,44	0,48	0,44	0,50
0,44	0,43	0,45	0,42	0,46	0,42	0,47
0,42	0,41	0,43	0,41	0,44	0,41	0,45
0,4	0,39	0,41	0,39	0,41	0,39	0,43
0,39	0,38	0,40	0,38	0,40	0,38	0,41
0,38	0,37	0,39	0,37	0,39	0,37	0,40
0,37	0,36	0,38	0,36	0,38	0,36	0,39
0,36	0,35	0,37	0,35	0,37	0,35	0,38
0,35	0,34	0,36	0,34	0,36	0,34	0,37
0,34	0,33	0,35	0,33	0,35	0,33	0,36
0,33	0,32	0,34	0,32	0,34	0,32	0,35
0,32	0,31	0,33	0,31	0,33	0,31	0,33
0,31	0,31	0,32	0,30	0,32	0,30	0,32
0,3	0,30	0,30	0,29	0,31	0,29	0,31
0,29	0,29	0,29	0,29	0,30	0,29	0,30
0,28	0,28	0,28	0,28	0,28	0,28	0,29
0,27	0,27	0,27	0,27	0,27	0,27	0,28
0,26	0,26	0,26	0,26	0,26	0,26	0,27
0,25	0,25	0,25	0,25	0,25	0,25	0,26
0,24	0,24	0,24	0,24	0,24	0,24	0,25

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	5,94	INF	3,93	INF	2,48	INF
10	3,78	INF	2,86	INF	2,02	INF
5	2,77	INF	2,25	INF	1,71	INF
3	2,04	INF	1,75	INF	1,41	INF
2	1,54	10,55	1,37	INF	1,16	INF
1,7	1,36	5,23	1,23	28,18	1,06	INF
1,5	1,23	3,61	1,13	8,05	0,98	INF
1,3	1,10	2,57	1,02	4,17	0,90	19,62
1,1	0,95	1,85	0,89	2,51	0,81	4,65
1	0,88	1,56	0,83	2,00	0,76	3,11
0,9	0,80	1,31	0,76	1,60	0,70	2,21
0,8	0,73	1,10	0,69	1,28	0,64	1,63
0,75	0,69	1,00	0,66	1,14	0,61	1,41
0,7	0,64	0,90	0,62	1,02	0,58	1,22
0,65	0,60	0,82	0,58	0,91	0,55	1,05
0,6	0,56	0,73	0,54	0,80	0,51	0,91
0,55	0,52	0,65	0,50	0,71	0,48	0,79
0,5	0,47	0,58	0,46	0,62	0,44	0,68
0,48	0,46	0,55	0,45	0,59	0,43	0,63
0,46	0,44	0,52	0,43	0,55	0,41	0,59
0,44	0,42	0,50	0,41	0,52	0,40	0,56
0,42	0,40	0,47	0,40	0,49	0,38	0,52
0,4	0,39	0,44	0,38	0,46	0,37	0,49
0,39	0,38	0,43	0,37	0,45	0,36	0,47
0,38	0,37	0,42	0,36	0,43	0,35	0,45
0,37	0,36	0,40	0,35	0,42	0,34	0,44
0,36	0,35	0,39	0,34	0,40	0,34	0,42
0,35	0,34	0,38	0,34	0,39	0,33	0,41
0,34	0,33	0,37	0,33	0,38	0,32	0,39
0,33	0,32	0,35	0,32	0,36	0,31	0,38
0,32	0,31	0,34	0,31	0,35	0,30	0,36
0,31	0,30	0,33	0,30	0,34	0,29	0,35
0,3	0,29	0,32	0,29	0,32	0,29	0,33
0,29	0,28	0,31	0,28	0,31	0,28	0,32
0,28	0,27	0,29	0,27	0,30	0,27	0,31
0,27	0,27	0,28	0,26	0,29	0,26	0,29
0,26	0,26	0,27	0,25	0,27	0,25	0,28
0,25	0,25	0,26	0,24	0,26	0,24	0,27
0,24	0,24	0,25	0,24	0,25	0,23	0,26

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1,63	INF
10	1,42	INF
5	1,27	INF
3	1,10	INF
2	0,95	INF
1,7	0,88	INF
1,5	0,83	INF
1,3	0,77	INF
1,1	0,71	INF
1	0,67	14,37
0,9	0,63	4,83
0,8	0,58	2,65
0,75	0,56	2,08
0,7	0,53	1,68
0,65	0,51	1,37
0,6	0,48	1,13
0,55	0,45	0,93
0,5	0,42	0,77
0,48	0,41	0,72
0,46	0,39	0,67
0,44	0,38	0,62
0,42	0,37	0,57
0,4	0,35	0,53
0,39	0,35	0,51
0,38	0,34	0,49
0,37	0,33	0,47
0,36	0,32	0,45
0,35	0,32	0,43
0,34	0,31	0,41
0,33	0,30	0,40
0,32	0,29	0,38
0,31	0,29	0,36
0,3	0,28	0,35
0,29	0,27	0,33
0,28	0,26	0,32
0,27	0,25	0,30
0,26	0,25	0,29
0,25	0,24	0,27
0,24	0,23	0,26

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	16,96	INF	15,64	INF	11,68	INF
12	7,07	44,90	6,83	INF	5,96	INF
6	4,47	9,39	4,37	13,69	4,00	34,40
4	3,26	5,24	3,21	6,34	3,01	8,73
3	2,57	3,64	2,54	4,12	2,42	5,00
2,5	2,20	2,92	2,18	3,22	2,09	3,73
2	1,81	2,25	1,79	2,43	1,73	2,70
1,8	1,64	2,00	1,63	2,13	1,58	2,34
1,6	1,48	1,76	1,47	1,85	1,43	2,00
1,4	1,31	1,52	1,30	1,59	1,27	1,69
1,2	1,13	1,28	1,13	1,33	1,10	1,40
1,1	1,04	1,17	1,04	1,21	1,02	1,27
1	0,95	1,05	0,95	1,09	0,93	1,13
0,9	0,86	0,94	0,86	0,97	0,85	1,00
0,85	0,82	0,89	0,81	0,91	0,80	0,94
0,8	0,77	0,83	0,77	0,85	0,76	0,88
0,75	0,73	0,78	0,72	0,79	0,71	0,82
0,7	0,68	0,72	0,68	0,74	0,67	0,76
0,65	0,63	0,67	0,63	0,68	0,62	0,70
0,6	0,59	0,62	0,58	0,63	0,58	0,64
0,58	0,57	0,60	0,57	0,60	0,56	0,62
0,56	0,55	0,57	0,55	0,58	0,54	0,59
0,54	0,53	0,55	0,53	0,56	0,52	0,57
0,52	0,51	0,53	0,51	0,54	0,50	0,55
0,5	0,49	0,51	0,49	0,52	0,49	0,52
0,48	0,47	0,49	0,47	0,49	0,47	0,50
0,46	0,45	0,47	0,45	0,47	0,45	0,48
0,44	0,43	0,45	0,43	0,45	0,43	0,46
0,42	0,41	0,43	0,41	0,43	0,41	0,44
0,39	0,38	0,40	0,38	0,40	0,38	0,40
0,38	0,38	0,39	0,37	0,39	0,37	0,39
0,37	0,37	0,37	0,37	0,38	0,36	0,38
0,36	0,36	0,36	0,36	0,37	0,35	0,37
0,35	0,35	0,35	0,35	0,36	0,34	0,36
0,34	0,34	0,34	0,34	0,35	0,33	0,35
0,33	0,33	0,33	0,33	0,34	0,33	0,34
0,32	0,32	0,32	0,32	0,32	0,32	0,33
0,31	0,31	0,31	0,31	0,31	0,31	0,32
0,3	0,30	0,30	0,30	0,30	0,30	0,31
0,29	0,29	0,29	0,29	0,29	0,29	0,30
0,28	0,28	0,28	0,28	0,28	0,28	0,28

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	7,97	INF	5,38	INF	3,65	INF
12	4,83	INF	3,75	INF	2,83	INF
6	3,47	INF	2,88	INF	2,31	INF
4	2,70	16,09	2,34	INF	1,95	INF
3	2,22	6,74	1,97	12,56	1,69	INF
2,5	1,94	4,60	1,75	6,69	1,53	18,08
2	1,63	3,11	1,49	3,93	1,33	6,17
1,8	1,50	2,64	1,38	3,20	1,25	4,52
1,6	1,36	2,22	1,26	2,59	1,15	3,39
1,4	1,21	1,84	1,14	2,09	1,05	2,56
1,2	1,06	1,50	1,01	1,66	0,94	1,93
1,1	0,99	1,34	0,94	1,46	0,88	1,67
1	0,91	1,19	0,87	1,29	0,82	1,44
0,9	0,82	1,05	0,79	1,12	0,75	1,23
0,85	0,78	0,98	0,75	1,04	0,72	1,13
0,8	0,74	0,91	0,72	0,96	0,68	1,04
0,75	0,70	0,85	0,68	0,89	0,65	0,95
0,7	0,66	0,78	0,64	0,82	0,61	0,87
0,65	0,61	0,72	0,60	0,75	0,57	0,79
0,6	0,57	0,66	0,56	0,68	0,54	0,71
0,58	0,55	0,63	0,54	0,65	0,52	0,68
0,56	0,53	0,61	0,52	0,63	0,51	0,65
0,54	0,52	0,58	0,50	0,60	0,49	0,63
0,52	0,50	0,56	0,49	0,57	0,47	0,60
0,5	0,48	0,53	0,47	0,55	0,46	0,57
0,48	0,46	0,51	0,45	0,52	0,44	0,54
0,46	0,44	0,49	0,44	0,50	0,43	0,52
0,44	0,43	0,46	0,42	0,47	0,41	0,49
0,42	0,41	0,44	0,40	0,45	0,39	0,46
0,39	0,38	0,41	0,37	0,42	0,37	0,43
0,38	0,37	0,40	0,37	0,40	0,36	0,41
0,37	0,36	0,39	0,36	0,39	0,35	0,40
0,36	0,35	0,37	0,35	0,38	0,34	0,39
0,35	0,34	0,36	0,34	0,37	0,33	0,38
0,34	0,33	0,35	0,33	0,36	0,32	0,36
0,33	0,32	0,34	0,32	0,35	0,32	0,35
0,32	0,31	0,33	0,31	0,33	0,31	0,34
0,31	0,30	0,32	0,30	0,32	0,30	0,33
0,3	0,29	0,31	0,29	0,31	0,29	0,32
0,29	0,29	0,30	0,28	0,30	0,28	0,30
0,28	0,28	0,29	0,27	0,29	0,27	0,29

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	2,52	INF	1,76	INF
12	2,11	INF	1,56	INF
6	1,81	INF	1,39	INF
4	1,59	INF	1,26	INF
3	1,41	INF	1,15	INF
2,5	1,30	INF	1,08	INF
2	1,16	32,83	0,98	INF
1,8	1,09	10,97	0,94	INF
1,6	1,02	5,99	0,88	INF
1,4	0,94	3,78	0,83	12,23
1,2	0,85	2,54	0,76	4,63
1,1	0,80	2,10	0,72	3,32
1	0,75	1,74	0,68	2,48
0,9	0,70	1,43	0,64	1,89
0,85	0,67	1,30	0,61	1,66
0,8	0,64	1,18	0,59	1,46
0,75	0,61	1,07	0,56	1,28
0,7	0,58	0,96	0,54	1,13
0,65	0,55	0,86	0,51	0,99
0,6	0,51	0,77	0,48	0,87
0,58	0,50	0,73	0,47	0,82
0,56	0,48	0,70	0,46	0,78
0,54	0,47	0,67	0,45	0,74
0,52	0,46	0,63	0,43	0,70
0,5	0,44	0,60	0,42	0,66
0,48	0,43	0,57	0,41	0,62
0,46	0,41	0,54	0,39	0,58
0,44	0,40	0,51	0,38	0,55
0,42	0,38	0,48	0,37	0,51
0,39	0,36	0,44	0,35	0,47
0,38	0,35	0,43	0,34	0,45
0,37	0,34	0,41	0,33	0,43
0,36	0,33	0,40	0,32	0,42
0,35	0,33	0,39	0,32	0,40
0,34	0,32	0,37	0,31	0,39
0,33	0,31	0,36	0,30	0,38
0,32	0,30	0,35	0,29	0,36
0,31	0,29	0,34	0,29	0,35
0,3	0,28	0,32	0,28	0,33
0,29	0,28	0,31	0,27	0,32
0,28	0,27	0,30	0,26	0,31

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	20,82	INF	11,75	INF	14,03	INF
10	6,80	19,09	5,45	16,52	5,88	INF
5	4,06	6,52	3,55	6,20	3,72	10,28
3	2,64	3,47	2,42	3,38	2,50	4,29
2	1,84	2,19	1,73	2,16	1,77	2,48
1,6	1,50	1,72	1,43	1,70	1,45	1,88
1,4	1,32	1,49	1,27	1,47	1,29	1,61
1,2	1,14	1,26	1,10	1,25	1,12	1,35
1	0,96	1,04	0,93	1,03	0,94	1,10
0,9	0,87	0,93	0,85	0,93	0,86	0,97
0,8	0,78	0,83	0,76	0,82	0,77	0,86
0,75	0,73	0,77	0,72	0,77	0,72	0,80
0,7	0,68	0,72	0,67	0,72	0,67	0,74
0,65	0,64	0,67	0,62	0,66	0,63	0,68
0,6	0,59	0,61	0,58	0,61	0,58	0,63
0,55	0,54	0,56	0,53	0,56	0,54	0,57
0,5	0,49	0,51	0,49	0,51	0,49	0,52
0,48	0,47	0,49	0,47	0,49	0,47	0,50
0,46	0,45	0,47	0,45	0,47	0,45	0,47
0,44	0,43	0,45	0,43	0,44	0,43	0,45
0,42	0,41	0,43	0,41	0,42	0,41	0,43
0,4	0,40	0,40	0,39	0,40	0,39	0,41
0,39	0,39	0,39	0,38	0,39	0,38	0,40
0,38	0,38	0,38	0,37	0,38	0,37	0,39
0,37	0,37	0,37	0,36	0,37	0,36	0,38
0,36	0,36	0,36	0,35	0,36	0,36	0,37
0,35	0,35	0,35	0,34	0,35	0,35	0,36
0,34	0,34	0,34	0,34	0,34	0,34	0,35
0,33	0,33	0,33	0,33	0,33	0,33	0,34
0,32	0,32	0,32	0,32	0,32	0,32	0,33
0,31	0,31	0,31	0,31	0,31	0,31	0,31
0,3	0,30	0,30	0,30	0,30	0,30	0,30
0,29	0,29	0,29	0,29	0,29	0,29	0,29
0,28	0,28	0,28	0,28	0,28	0,28	0,28
0,27	0,27	0,27	0,27	0,27	0,27	0,27
0,26	0,26	0,26	0,26	0,26	0,26	0,26
0,25	0,25	0,25	0,25	0,25	0,25	0,25
0,24	0,24	0,24	0,24	0,24	0,24	0,24

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	15,19	INF	10,87	INF	6,63	INF
10	6,07	INF	5,25	INF	4,03	INF
5	3,79	52,01	3,46	INF	2,89	INF
3	2,53	6,36	2,38	12,26	2,10	INF
2	1,79	3,03	1,71	3,90	1,57	5,78
1,6	1,46	2,18	1,41	2,58	1,32	3,26
1,4	1,30	1,81	1,26	2,08	1,18	2,49
1,2	1,12	1,48	1,10	1,65	1,04	1,89
1	0,95	1,18	0,93	1,28	0,89	1,42
0,9	0,86	1,04	0,84	1,11	0,81	1,21
0,8	0,77	0,91	0,76	0,96	0,73	1,03
0,75	0,72	0,84	0,71	0,89	0,69	0,94
0,7	0,68	0,78	0,67	0,81	0,65	0,86
0,65	0,63	0,71	0,62	0,74	0,61	0,78
0,6	0,58	0,65	0,58	0,68	0,56	0,71
0,55	0,54	0,59	0,53	0,61	0,52	0,64
0,5	0,49	0,53	0,48	0,55	0,48	0,57
0,48	0,47	0,51	0,47	0,52	0,46	0,54
0,46	0,45	0,49	0,45	0,50	0,44	0,51
0,44	0,43	0,46	0,43	0,47	0,42	0,49
0,42	0,41	0,44	0,41	0,45	0,40	0,46
0,4	0,39	0,42	0,39	0,43	0,39	0,44
0,39	0,38	0,41	0,38	0,41	0,38	0,42
0,38	0,37	0,40	0,37	0,40	0,37	0,41
0,37	0,36	0,38	0,36	0,39	0,36	0,40
0,36	0,36	0,37	0,35	0,38	0,35	0,39
0,35	0,35	0,36	0,34	0,37	0,34	0,37
0,34	0,34	0,35	0,33	0,36	0,33	0,36
0,33	0,33	0,34	0,32	0,34	0,32	0,35
0,32	0,32	0,33	0,32	0,33	0,31	0,34
0,31	0,31	0,32	0,31	0,32	0,30	0,33
0,3	0,30	0,31	0,30	0,31	0,29	0,32
0,29	0,29	0,30	0,29	0,30	0,28	0,30
0,28	0,28	0,29	0,28	0,29	0,27	0,29
0,27	0,27	0,28	0,27	0,28	0,27	0,28
0,26	0,26	0,26	0,26	0,27	0,26	0,27
0,25	0,25	0,25	0,25	0,26	0,25	0,26
0,24	0,24	0,24	0,24	0,25	0,24	0,25

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	4,09	INF	2,63	INF
10	2,94	INF	2,11	INF
5	2,29	INF	1,76	INF
3	1,77	INF	1,45	INF
2	1,38	15,39	1,18	INF
1,6	1,19	4,97	1,04	18,47
1,4	1,08	3,35	0,96	6,49
1,2	0,96	2,34	0,86	3,48
1	0,83	1,64	0,76	2,11
0,9	0,76	1,37	0,71	1,68
0,8	0,69	1,14	0,65	1,33
0,75	0,66	1,03	0,61	1,19
0,7	0,62	0,93	0,58	1,05
0,65	0,58	0,84	0,55	0,93
0,6	0,54	0,75	0,52	0,82
0,55	0,50	0,67	0,48	0,72
0,5	0,46	0,59	0,44	0,63
0,48	0,45	0,56	0,43	0,60
0,46	0,43	0,53	0,41	0,56
0,44	0,41	0,50	0,40	0,53
0,42	0,40	0,48	0,38	0,50
0,4	0,38	0,45	0,37	0,47
0,39	0,37	0,44	0,36	0,45
0,38	0,36	0,42	0,35	0,44
0,37	0,35	0,41	0,34	0,42
0,36	0,34	0,40	0,33	0,41
0,35	0,33	0,38	0,33	0,40
0,34	0,33	0,37	0,32	0,38
0,33	0,32	0,36	0,31	0,37
0,32	0,31	0,35	0,30	0,35
0,31	0,30	0,33	0,29	0,34
0,3	0,29	0,32	0,28	0,33
0,29	0,28	0,31	0,28	0,32
0,28	0,27	0,30	0,27	0,30
0,27	0,26	0,28	0,26	0,29
0,26	0,25	0,27	0,25	0,28
0,25	0,24	0,26	0,24	0,27
0,24	0,23	0,25	0,23	0,25

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	32,74	INF	40,82	INF	37,45	INF
10	7,69	14,32	8,06	22,85	7,92	81,02
6	5,09	7,31	5,25	9,00	5,19	12,48
4	3,58	4,53	3,66	5,12	3,63	6,06
3	2,76	3,28	2,81	3,58	2,79	4,01
2,5	2,33	2,69	2,36	2,88	2,35	3,15
2	1,89	2,12	1,91	2,23	1,91	2,39
1,8	1,72	1,89	1,73	1,98	1,72	2,10
1,6	1,53	1,67	1,55	1,74	1,54	1,83
1,4	1,35	1,45	1,36	1,50	1,36	1,57
1,3	1,26	1,35	1,26	1,39	1,26	1,44
1,2	1,16	1,24	1,17	1,27	1,17	1,32
1,1	1,07	1,13	1,08	1,16	1,07	1,20
1	0,98	1,03	0,98	1,05	0,98	1,08
0,95	0,93	0,97	0,93	0,99	0,93	1,02
0,9	0,88	0,92	0,88	0,94	0,88	0,96
0,85	0,83	0,87	0,84	0,88	0,83	0,90
0,8	0,78	0,82	0,79	0,83	0,79	0,85
0,75	0,74	0,76	0,74	0,78	0,74	0,79
0,7	0,69	0,71	0,69	0,72	0,69	0,73
0,65	0,64	0,66	0,64	0,67	0,64	0,68
0,6	0,59	0,61	0,59	0,61	0,59	0,62
0,58	0,57	0,59	0,57	0,59	0,57	0,60
0,56	0,55	0,57	0,55	0,57	0,55	0,58
0,54	0,53	0,55	0,54	0,55	0,53	0,56
0,52	0,51	0,53	0,52	0,53	0,51	0,54
0,5	0,49	0,51	0,50	0,51	0,50	0,51
0,49	0,49	0,49	0,49	0,50	0,49	0,50
0,48	0,48	0,48	0,48	0,49	0,48	0,49
0,47	0,47	0,47	0,47	0,48	0,47	0,48
0,46	0,46	0,46	0,46	0,47	0,46	0,47
0,45	0,45	0,45	0,45	0,46	0,45	0,46
0,44	0,44	0,44	0,44	0,45	0,44	0,45
0,43	0,43	0,43	0,43	0,44	0,43	0,44
0,42	0,42	0,42	0,42	0,43	0,42	0,43
0,41	0,41	0,41	0,41	0,42	0,41	0,42
0,4	0,40	0,40	0,40	0,41	0,40	0,41
0,39	0,39	0,39	0,39	0,39	0,39	0,40
0,38	0,38	0,38	0,38	0,38	0,38	0,39
0,37	0,37	0,37	0,37	0,37	0,37	0,38
0,36	0,36	0,36	0,36	0,36	0,36	0,37
0,35	0,35	0,35	0,35	0,35	0,35	0,36
0,34	0,34	0,34	0,34	0,34	0,34	0,35
0,33	0,33	0,33	0,33	0,33	0,33	0,33
0,32	0,32	0,32	0,32	0,32	0,32	0,32
0,31	0,31	0,31	0,31	0,31	0,31	0,31
0,3	0,30	0,30	0,30	0,30	0,30	0,30

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	25,17	INF	15,08	INF	9,07	INF
10	7,19	INF	6,05	INF	4,80	INF
6	4,87	21,85	4,33	INF	3,65	INF
4	3,47	7,63	3,19	10,99	2,81	24,69
3	2,70	4,62	2,53	5,65	2,29	7,86
2,5	2,29	3,51	2,17	4,07	1,99	5,08
2	1,86	2,58	1,78	2,87	1,66	3,32
1,8	1,69	2,25	1,62	2,46	1,53	2,79
1,6	1,51	1,94	1,46	2,09	1,38	2,32
1,4	1,33	1,65	1,29	1,76	1,23	1,91
1,3	1,24	1,51	1,21	1,60	1,16	1,72
1,2	1,15	1,37	1,12	1,44	1,08	1,54
1,1	1,06	1,24	1,04	1,30	1,00	1,38
1	0,97	1,11	0,95	1,16	0,92	1,22
0,95	0,92	1,05	0,90	1,09	0,87	1,14
0,9	0,87	0,99	0,86	1,02	0,83	1,07
0,85	0,83	0,93	0,81	0,96	0,79	1,00
0,8	0,78	0,87	0,77	0,89	0,75	0,93
0,75	0,73	0,81	0,72	0,83	0,70	0,86
0,7	0,69	0,75	0,68	0,77	0,66	0,79
0,65	0,64	0,69	0,63	0,71	0,62	0,72
0,6	0,59	0,63	0,58	0,65	0,57	0,66
0,58	0,57	0,61	0,56	0,62	0,55	0,64
0,56	0,55	0,59	0,55	0,60	0,54	0,61
0,54	0,53	0,57	0,53	0,57	0,52	0,59
0,52	0,51	0,54	0,51	0,55	0,50	0,56
0,5	0,49	0,52	0,49	0,53	0,48	0,54
0,49	0,48	0,51	0,48	0,52	0,47	0,53
0,48	0,47	0,50	0,47	0,51	0,46	0,51
0,47	0,46	0,49	0,46	0,49	0,45	0,50
0,46	0,45	0,48	0,45	0,48	0,45	0,49
0,45	0,44	0,47	0,44	0,47	0,44	0,48
0,44	0,44	0,45	0,43	0,46	0,43	0,47
0,43	0,43	0,44	0,42	0,45	0,42	0,46
0,42	0,42	0,43	0,41	0,44	0,41	0,44
0,41	0,41	0,42	0,40	0,43	0,40	0,43
0,4	0,40	0,41	0,39	0,42	0,39	0,42
0,39	0,39	0,40	0,38	0,40	0,38	0,41
0,38	0,38	0,39	0,37	0,39	0,37	0,40
0,37	0,37	0,38	0,36	0,38	0,36	0,39
0,36	0,36	0,37	0,36	0,37	0,35	0,38
0,35	0,35	0,36	0,35	0,36	0,34	0,36
0,34	0,34	0,35	0,34	0,35	0,33	0,35
0,33	0,33	0,34	0,33	0,34	0,32	0,34
0,32	0,32	0,33	0,32	0,33	0,31	0,33
0,31	0,31	0,32	0,31	0,32	0,30	0,32
0,3	0,30	0,30	0,30	0,31	0,30	0,31

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	5,73	INF	3,77	INF
10	3,69	INF	2,78	INF
6	2,98	INF	2,36	INF
4	2,40	INF	1,99	INF
3	2,01	16,98	1,72	INF
2,5	1,78	7,74	1,55	29,88
2	1,52	4,26	1,35	7,10
1,8	1,40	3,41	1,26	4,99
1,6	1,28	2,73	1,16	3,64
1,4	1,15	2,17	1,06	2,70
1,3	1,09	1,93	1,00	2,33
1,2	1,02	1,71	0,94	2,01
1,1	0,95	1,50	0,88	1,73
1	0,87	1,31	0,82	1,48
0,95	0,84	1,22	0,79	1,36
0,9	0,80	1,14	0,75	1,26
0,85	0,76	1,06	0,72	1,16
0,8	0,72	0,98	0,69	1,06
0,75	0,68	0,90	0,65	0,97
0,7	0,64	0,83	0,61	0,88
0,65	0,60	0,75	0,58	0,80
0,6	0,56	0,68	0,54	0,72
0,58	0,54	0,66	0,52	0,69
0,56	0,52	0,63	0,51	0,66
0,54	0,51	0,60	0,49	0,63
0,52	0,49	0,58	0,48	0,60
0,5	0,47	0,55	0,46	0,57
0,49	0,46	0,54	0,45	0,56
0,48	0,46	0,53	0,44	0,55
0,47	0,45	0,51	0,44	0,53
0,46	0,44	0,50	0,43	0,52
0,45	0,43	0,49	0,42	0,50
0,44	0,42	0,48	0,41	0,49
0,43	0,41	0,46	0,40	0,48
0,42	0,40	0,45	0,39	0,47
0,41	0,39	0,44	0,39	0,45
0,4	0,38	0,43	0,38	0,44
0,39	0,38	0,42	0,37	0,43
0,38	0,37	0,40	0,36	0,41
0,37	0,36	0,39	0,35	0,40
0,36	0,35	0,38	0,34	0,39
0,35	0,34	0,37	0,33	0,38
0,34	0,33	0,36	0,32	0,36
0,33	0,32	0,35	0,32	0,35
0,32	0,31	0,33	0,31	0,34
0,31	0,30	0,32	0,30	0,33
0,3	0,29	0,31	0,29	0,32

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	69,25	INF	120,26	INF	214,07	INF
20	15,54	28,07	17,16	55,84	18,29	INF
10	8,75	11,66	9,24	14,67	9,55	21,13
7	6,37	7,77	6,62	8,99	6,78	11,04
5	4,67	5,38	4,80	5,93	4,88	6,75
4	3,79	4,24	3,87	4,57	3,93	5,03
3,5	3,34	3,68	3,40	3,92	3,44	4,26
3	2,88	3,13	2,93	3,30	2,96	3,54
2,5	2,42	2,59	2,45	2,70	2,47	2,86
2,2	2,14	2,27	2,16	2,36	2,18	2,47
2	1,95	2,06	1,97	2,13	1,98	2,22
1,8	1,76	1,84	1,77	1,90	1,78	1,97
1,6	1,57	1,63	1,58	1,68	1,59	1,73
1,5	1,47	1,53	1,48	1,57	1,49	1,62
1,4	1,38	1,43	1,38	1,46	1,39	1,50
1,3	1,28	1,32	1,29	1,35	1,29	1,38
1,2	1,18	1,22	1,19	1,24	1,19	1,27
1,1	1,08	1,12	1,09	1,13	1,09	1,16
1	0,99	1,01	0,99	1,03	1,00	1,05
0,95	0,94	0,96	0,94	0,97	0,95	0,99
0,9	0,89	0,91	0,89	0,92	0,90	0,94
0,85	0,84	0,86	0,84	0,87	0,85	0,88
0,8	0,79	0,81	0,80	0,82	0,80	0,83
0,78	0,77	0,79	0,78	0,80	0,78	0,81
0,76	0,75	0,77	0,76	0,78	0,76	0,79
0,74	0,73	0,75	0,74	0,75	0,74	0,76
0,72	0,71	0,73	0,72	0,73	0,72	0,74
0,7	0,69	0,71	0,70	0,71	0,70	0,72
0,68	0,67	0,69	0,68	0,69	0,68	0,70
0,66	0,66	0,67	0,66	0,67	0,66	0,68
0,64	0,64	0,64	0,64	0,65	0,64	0,66
0,62	0,62	0,62	0,62	0,63	0,62	0,64
0,6	0,60	0,60	0,60	0,61	0,60	0,61
0,59	0,59	0,59	0,59	0,60	0,59	0,60
0,58	0,58	0,58	0,58	0,59	0,58	0,59
0,57	0,57	0,57	0,57	0,58	0,57	0,58
0,56	0,56	0,56	0,56	0,57	0,56	0,57
0,55	0,55	0,55	0,55	0,56	0,55	0,56
0,54	0,54	0,54	0,54	0,55	0,54	0,55
0,53	0,53	0,53	0,53	0,54	0,53	0,54
0,52	0,52	0,52	0,52	0,53	0,52	0,53
0,51	0,51	0,51	0,51	0,52	0,51	0,52
0,5	0,50	0,50	0,50	0,51	0,50	0,51
0,49	0,49	0,49	0,49	0,50	0,49	0,50
0,48	0,48	0,48	0,48	0,49	0,48	0,49
0,47	0,47	0,47	0,47	0,47	0,47	0,48
0,46	0,46	0,46	0,46	0,46	0,46	0,47
0,45	0,45	0,45	0,45	0,45	0,45	0,46

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	106,47	INF	44,56	INF	22,36	INF
20	16,84	INF	13,82	INF	10,59	INF
10	9,14	36,05	8,18	INF	6,93	INF
7	6,57	14,06	6,06	20,02	5,35	41,96
5	4,78	7,75	4,50	9,26	4,10	12,18
4	3,86	5,57	3,68	6,30	3,41	7,51
3,5	3,39	4,64	3,25	5,13	3,04	5,90
3	2,92	3,79	2,82	4,11	2,66	4,59
2,5	2,44	3,02	2,37	3,21	2,26	3,50
2,2	2,16	2,59	2,10	2,73	2,01	2,93
2	1,96	2,31	1,92	2,42	1,84	2,58
1,8	1,77	2,05	1,73	2,13	1,67	2,25
1,6	1,58	1,79	1,55	1,85	1,50	1,94
1,5	1,48	1,66	1,45	1,72	1,41	1,79
1,4	1,38	1,54	1,36	1,59	1,32	1,65
1,3	1,28	1,42	1,27	1,46	1,23	1,51
1,2	1,19	1,30	1,17	1,33	1,14	1,37
1,1	1,09	1,18	1,08	1,21	1,05	1,24
1	0,99	1,07	0,98	1,09	0,96	1,11
0,95	0,94	1,01	0,93	1,03	0,92	1,05
0,9	0,89	0,95	0,88	0,97	0,87	0,99
0,85	0,84	0,90	0,84	0,91	0,82	0,93
0,8	0,79	0,84	0,79	0,85	0,78	0,87
0,78	0,77	0,82	0,77	0,83	0,76	0,84
0,76	0,75	0,79	0,75	0,81	0,74	0,82
0,74	0,74	0,77	0,73	0,78	0,72	0,80
0,72	0,72	0,75	0,71	0,76	0,70	0,77
0,7	0,70	0,73	0,69	0,74	0,68	0,75
0,68	0,68	0,71	0,67	0,72	0,66	0,73
0,66	0,66	0,68	0,65	0,69	0,64	0,70
0,64	0,64	0,66	0,63	0,67	0,63	0,68
0,62	0,62	0,64	0,61	0,65	0,61	0,66
0,6	0,60	0,62	0,59	0,63	0,59	0,63
0,59	0,59	0,61	0,58	0,62	0,58	0,62
0,58	0,58	0,60	0,57	0,60	0,57	0,61
0,57	0,57	0,59	0,56	0,59	0,56	0,60
0,56	0,56	0,58	0,55	0,58	0,55	0,59
0,55	0,55	0,57	0,54	0,57	0,54	0,58
0,54	0,54	0,56	0,53	0,56	0,53	0,57
0,53	0,53	0,54	0,52	0,55	0,52	0,56
0,52	0,52	0,53	0,52	0,54	0,51	0,54
0,51	0,51	0,52	0,51	0,53	0,50	0,53
0,5	0,50	0,51	0,50	0,52	0,49	0,52
0,49	0,49	0,50	0,49	0,51	0,48	0,51
0,48	0,48	0,49	0,48	0,50	0,47	0,50
0,47	0,47	0,48	0,47	0,48	0,46	0,49
0,46	0,46	0,47	0,46	0,47	0,45	0,48
0,45	0,45	0,46	0,45	0,46	0,44	0,47

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	12,90	INF	8,02	INF
20	7,87	INF	5,75	INF
10	5,66	INF	4,48	INF
7	4,57	INF	3,77	INF
5	3,63	21,36	3,11	INF
4	3,08	10,20	2,70	20,26
3,5	2,77	7,43	2,47	11,59
3	2,45	5,45	2,21	7,38
2,5	2,11	3,97	1,93	4,90
2,2	1,90	3,25	1,75	3,84
2	1,75	2,82	1,62	3,25
1,8	1,59	2,43	1,49	2,74
1,6	1,44	2,07	1,35	2,29
1,5	1,36	1,90	1,28	2,09
1,4	1,27	1,74	1,21	1,89
1,3	1,19	1,59	1,14	1,71
1,2	1,11	1,44	1,06	1,53
1,1	1,02	1,29	0,98	1,37
1	0,94	1,15	0,90	1,21
0,95	0,89	1,09	0,86	1,14
0,9	0,85	1,02	0,82	1,07
0,85	0,81	0,95	0,78	0,99
0,8	0,76	0,89	0,74	0,92
0,78	0,74	0,87	0,72	0,90
0,76	0,72	0,84	0,71	0,87
0,74	0,71	0,82	0,69	0,84
0,72	0,69	0,79	0,67	0,82
0,7	0,67	0,77	0,65	0,79
0,68	0,65	0,74	0,64	0,76
0,66	0,63	0,72	0,62	0,74
0,64	0,62	0,69	0,60	0,71
0,62	0,60	0,67	0,58	0,69
0,6	0,58	0,65	0,57	0,66
0,59	0,57	0,63	0,56	0,65
0,58	0,56	0,62	0,55	0,64
0,57	0,55	0,61	0,54	0,62
0,56	0,54	0,60	0,53	0,61
0,55	0,53	0,59	0,52	0,60
0,54	0,52	0,57	0,51	0,59
0,53	0,51	0,56	0,51	0,57
0,52	0,50	0,55	0,50	0,56
0,51	0,50	0,54	0,49	0,55
0,5	0,49	0,53	0,48	0,54
0,49	0,48	0,52	0,47	0,53
0,48	0,47	0,51	0,46	0,51
0,47	0,46	0,49	0,45	0,50
0,46	0,45	0,48	0,44	0,49
0,45	0,44	0,47	0,43	0,48

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	182,44	INF	169,21	INF	140,77	INF
50	39,28	68,82	38,62	90,49	36,92	INF
20	18,04	22,44	17,90	24,33	17,53	27,73
15	13,87	16,33	13,79	17,30	13,57	18,95
12	11,27	12,83	11,22	13,42	11,07	14,39
10	9,49	10,57	9,45	10,96	9,35	11,60
8	7,67	8,36	7,65	8,60	7,58	8,99
7	6,75	7,27	6,73	7,45	6,67	7,74
6	5,81	6,20	5,80	6,33	5,76	6,53
5,5	5,34	5,67	5,33	5,77	5,30	5,94
5	4,87	5,14	4,86	5,22	4,83	5,36
4,5	4,40	4,61	4,39	4,68	4,36	4,79
4	3,92	4,09	3,91	4,14	3,89	4,23
3,8	3,73	3,88	3,72	3,93	3,70	4,00
3,6	3,53	3,67	3,53	3,71	3,51	3,78
3,4	3,34	3,46	3,34	3,50	3,32	3,56
3,2	3,15	3,25	3,14	3,29	3,13	3,34
3	2,95	3,05	2,95	3,08	2,94	3,12
2,8	2,76	2,84	2,76	2,87	2,75	2,91
2,6	2,57	2,63	2,56	2,66	2,56	2,69
2,4	2,37	2,43	2,37	2,45	2,36	2,48
2,2	2,18	2,22	2,17	2,24	2,17	2,26
2	1,98	2,02	1,98	2,03	1,97	2,05
1,9	1,88	1,92	1,88	1,93	1,88	1,95
1,8	1,78	1,82	1,78	1,83	1,78	1,84
1,7	1,69	1,71	1,68	1,72	1,68	1,74
1,6	1,59	1,61	1,59	1,62	1,58	1,63
1,5	1,49	1,51	1,49	1,52	1,49	1,53
1,4	1,39	1,41	1,39	1,42	1,39	1,42
1,3	1,29	1,31	1,29	1,31	1,29	1,32
1,2	1,19	1,21	1,19	1,21	1,19	1,22
1,1	1,09	1,11	1,09	1,11	1,09	1,11
1	1,00	1,00	1,00	1,01	0,99	1,01

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	98,68	INF	64,40	INF	41,62	INF
50	33,22	INF	28,18	INF	22,75	INF
20	16,65	33,03	15,29	43,08	13,54	70,90
15	13,04	21,27	12,19	25,02	11,06	32,37
12	10,71	15,69	10,13	17,63	9,34	20,97
10	9,09	12,42	8,67	13,61	8,09	15,51
8	7,41	9,47	7,13	10,14	6,73	11,15
7	6,54	8,09	6,33	8,58	6,01	9,29
6	5,66	6,78	5,50	7,11	5,26	7,60
5,5	5,22	6,15	5,08	6,42	4,87	6,81
5	4,77	5,53	4,65	5,74	4,48	6,05
4,5	4,31	4,92	4,22	5,09	4,08	5,33
4	3,85	4,33	3,77	4,46	3,66	4,64
3,8	3,66	4,09	3,60	4,21	3,49	4,37
3,6	3,48	3,86	3,42	3,96	3,33	4,10
3,4	3,29	3,63	3,24	3,72	3,15	3,85
3,2	3,10	3,40	3,06	3,48	2,98	3,59
3	2,92	3,18	2,87	3,24	2,81	3,34
2,8	2,73	2,95	2,69	3,01	2,63	3,09
2,6	2,54	2,73	2,50	2,78	2,46	2,85
2,4	2,35	2,51	2,32	2,55	2,28	2,61
2,2	2,16	2,29	2,13	2,32	2,10	2,37
2	1,96	2,07	1,94	2,10	1,92	2,14
1,9	1,87	1,97	1,85	1,99	1,82	2,02
1,8	1,77	1,86	1,76	1,88	1,73	1,91
1,7	1,67	1,75	1,66	1,77	1,64	1,80
1,6	1,58	1,65	1,56	1,66	1,55	1,68
1,5	1,48	1,54	1,47	1,55	1,45	1,57
1,4	1,38	1,43	1,37	1,45	1,36	1,46
1,3	1,29	1,33	1,28	1,34	1,27	1,35
1,2	1,19	1,22	1,18	1,23	1,17	1,24
1,1	1,09	1,12	1,08	1,13	1,08	1,14
1	0,99	1,02	0,99	1,02	0,98	1,03

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	27,58	INF	18,59	INF
50	17,81	INF	13,58	INF
20	11,63	INF	9,68	INF
15	9,75	54,72	8,34	INF
12	8,40	28,48	7,33	56,90
10	7,37	19,25	6,54	29,02
8	6,23	12,95	5,63	16,72
7	5,61	10,50	5,12	12,84
6	4,95	8,38	4,57	9,80
5,5	4,61	7,43	4,28	8,52
5	4,26	6,54	3,97	7,36
4,5	3,89	5,70	3,65	6,32
4	3,51	4,92	3,32	5,36
3,8	3,36	4,61	3,18	5,00
3,6	3,20	4,32	3,04	4,66
3,4	3,04	4,03	2,90	4,33
3,2	2,88	3,75	2,75	4,00
3	2,72	3,48	2,60	3,69
2,8	2,56	3,21	2,45	3,39
2,6	2,39	2,95	2,30	3,10
2,4	2,22	2,69	2,14	2,81
2,2	2,05	2,44	1,98	2,54
2	1,88	2,19	1,82	2,27
1,9	1,79	2,07	1,74	2,14
1,8	1,70	1,95	1,66	2,02
1,7	1,61	1,83	1,57	1,89
1,6	1,52	1,72	1,49	1,76
1,5	1,43	1,60	1,40	1,64
1,4	1,34	1,49	1,31	1,52
1,3	1,25	1,37	1,23	1,40
1,2	1,16	1,26	1,14	1,29
1,1	1,06	1,15	1,05	1,17
1	0,97	1,04	0,96	1,06

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	239,71	INF	237,25	INF	164,57	INF
100	70,62	INF	70,39	INF	62,26	INF
90	65,48	INF	65,29	INF	58,23	INF
80	60,03	INF	59,87	INF	53,88	INF
70	54,22	98,79	54,09	INF	49,16	INF
60	48,03	79,96	47,92	INF	44,01	INF
50	41,41	63,12	41,33	76,46	38,39	98,32
45	37,92	55,35	37,85	65,33	35,37	80,65
40	34,31	47,97	34,26	55,28	32,21	65,85
35	30,57	40,95	30,52	46,15	28,89	53,29
30	26,69	34,26	26,65	37,82	25,40	42,48
25	22,66	27,88	22,64	30,19	21,73	33,08
20	18,48	21,80	18,46	23,18	17,85	24,84
15	14,13	15,99	14,12	16,71	13,76	17,55
14	13,24	14,85	13,23	15,48	12,92	16,20
13	12,34	13,73	12,34	14,26	12,06	14,87
12	11,44	12,62	11,43	13,07	11,20	13,57
11	10,53	11,52	10,52	11,89	10,32	12,30
10	9,61	10,43	9,60	10,73	9,44	11,06
9,5	9,15	9,88	9,14	10,15	8,99	10,45
9	8,68	9,34	8,68	9,58	8,54	9,85
8,5	8,22	8,80	8,21	9,02	8,09	9,25
8	7,75	8,27	7,75	8,45	7,64	8,66
7,5	7,28	7,73	7,28	7,90	7,18	8,08
7	6,81	7,20	6,81	7,34	6,72	7,50
6,5	6,33	6,67	6,33	6,79	6,26	6,93
6	5,86	6,15	5,86	6,25	5,80	6,36
5,5	5,38	5,62	5,38	5,71	5,33	5,80
5	4,90	5,10	4,90	5,17	4,86	5,24
4,8	4,71	4,89	4,71	4,96	4,67	5,02
4,6	4,52	4,69	4,52	4,74	4,48	4,80
4,5	4,42	4,58	4,42	4,64	4,39	4,70
4,4	4,32	4,48	4,32	4,53	4,29	4,59
4,2	4,13	4,27	4,13	4,32	4,10	4,37
4	3,94	4,06	3,94	4,11	3,91	4,15
3,8	3,74	3,86	3,74	3,90	3,72	3,94
3,6	3,55	3,65	3,55	3,68	3,53	3,72
3,5	3,45	3,55	3,45	3,58	3,43	3,61
3,4	3,36	3,45	3,36	3,48	3,34	3,51
3,2	3,16	3,24	3,16	3,27	3,14	3,29
3	2,97	3,04	2,97	3,06	2,95	3,08
2,9	2,87	2,93	2,87	2,95	2,85	2,98
2,8	2,77	2,83	2,77	2,85	2,76	2,87
2,7	2,67	2,73	2,67	2,75	2,66	2,77
2,6	2,57	2,63	2,57	2,64	2,56	2,66

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2,5	2,48	2,52	2,48	2,54	2,47	2,56
2,4	2,38	2,42	2,38	2,44	2,37	2,45
2,3	2,28	2,32	2,28	2,33	2,27	2,35
2,2	2,18	2,22	2,18	2,23	2,17	2,24
2,1	2,08	2,12	2,08	2,13	2,08	2,14
2	1,99	2,01	1,99	2,02	1,98	2,03
1,95	1,94	1,96	1,94	1,97	1,93	1,98
1,9	1,89	1,91	1,89	1,92	1,88	1,93
1,85	1,84	1,86	1,84	1,87	1,83	1,88
1,8	1,79	1,81	1,79	1,82	1,78	1,83
1,75	1,74	1,76	1,74	1,77	1,73	1,78
1,7	1,69	1,71	1,69	1,72	1,68	1,72
1,65	1,64	1,66	1,64	1,67	1,64	1,67
1,6	1,59	1,61	1,59	1,61	1,59	1,62
1,55	1,54	1,56	1,54	1,56	1,54	1,57
1,5	1,49	1,51	1,49	1,51	1,49	1,52
1,45	1,44	1,46	1,44	1,46	1,44	1,47
1,4	1,39	1,41	1,39	1,41	1,39	1,42
1,35	1,34	1,36	1,34	1,36	1,34	1,36
1,3	1,29	1,31	1,29	1,31	1,29	1,31
1,25	1,24	1,26	1,24	1,26	1,24	1,26
1,2	1,20	1,20	1,20	1,21	1,19	1,21
1,15	1,15	1,15	1,15	1,16	1,14	1,16
1,1	1,10	1,10	1,10	1,11	1,09	1,11
1,05	1,05	1,05	1,05	1,06	1,04	1,06
1	1,00	1,00	1,00	1,00	1,00	1,01
0,98	0,98	0,98	0,98	0,98	0,98	0,99
0,96	0,96	0,96	0,96	0,96	0,96	0,97
0,95	0,95	0,95	0,95	0,95	0,95	0,96
0,94	0,94	0,94	0,94	0,94	0,94	0,95
0,92	0,92	0,92	0,92	0,92	0,92	0,93
0,9	0,90	0,90	0,90	0,90	0,90	0,91
0,88	0,88	0,88	0,88	0,88	0,88	0,89
0,86	0,86	0,86	0,86	0,86	0,86	0,86
0,85	0,85	0,85	0,85	0,85	0,85	0,85
0,84	0,84	0,84	0,84	0,84	0,84	0,84
0,82	0,82	0,82	0,82	0,82	0,82	0,82
0,8	0,80	0,80	0,80	0,80	0,80	0,80
0,78	0,78	0,78	0,78	0,78	0,78	0,78
0,76	0,76	0,76	0,76	0,76	0,76	0,76
0,75	0,75	0,75	0,75	0,75	0,75	0,75
0,74	0,74	0,74	0,74	0,74	0,74	0,74
0,72	0,72	0,72	0,72	0,72	0,72	0,72
0,7	0,70	0,70	0,70	0,70	0,70	0,70

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	112,38	INF	76,42	INF	51,79	INF
100	52,97	INF	43,37	INF	34,17	INF
90	50,03	INF	41,39	INF	32,93	INF
80	46,79	INF	39,14	INF	31,50	INF
70	43,19	INF	36,59	INF	29,83	INF
60	39,17	INF	33,67	INF	27,86	INF
50	34,65	INF	30,28	INF	25,50	INF
45	32,18	INF	28,38	INF	24,14	INF
40	29,54	88,37	26,31	INF	22,63	INF
35	26,73	67,11	24,06	INF	20,94	INF
30	23,72	50,81	21,59	69,23	19,05	INF
25	20,48	37,92	18,88	47,29	16,91	71,06
20	17,01	27,46	15,89	32,05	14,48	41,42
15	13,26	18,82	12,57	20,85	11,67	24,43
14	12,47	17,26	11,86	18,96	11,06	21,87
13	11,67	15,76	11,14	17,16	10,43	19,51
12	10,86	14,31	10,40	15,45	9,78	17,32
11	10,04	12,91	9,64	13,83	9,11	15,30
10	9,20	11,55	8,87	12,27	8,41	13,42
9,5	8,78	10,88	8,47	11,53	8,06	12,53
9	8,35	10,23	8,07	10,79	7,70	11,67
8,5	7,92	9,59	7,67	10,08	7,33	10,84
8	7,48	8,95	7,26	9,38	6,96	10,03
7,5	7,04	8,33	6,85	8,70	6,58	9,25
7	6,60	7,71	6,43	8,03	6,19	8,50
6,5	6,16	7,11	6,01	7,37	5,80	7,77
6	5,71	6,51	5,58	6,73	5,40	7,06
5,5	5,25	5,93	5,15	6,11	4,99	6,37
5	4,80	5,35	4,71	5,49	4,58	5,71
4,8	4,61	5,12	4,53	5,25	4,41	5,45
4,6	4,43	4,89	4,35	5,01	4,24	5,19
4,5	4,34	4,78	4,26	4,89	4,16	5,06
4,4	4,24	4,66	4,17	4,77	4,07	4,93
4,2	4,06	4,44	3,99	4,54	3,90	4,68
4	3,87	4,22	3,81	4,31	3,73	4,43
3,8	3,68	3,99	3,63	4,07	3,56	4,19
3,6	3,50	3,77	3,45	3,84	3,38	3,94
3,5	3,40	3,66	3,36	3,73	3,29	3,82
3,4	3,31	3,55	3,26	3,61	3,20	3,70
3,2	3,12	3,33	3,08	3,39	3,03	3,47
3	2,93	3,12	2,90	3,16	2,85	3,23
2,9	2,83	3,01	2,80	3,05	2,76	3,11
2,8	2,74	2,90	2,71	2,94	2,67	3,00
2,7	2,64	2,79	2,62	2,83	2,58	2,88
2,6	2,55	2,69	2,52	2,72	2,49	2,77

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2,5	2,45	2,58	2,43	2,61	2,40	2,65
2,4	2,35	2,47	2,33	2,50	2,30	2,54
2,3	2,26	2,37	2,24	2,39	2,21	2,43
2,2	2,16	2,26	2,14	2,28	2,12	2,32
2,1	2,07	2,15	2,05	2,18	2,03	2,21
2	1,97	2,05	1,95	2,07	1,93	2,09
1,95	1,92	2,00	1,91	2,01	1,89	2,04
1,9	1,87	1,94	1,86	1,96	1,84	1,98
1,85	1,82	1,89	1,81	1,91	1,79	1,93
1,8	1,78	1,84	1,76	1,85	1,75	1,87
1,75	1,73	1,79	1,72	1,80	1,70	1,82
1,7	1,68	1,73	1,67	1,75	1,65	1,77
1,65	1,63	1,68	1,62	1,69	1,61	1,71
1,6	1,58	1,63	1,57	1,64	1,56	1,66
1,55	1,53	1,58	1,52	1,59	1,51	1,60
1,5	1,48	1,53	1,48	1,54	1,46	1,55
1,45	1,43	1,47	1,43	1,48	1,42	1,50
1,4	1,39	1,42	1,38	1,43	1,37	1,44
1,35	1,34	1,37	1,33	1,38	1,32	1,39
1,3	1,29	1,32	1,28	1,33	1,27	1,34
1,25	1,24	1,27	1,23	1,27	1,23	1,28
1,2	1,19	1,22	1,19	1,22	1,18	1,23
1,15	1,14	1,16	1,14	1,17	1,13	1,18
1,1	1,09	1,11	1,09	1,12	1,08	1,12
1,05	1,04	1,06	1,04	1,07	1,03	1,07
1	0,99	1,01	0,99	1,01	0,99	1,02
0,98	0,97	0,99	0,97	0,99	0,97	1,00
0,96	0,95	0,97	0,95	0,97	0,95	0,98
0,95	0,94	0,96	0,94	0,96	0,94	0,97
0,94	0,93	0,95	0,93	0,95	0,93	0,96
0,92	0,91	0,93	0,91	0,93	0,91	0,94
0,9	0,89	0,91	0,89	0,91	0,89	0,91
0,88	0,88	0,89	0,87	0,89	0,87	0,89
0,86	0,86	0,87	0,85	0,87	0,85	0,87
0,85	0,85	0,86	0,84	0,86	0,84	0,86
0,84	0,84	0,85	0,83	0,85	0,83	0,85
0,82	0,82	0,83	0,81	0,83	0,81	0,83
0,8	0,80	0,81	0,79	0,81	0,79	0,81
0,78	0,78	0,79	0,77	0,79	0,77	0,79
0,76	0,76	0,77	0,75	0,77	0,75	0,77
0,75	0,75	0,75	0,75	0,76	0,74	0,76
0,74	0,74	0,74	0,74	0,75	0,73	0,75
0,72	0,72	0,72	0,72	0,73	0,71	0,73
0,7	0,70	0,70	0,70	0,71	0,69	0,71

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	35,14	INF	24,08	INF
100	26,05	INF	19,44	INF
90	25,32	INF	19,04	INF
80	24,47	INF	18,55	INF
70	23,45	INF	17,96	INF
60	22,22	INF	17,23	INF
50	20,70	INF	16,31	INF
45	19,79	INF	15,74	INF
40	18,77	INF	15,09	INF
35	17,60	INF	14,33	INF
30	16,25	INF	13,42	INF
25	14,67	INF	12,33	INF
20	12,80	68,85	10,99	INF
15	10,56	31,89	9,30	55,70
14	10,06	27,65	8,91	43,90
13	9,54	23,97	8,50	35,27
12	8,99	20,75	8,06	28,70
11	8,42	17,91	7,61	23,52
10	7,83	15,38	7,12	19,33
9,5	7,52	14,22	6,86	17,52
9	7,21	13,12	6,60	15,87
8,5	6,88	12,07	6,33	14,36
8	6,55	11,08	6,05	12,97
7,5	6,22	10,13	5,76	11,69
7	5,87	9,23	5,47	10,51
6,5	5,52	8,37	5,16	9,41
6	5,16	7,56	4,84	8,38
5,5	4,78	6,77	4,52	7,43
5	4,40	6,02	4,18	6,53
4,8	4,25	5,73	4,04	6,19
4,6	4,09	5,45	3,90	5,86
4,5	4,01	5,31	3,83	5,69
4,4	3,94	5,17	3,75	5,53
4,2	3,78	4,89	3,61	5,22
4	3,61	4,62	3,46	4,91
3,8	3,45	4,35	3,31	4,61
3,6	3,29	4,09	3,16	4,31
3,5	3,20	3,96	3,08	4,17
3,4	3,12	3,83	3,01	4,02
3,2	2,95	3,58	2,85	3,74
3	2,78	3,33	2,69	3,47
2,9	2,70	3,20	2,61	3,33
2,8	2,61	3,08	2,53	3,20
2,7	2,52	2,96	2,45	3,07
2,6	2,44	2,84	2,37	2,94

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
2,5	2,35	2,72	2,29	2,81
2,4	2,26	2,60	2,20	2,68
2,3	2,17	2,48	2,12	2,56
2,2	2,08	2,36	2,04	2,43
2,1	1,99	2,25	1,95	2,31
2	1,91	2,13	1,86	2,19
1,95	1,86	2,07	1,82	2,13
1,9	1,81	2,02	1,78	2,07
1,85	1,77	1,96	1,74	2,01
1,8	1,72	1,90	1,69	1,95
1,75	1,68	1,85	1,65	1,89
1,7	1,63	1,79	1,60	1,83
1,65	1,59	1,74	1,56	1,77
1,6	1,54	1,68	1,52	1,71
1,55	1,49	1,62	1,47	1,65
1,5	1,45	1,57	1,43	1,60
1,45	1,40	1,51	1,38	1,54
1,4	1,36	1,46	1,34	1,48
1,35	1,31	1,40	1,29	1,43
1,3	1,26	1,35	1,25	1,37
1,25	1,22	1,30	1,20	1,31
1,2	1,17	1,24	1,15	1,26
1,15	1,12	1,19	1,11	1,20
1,1	1,07	1,13	1,06	1,15
1,05	1,03	1,08	1,02	1,09
1	0,98	1,03	0,97	1,04
0,98	0,96	1,01	0,95	1,02
0,96	0,94	0,98	0,93	0,99
0,95	0,93	0,97	0,92	0,98
0,94	0,92	0,96	0,91	0,97
0,92	0,90	0,94	0,90	0,95
0,9	0,88	0,92	0,88	0,93
0,88	0,86	0,90	0,86	0,91
0,86	0,85	0,88	0,84	0,89
0,85	0,84	0,87	0,83	0,87
0,84	0,83	0,86	0,82	0,86
0,82	0,81	0,84	0,80	0,84
0,8	0,79	0,82	0,78	0,82
0,78	0,77	0,79	0,76	0,80
0,76	0,75	0,77	0,74	0,78
0,75	0,74	0,76	0,74	0,77
0,74	0,73	0,75	0,73	0,76
0,72	0,71	0,73	0,71	0,74
0,7	0,69	0,71	0,69	0,72

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	456,97	INF	389,98	INF	267,26	INF
60	53,06	70,36	52,03	76,39	49,04	85,06
30	28,17	32,37	27,88	33,58	27,00	35,15
15	14,53	15,57	14,45	15,83	14,22	16,17
12	11,70	12,36	11,65	12,53	11,50	12,73
10	9,79	10,25	9,76	10,36	9,65	10,50
9	8,83	9,20	8,80	9,29	8,72	9,40
8	7,87	8,16	7,84	8,23	7,78	8,31
7	6,90	7,12	6,88	7,17	6,83	7,35
6	5,93	6,09	5,91	6,12	5,87	6,17
5,5	5,44	5,57	5,43	5,60	5,39	5,64
5	4,95	5,06	4,94	5,09	4,91	5,12
4,5	4,46	4,55	4,45	4,57	4,43	4,59
4	3,97	4,04	3,96	4,05	3,95	4,07
3,8	3,77	3,83	3,77	3,85	3,75	3,87
3,6	3,57	3,63	3,57	3,64	3,56	3,66
3,4	3,38	3,43	3,37	3,44	3,36	3,45
3,2	3,18	3,22	3,18	3,23	3,17	3,25
3	2,98	3,02	2,98	3,03	2,97	3,04
2,8	2,78	2,82	2,78	2,82	2,77	2,83
2,6	2,59	2,62	2,58	2,62	2,58	2,63
2,4	2,39	2,41	2,39	2,42	2,38	2,42
2,2	2,19	2,21	2,19	2,21	2,18	2,22
2	1,99	2,01	1,99	2,01	1,99	2,02
1,9	1,89	1,91	1,89	1,91	1,89	1,91
1,8	1,79	1,81	1,79	1,81	1,79	1,81
1,7	1,69	1,71	1,69	1,71	1,69	1,71
1,6	1,60	1,61	1,59	1,61	1,59	1,61
1,5	1,50	1,50	1,50	1,51	1,49	1,51
1,4	1,40	1,40	1,40	1,41	1,39	1,41
1,3	1,30	1,30	1,30	1,30	1,30	1,31
1,2	1,20	1,20	1,20	1,20	1,20	1,21
1,1	1,10	1,10	1,10	1,10	1,10	1,10
1	1,00	1,00	1,00	1,00	1,00	1,00

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	183,61	INF	126,32	INF	87,31	INF
60	45,28	101,05	40,74	136,63	35,64	269,26
30	25,82	37,59	24,29	41,60	22,39	48,90
15	13,89	16,66	13,44	17,40	12,84	18,54
12	11,28	13,04	10,98	13,48	10,58	14,15
10	9,50	10,70	9,29	11,00	9,00	11,44
9	8,59	9,56	8,42	9,80	8,19	10,15
8	7,68	8,44	7,54	8,62	7,35	8,89
7	6,75	7,33	6,65	7,47	6,50	7,67
6	5,82	6,24	5,74	6,34	5,63	6,48
5,5	5,35	5,70	5,28	5,78	5,19	5,90
5	4,88	5,16	4,82	5,23	4,75	5,32
4,5	4,40	4,63	4,36	4,68	4,29	4,76
4	3,92	4,10	3,89	4,14	3,84	4,20
3,8	3,73	3,89	3,70	3,93	3,65	3,98
3,6	3,54	3,68	3,51	3,71	3,47	3,76
3,4	3,34	3,47	3,32	3,50	3,28	3,54
3,2	3,15	3,26	3,13	3,29	3,10	3,32
3	2,96	3,06	2,94	3,08	2,91	3,11
2,8	2,76	2,85	2,75	2,87	2,72	2,89
2,6	2,57	2,64	2,55	2,66	2,53	2,68
2,4	2,37	2,43	2,36	2,45	2,34	2,47
2,2	2,18	2,23	2,17	2,24	2,15	2,25
2	1,98	2,02	1,97	2,03	1,96	2,04
1,9	1,88	1,92	1,88	1,93	1,87	1,94
1,8	1,79	1,82	1,78	1,83	1,77	1,84
1,7	1,69	1,72	1,68	1,72	1,67	1,73
1,6	1,59	1,61	1,58	1,62	1,58	1,63
1,5	1,49	1,51	1,49	1,52	1,48	1,52
1,4	1,39	1,41	1,39	1,41	1,38	1,42
1,3	1,29	1,31	1,29	1,31	1,29	1,32
1,2	1,19	1,21	1,19	1,21	1,19	1,21
1,1	1,10	1,11	1,09	1,11	1,09	1,11
1	1,00	1,00	0,99	1,01	0,99	1,01

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,020 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	60,69	INF	42,42	INF
60	30,25	INF	24,92	INF
30	20,14	64,95	17,65	121,34
15	12,08	20,44	11,14	23,90
12	10,06	15,22	9,41	17,05
10	8,62	12,13	8,14	13,25
9	7,87	10,68	7,47	11,54
8	7,10	9,29	6,77	9,93
7	6,31	7,96	6,05	8,43
6	5,49	6,69	5,29	7,01
5,5	5,07	6,07	4,90	6,33
5	4,64	5,46	4,50	5,67
4,5	4,21	4,87	4,10	5,03
4	3,77	4,29	3,68	4,41
3,8	3,59	4,06	3,51	4,17
3,6	3,42	3,83	3,34	3,93
3,4	3,24	3,60	3,17	3,69
3,2	3,05	3,38	3,00	3,45
3	2,87	3,15	2,82	3,22
2,8	2,69	2,93	2,65	2,99
2,6	2,51	2,71	2,47	2,76
2,4	2,32	2,49	2,29	2,53
2,2	2,13	2,28	2,11	2,31
2	1,95	2,06	1,92	2,09
1,9	1,85	1,96	1,83	1,98
1,8	1,76	1,85	1,74	1,87
1,7	1,66	1,74	1,65	1,76
1,6	1,57	1,64	1,55	1,65
1,5	1,47	1,53	1,46	1,55
1,4	1,38	1,43	1,37	1,44
1,3	1,28	1,32	1,27	1,33
1,2	1,18	1,22	1,18	1,23
1,1	1,09	1,12	1,08	1,12
1	0,99	1,01	0,98	1,02

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	3,44	INF	2,70	INF	2,31	INF
10	2,60	INF	2,16	INF	1,91	INF
5	2,09	INF	1,80	INF	1,63	INF
3	1,66	22,25	1,47	INF	1,36	INF
2,5	1,50	8,62	1,35	42,30	1,26	INF
2	1,32	4,49	1,20	7,55	1,13	INF
1,8	1,23	3,55	1,13	5,19	1,07	INF
1,6	1,14	2,81	1,06	3,73	1,00	42,83
1,4	1,04	2,22	0,97	2,74	0,92	7,95
1,2	0,93	1,73	0,88	2,02	0,84	3,82
1	0,81	1,33	0,77	1,48	0,74	2,21
0,9	0,75	1,15	0,72	1,26	0,69	1,73
0,85	0,72	1,06	0,69	1,16	0,66	1,53
0,8	0,68	0,98	0,65	1,06	0,64	1,36
0,75	0,65	0,90	0,62	0,97	0,61	1,20
0,7	0,61	0,83	0,59	0,88	0,58	1,06
0,65	0,57	0,75	0,56	0,80	0,54	0,94
0,6	0,54	0,68	0,52	0,72	0,51	0,83
0,55	0,50	0,62	0,49	0,64	0,48	0,72
0,5	0,46	0,55	0,45	0,57	0,44	0,63
0,48	0,44	0,53	0,43	0,54	0,43	0,60
0,46	0,43	0,50	0,42	0,52	0,41	0,56
0,44	0,41	0,48	0,40	0,49	0,40	0,53
0,42	0,39	0,45	0,39	0,46	0,38	0,50
0,4	0,38	0,43	0,37	0,44	0,37	0,47
0,39	0,37	0,42	0,36	0,42	0,36	0,45
0,38	0,36	0,40	0,35	0,41	0,35	0,44
0,37	0,35	0,39	0,35	0,40	0,34	0,42
0,36	0,34	0,38	0,34	0,39	0,33	0,41
0,35	0,33	0,37	0,33	0,38	0,33	0,39
0,34	0,33	0,36	0,32	0,36	0,32	0,38
0,33	0,32	0,35	0,31	0,35	0,31	0,37
0,32	0,31	0,33	0,30	0,34	0,30	0,35
0,31	0,30	0,32	0,30	0,33	0,29	0,34
0,3	0,29	0,31	0,29	0,32	0,28	0,33

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	1,74	INF	1,23	INF	0,87	INF
10	1,51	INF	1,12	INF	0,81	INF
5	1,33	INF	1,02	INF	0,76	INF
3	1,15	INF	0,92	INF	0,71	INF
2,5	1,08	INF	0,87	INF	0,68	INF
2	0,99	INF	0,81	INF	0,65	INF
1,8	0,94	INF	0,78	INF	0,63	INF
1,6	0,89	INF	0,75	INF	0,61	INF
1,4	0,83	INF	0,71	INF	0,59	INF
1,2	0,76	INF	0,66	INF	0,56	INF
1	0,69	5,73	0,61	INF	0,52	INF
0,9	0,64	3,23	0,57	INF	0,50	INF
0,85	0,62	2,57	0,56	23,97	0,48	INF
0,8	0,60	2,09	0,54	7,25	0,47	INF
0,75	0,57	1,73	0,52	4,06	0,46	INF
0,7	0,54	1,44	0,50	2,70	0,44	INF
0,65	0,52	1,21	0,47	1,95	0,43	16,54
0,6	0,49	1,02	0,45	1,48	0,41	4,11
0,55	0,46	0,86	0,43	1,15	0,39	2,18
0,5	0,42	0,73	0,40	0,91	0,37	1,40
0,48	0,41	0,68	0,39	0,83	0,36	1,20
0,46	0,40	0,63	0,38	0,76	0,35	1,05
0,44	0,38	0,59	0,36	0,69	0,34	0,92
0,42	0,37	0,55	0,35	0,63	0,33	0,81
0,4	0,36	0,51	0,34	0,58	0,32	0,71
0,39	0,35	0,49	0,33	0,55	0,31	0,67
0,38	0,34	0,47	0,33	0,53	0,31	0,63
0,37	0,33	0,45	0,32	0,50	0,30	0,60
0,36	0,33	0,44	0,31	0,48	0,30	0,56
0,35	0,32	0,42	0,31	0,46	0,29	0,53
0,34	0,31	0,40	0,30	0,44	0,29	0,50
0,33	0,30	0,39	0,29	0,42	0,28	0,47
0,32	0,30	0,37	0,29	0,40	0,27	0,45
0,31	0,29	0,36	0,28	0,38	0,27	0,42
0,3	0,28	0,34	0,27	0,36	0,26	0,40

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,62	INF
10	0,60	INF
5	0,58	INF
3	0,55	INF
2,5	0,53	INF
2	0,51	INF
1,8	0,50	INF
1,6	0,49	INF
1,4	0,48	INF
1,2	0,46	INF
1	0,44	INF
0,9	0,42	INF
0,85	0,41	INF
0,8	0,40	INF
0,75	0,40	INF
0,7	0,38	INF
0,65	0,37	INF
0,6	0,36	INF
0,55	0,35	INF
0,5	0,33	9,69
0,48	0,33	4,22
0,46	0,32	2,62
0,44	0,31	1,86
0,42	0,30	1,41
0,4	0,30	1,12
0,39	0,29	1,01
0,38	0,29	0,91
0,37	0,28	0,83
0,36	0,28	0,76
0,35	0,27	0,69
0,34	0,27	0,64
0,33	0,26	0,59
0,32	0,26	0,54
0,31	0,25	0,50
0,3	0,25	0,47

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4,96	INF	3,68	INF	2,88	INF
60	4,60	INF	3,48	INF	2,76	INF
50	4,53	INF	3,44	INF	2,74	INF
30	4,29	INF	3,30	INF	2,65	INF
20	4,01	INF	3,14	INF	2,54	INF
15	3,77	INF	2,99	INF	2,45	INF
12	3,56	INF	2,86	INF	2,36	INF
10	3,37	INF	2,73	INF	2,28	INF
9	3,25	INF	2,66	INF	2,22	INF
8	3,11	INF	2,57	INF	2,16	INF
7	2,96	INF	2,46	INF	2,09	INF
6	2,77	INF	2,33	INF	2,00	INF
5,5	2,66	INF	2,26	INF	1,94	INF
5	2,55	INF	2,17	INF	1,88	INF
4,5	2,41	46,45	2,08	INF	1,81	INF
4	2,27	19,77	1,97	INF	1,73	INF
3,8	2,21	15,55	1,92	150,83	1,69	INF
3,6	2,14	12,56	1,87	45,23	1,66	INF
3,5	2,11	11,38	1,85	32,78	1,64	INF
3,4	2,07	10,34	1,82	25,38	1,61	INF
3,2	2,00	8,63	1,77	16,99	1,57	INF
3	1,92	7,26	1,71	12,36	1,53	INF
2,8	1,84	6,15	1,64	9,42	1,48	INF
2,6	1,76	5,23	1,58	7,40	1,42	INF
2,5	1,71	4,82	1,54	6,60	1,39	94,05
2,4	1,67	4,45	1,51	5,91	1,36	34,69
2,2	1,57	3,78	1,43	4,78	1,30	14,25
2	1,47	3,21	1,35	3,89	1,23	8,35
1,9	1,42	2,95	1,30	3,51	1,20	6,74
1,8	1,36	2,70	1,26	3,17	1,16	5,55
1,7	1,31	2,48	1,21	2,85	1,12	4,63
1,6	1,25	2,26	1,16	2,57	1,08	3,91
1,5	1,19	2,06	1,11	2,31	1,04	3,32
1,45	1,16	1,96	1,08	2,19	1,01	3,06
1,4	1,13	1,87	1,06	2,07	0,99	2,83
1,35	1,10	1,78	1,03	1,96	0,97	2,62
1,3	1,07	1,69	1,00	1,85	0,94	2,42
1,25	1,03	1,60	0,97	1,74	0,92	2,24
1,2	1,00	1,52	0,94	1,64	0,89	2,07

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
1,15	0,97	1,43	0,92	1,54	0,87	1,92
1,1	0,93	1,35	0,89	1,45	0,84	1,77
1,05	0,90	1,28	0,85	1,36	0,81	1,63
1	0,86	1,20	0,82	1,27	0,78	1,51
0,98	0,85	1,17	0,81	1,24	0,77	1,46
0,96	0,83	1,14	0,80	1,21	0,76	1,41
0,95	0,83	1,13	0,79	1,19	0,75	1,39
0,94	0,82	1,11	0,78	1,17	0,75	1,36
0,92	0,80	1,08	0,77	1,14	0,74	1,32
0,9	0,79	1,05	0,76	1,11	0,72	1,28
0,88	0,77	1,03	0,74	1,08	0,71	1,23
0,86	0,76	1,00	0,73	1,05	0,70	1,19
0,85	0,75	0,98	0,72	1,03	0,69	1,17
0,84	0,74	0,97	0,72	1,01	0,69	1,15
0,82	0,73	0,94	0,70	0,98	0,68	1,11
0,8	0,71	0,91	0,69	0,95	0,66	1,07
0,78	0,70	0,89	0,67	0,92	0,65	1,03
0,76	0,68	0,86	0,66	0,89	0,64	0,99
0,75	0,68	0,85	0,65	0,88	0,63	0,98
0,74	0,67	0,83	0,65	0,87	0,62	0,96
0,72	0,65	0,81	0,63	0,84	0,61	0,92
0,7	0,64	0,78	0,62	0,81	0,60	0,89
0,68	0,62	0,76	0,60	0,78	0,58	0,85
0,66	0,60	0,73	0,59	0,75	0,57	0,82
0,65	0,60	0,72	0,58	0,74	0,56	0,80
0,64	0,59	0,71	0,57	0,73	0,55	0,79
0,62	0,57	0,68	0,56	0,70	0,54	0,75
0,6	0,56	0,66	0,54	0,67	0,53	0,72
0,59	0,55	0,64	0,53	0,66	0,52	0,71
0,58	0,54	0,63	0,53	0,65	0,51	0,69
0,57	0,53	0,62	0,52	0,63	0,50	0,68
0,56	0,52	0,61	0,51	0,62	0,50	0,66
0,55	0,51	0,59	0,50	0,61	0,49	0,65
0,54	0,50	0,58	0,49	0,60	0,48	0,63
0,53	0,50	0,57	0,49	0,58	0,47	0,62
0,52	0,49	0,56	0,48	0,57	0,47	0,60
0,51	0,48	0,55	0,47	0,56	0,46	0,59
0,5	0,47	0,53	0,46	0,54	0,45	0,57
0,49	0,46	0,52	0,45	0,53	0,44	0,56

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0,48	0,45	0,51	0,45	0,52	0,44	0,55
0,47	0,45	0,50	0,44	0,51	0,43	0,53
0,46	0,44	0,49	0,43	0,50	0,42	0,52
0,45	0,43	0,48	0,42	0,48	0,41	0,50
0,44	0,42	0,46	0,41	0,47	0,40	0,49
0,43	0,41	0,45	0,40	0,46	0,40	0,48
0,42	0,40	0,44	0,40	0,45	0,39	0,46
0,41	0,39	0,43	0,39	0,44	0,38	0,45
0,4	0,38	0,42	0,38	0,42	0,37	0,44
0,39	0,37	0,41	0,37	0,41	0,36	0,43
0,38	0,37	0,40	0,36	0,40	0,36	0,41
0,37	0,36	0,38	0,35	0,39	0,35	0,40
0,36	0,35	0,37	0,34	0,38	0,34	0,39
0,35	0,34	0,36	0,33	0,37	0,33	0,38
0,34	0,33	0,35	0,33	0,35	0,32	0,36
0,33	0,32	0,34	0,32	0,34	0,31	0,35
0,32	0,31	0,33	0,31	0,33	0,31	0,34
0,31	0,30	0,32	0,30	0,32	0,30	0,33
0,3	0,29	0,31	0,29	0,31	0,29	0,32

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	2,17	INF	1,56	INF	1,12	INF
60	2,10	INF	1,53	INF	1,10	INF
50	2,09	INF	1,52	INF	1,10	INF
30	2,04	INF	1,50	INF	1,08	INF
20	1,98	INF	1,47	INF	1,07	INF
15	1,92	INF	1,44	INF	1,05	INF
12	1,87	INF	1,41	INF	1,04	INF
10	1,82	INF	1,38	INF	1,02	INF
9	1,78	INF	1,36	INF	1,01	INF
8	1,75	INF	1,34	INF	1,00	INF
7	1,70	INF	1,31	INF	0,99	INF
6	1,64	INF	1,28	INF	0,97	INF
5,5	1,60	INF	1,26	INF	0,96	INF
5	1,56	INF	1,23	INF	0,95	INF
4,5	1,51	INF	1,20	INF	0,93	INF
4	1,46	INF	1,17	INF	0,91	INF
3,8	1,43	INF	1,15	INF	0,90	INF
3,6	1,41	INF	1,14	INF	0,89	INF
3,5	1,39	INF	1,13	INF	0,89	INF
3,4	1,38	INF	1,12	INF	0,88	INF
3,2	1,35	INF	1,10	INF	0,87	INF
3	1,31	INF	1,08	INF	0,86	INF
2,8	1,28	INF	1,05	INF	0,84	INF
2,6	1,24	INF	1,03	INF	0,83	INF
2,5	1,22	INF	1,01	INF	0,82	INF
2,4	1,19	INF	1,00	INF	0,81	INF
2,2	1,15	INF	0,97	INF	0,79	INF
2	1,10	INF	0,93	INF	0,77	INF
1,9	1,07	INF	0,91	INF	0,75	INF
1,8	1,04	INF	0,89	INF	0,74	INF
1,7	1,01	35,63	0,87	INF	0,73	INF
1,6	0,97	14,32	0,85	INF	0,71	INF
1,5	0,94	8,54	0,82	INF	0,69	INF
1,45	0,92	6,98	0,81	INF	0,68	INF
1,4	0,90	5,84	0,79	INF	0,68	INF
1,35	0,88	4,97	0,78	INF	0,67	INF
1,3	0,86	4,28	0,76	INF	0,66	INF
1,25	0,84	3,73	0,75	33,68	0,64	INF
1,2	0,82	3,27	0,73	14,39	0,63	INF

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
1,15	0,80	2,88	0,72	8,87	0,62	INF
1,1	0,78	2,55	0,70	6,26	0,61	INF
1,05	0,76	2,27	0,68	4,73	0,60	INF
1	0,73	2,02	0,66	3,73	0,58	INF
0,98	0,72	1,93	0,65	3,42	0,58	INF
0,96	0,71	1,85	0,65	3,15	0,57	INF
0,95	0,71	1,81	0,64	3,02	0,57	77,59
0,94	0,70	1,77	0,64	2,91	0,56	36,80
0,92	0,69	1,69	0,63	2,69	0,56	17,65
0,9	0,68	1,61	0,62	2,50	0,55	11,44
0,88	0,67	1,54	0,61	2,33	0,55	8,36
0,86	0,66	1,47	0,60	2,17	0,54	6,53
0,85	0,65	1,44	0,60	2,09	0,54	5,86
0,84	0,65	1,41	0,60	2,02	0,53	5,31
0,82	0,64	1,35	0,59	1,89	0,53	4,44
0,8	0,63	1,29	0,58	1,77	0,52	3,79
0,78	0,62	1,23	0,57	1,66	0,51	3,28
0,76	0,60	1,18	0,56	1,56	0,50	2,88
0,75	0,60	1,15	0,55	1,51	0,50	2,71
0,74	0,59	1,12	0,55	1,46	0,50	2,55
0,72	0,58	1,07	0,54	1,37	0,49	2,27
0,7	0,57	1,02	0,53	1,29	0,48	2,04
0,68	0,56	0,98	0,52	1,21	0,47	1,84
0,66	0,54	0,93	0,51	1,14	0,47	1,67
0,65	0,54	0,91	0,50	1,11	0,46	1,59
0,64	0,53	0,89	0,50	1,07	0,46	1,52
0,62	0,52	0,85	0,49	1,01	0,45	1,39
0,6	0,51	0,80	0,48	0,95	0,44	1,27
0,59	0,50	0,78	0,47	0,92	0,43	1,21
0,58	0,49	0,76	0,47	0,89	0,43	1,16
0,57	0,49	0,75	0,46	0,86	0,43	1,11
0,56	0,48	0,73	0,45	0,84	0,42	1,07
0,55	0,47	0,71	0,45	0,81	0,42	1,02
0,54	0,47	0,69	0,44	0,79	0,41	0,98
0,53	0,46	0,67	0,44	0,76	0,41	0,94
0,52	0,45	0,65	0,43	0,74	0,40	0,90
0,51	0,44	0,64	0,42	0,71	0,40	0,87
0,5	0,44	0,62	0,42	0,69	0,39	0,83
0,49	0,43	0,60	0,41	0,67	0,39	0,80

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0,48	0,42	0,59	0,40	0,65	0,38	0,77
0,47	0,42	0,57	0,40	0,63	0,38	0,73
0,46	0,41	0,55	0,39	0,61	0,37	0,71
0,45	0,40	0,54	0,39	0,59	0,36	0,68
0,44	0,39	0,52	0,38	0,57	0,36	0,65
0,43	0,39	0,51	0,37	0,55	0,35	0,62
0,42	0,38	0,49	0,37	0,53	0,35	0,60
0,41	0,37	0,48	0,36	0,51	0,34	0,57
0,4	0,36	0,46	0,35	0,49	0,34	0,55
0,39	0,36	0,45	0,34	0,48	0,33	0,53
0,38	0,35	0,43	0,34	0,46	0,32	0,51
0,37	0,34	0,42	0,33	0,44	0,32	0,48
0,36	0,33	0,40	0,32	0,43	0,31	0,46
0,35	0,32	0,39	0,32	0,41	0,30	0,44
0,34	0,32	0,38	0,31	0,40	0,30	0,43
0,33	0,31	0,36	0,30	0,38	0,29	0,41
0,32	0,30	0,35	0,29	0,37	0,28	0,39
0,31	0,29	0,34	0,29	0,35	0,28	0,37
0,3	0,28	0,32	0,28	0,34	0,27	0,35

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,81	INF
60	0,80	INF
50	0,80	INF
30	0,79	INF
20	0,78	INF
15	0,78	INF
12	0,77	INF
10	0,76	INF
9	0,76	INF
8	0,75	INF
7	0,74	INF
6	0,73	INF
5,5	0,73	INF
5	0,72	INF
4,5	0,71	INF
4	0,70	INF
3,8	0,70	INF
3,6	0,69	INF
3,5	0,69	INF
3,4	0,68	INF
3,2	0,68	INF
3	0,67	INF
2,8	0,66	INF
2,6	0,65	INF
2,5	0,65	INF
2,4	0,64	INF
2,2	0,63	INF
2	0,62	INF
1,9	0,61	INF
1,8	0,60	INF
1,7	0,59	INF
1,6	0,58	INF
1,5	0,57	INF
1,45	0,57	INF
1,4	0,56	INF
1,35	0,56	INF
1,3	0,55	INF
1,25	0,54	INF
1,2	0,53	INF

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
1,15	0,53	INF
1,1	0,52	INF
1,05	0,51	INF
1	0,50	INF
0,98	0,50	INF
0,96	0,49	INF
0,95	0,49	INF
0,94	0,49	INF
0,92	0,48	INF
0,9	0,48	INF
0,88	0,48	INF
0,86	0,47	INF
0,85	0,47	INF
0,84	0,47	INF
0,82	0,46	INF
0,8	0,46	INF
0,78	0,45	INF
0,76	0,45	INF
0,75	0,44	INF
0,74	0,44	INF
0,72	0,44	178,27
0,7	0,43	16,45
0,68	0,42	8,39
0,66	0,42	5,53
0,65	0,41	4,69
0,64	0,41	4,06
0,62	0,40	3,17
0,6	0,40	2,57
0,59	0,39	2,33
0,58	0,39	2,13
0,57	0,39	1,96
0,56	0,38	1,81
0,55	0,38	1,67
0,54	0,38	1,55
0,53	0,37	1,45
0,52	0,37	1,35
0,51	0,36	1,26
0,5	0,36	1,18
0,49	0,36	1,11

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
0,48	0,35	1,04
0,47	0,35	0,98
0,46	0,34	0,93
0,45	0,34	0,87
0,44	0,33	0,83
0,43	0,33	0,78
0,42	0,32	0,74
0,41	0,32	0,70
0,4	0,31	0,66
0,39	0,31	0,63
0,38	0,30	0,59
0,37	0,30	0,56
0,36	0,29	0,53
0,35	0,29	0,50
0,34	0,28	0,48
0,33	0,28	0,45
0,32	0,27	0,43
0,31	0,27	0,41
0,3	0,26	0,39

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	6,71	INF	5,58	INF	5,26	INF
10	4,07	INF	3,63	INF	3,49	INF
5	2,92	19,09	2,69	INF	2,61	INF
3	2,12	5,26	2,00	6,79	1,96	INF
2	1,58	2,76	1,51	3,12	1,49	5,42
1,7	1,39	2,21	1,34	2,42	1,32	3,58
1,5	1,26	1,87	1,22	2,02	1,20	2,75
1,3	1,12	1,56	1,09	1,66	1,08	2,11
1,1	0,97	1,28	0,95	1,34	0,94	1,61
1	0,89	1,14	0,87	1,19	0,87	1,39
0,9	0,81	1,01	0,80	1,05	0,79	1,19
0,8	0,73	0,88	0,72	0,91	0,72	1,01
0,75	0,69	0,82	0,68	0,84	0,68	0,93
0,7	0,65	0,76	0,64	0,78	0,64	0,85
0,65	0,61	0,70	0,60	0,71	0,60	0,77
0,6	0,57	0,64	0,56	0,65	0,56	0,70
0,55	0,52	0,58	0,52	0,59	0,51	0,63
0,5	0,48	0,53	0,47	0,53	0,47	0,56
0,48	0,46	0,50	0,46	0,51	0,45	0,53
0,46	0,44	0,48	0,44	0,49	0,44	0,51
0,44	0,42	0,46	0,42	0,46	0,42	0,48
0,42	0,41	0,44	0,40	0,44	0,40	0,46
0,4	0,39	0,41	0,39	0,42	0,38	0,43
0,39	0,38	0,40	0,38	0,41	0,38	0,42
0,38	0,37	0,39	0,37	0,40	0,37	0,41
0,37	0,36	0,38	0,36	0,38	0,36	0,40
0,36	0,35	0,37	0,35	0,37	0,35	0,38
0,35	0,34	0,36	0,34	0,36	0,34	0,37
0,34	0,33	0,35	0,33	0,35	0,33	0,36
0,33	0,32	0,34	0,32	0,34	0,32	0,35
0,32	0,31	0,33	0,31	0,33	0,31	0,34
0,31	0,30	0,32	0,30	0,32	0,30	0,32
0,3	0,29	0,31	0,29	0,31	0,29	0,31
0,29	0,29	0,30	0,28	0,30	0,28	0,30
0,28	0,28	0,28	0,27	0,29	0,27	0,29
0,27	0,27	0,27	0,27	0,28	0,26	0,28
0,26	0,26	0,26	0,26	0,26	0,26	0,27
0,25	0,25	0,25	0,25	0,25	0,25	0,26
0,24	0,24	0,24	0,24	0,24	0,24	0,25

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4,16	INF	2,82	INF	1,86	INF
10	2,98	INF	2,24	INF	1,60	INF
5	2,32	INF	1,85	INF	1,40	INF
3	1,79	INF	1,51	INF	1,20	INF
2	1,40	50,32	1,22	INF	1,02	INF
1,7	1,25	8,48	1,11	INF	0,94	INF
1,5	1,14	4,88	1,03	54,45	0,88	INF
1,3	1,03	3,14	0,94	7,31	0,82	INF
1,1	0,90	2,11	0,83	3,35	0,74	14,81
1	0,84	1,74	0,78	2,48	0,70	5,63
0,9	0,77	1,43	0,72	1,89	0,65	3,21
0,8	0,70	1,18	0,66	1,45	0,60	2,09
0,75	0,66	1,06	0,63	1,27	0,58	1,73
0,7	0,62	0,95	0,59	1,12	0,55	1,44
0,65	0,59	0,86	0,56	0,98	0,52	1,21
0,6	0,55	0,76	0,52	0,86	0,49	1,02
0,55	0,51	0,68	0,49	0,75	0,46	0,86
0,5	0,46	0,60	0,45	0,65	0,43	0,73
0,48	0,45	0,57	0,43	0,61	0,41	0,68
0,46	0,43	0,54	0,42	0,58	0,40	0,63
0,44	0,41	0,51	0,40	0,54	0,39	0,59
0,42	0,40	0,48	0,39	0,51	0,37	0,55
0,4	0,38	0,45	0,37	0,47	0,36	0,51
0,39	0,37	0,44	0,36	0,46	0,35	0,49
0,38	0,36	0,42	0,35	0,44	0,34	0,47
0,37	0,35	0,41	0,35	0,43	0,34	0,46
0,36	0,34	0,40	0,34	0,41	0,33	0,44
0,35	0,34	0,38	0,33	0,40	0,32	0,42
0,34	0,33	0,37	0,32	0,38	0,31	0,40
0,33	0,32	0,36	0,31	0,37	0,30	0,39
0,32	0,31	0,35	0,30	0,36	0,30	0,37
0,31	0,30	0,33	0,30	0,34	0,29	0,36
0,3	0,29	0,32	0,29	0,33	0,28	0,34
0,29	0,28	0,31	0,28	0,32	0,27	0,33
0,28	0,27	0,30	0,27	0,30	0,26	0,31
0,27	0,26	0,28	0,26	0,29	0,26	0,30
0,26	0,25	0,27	0,25	0,28	0,25	0,29
0,25	0,25	0,26	0,24	0,27	0,24	0,27
0,24	0,24	0,25	0,23	0,25	0,23	0,26

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1,26	INF
10	1,14	INF
5	1,04	INF
3	0,93	INF
2	0,82	INF
1,7	0,77	INF
1,5	0,74	INF
1,3	0,69	INF
1,1	0,64	INF
1	0,61	INF
0,9	0,58	INF
0,8	0,54	5,73
0,75	0,52	3,55
0,7	0,50	2,48
0,65	0,48	1,84
0,6	0,45	1,42
0,55	0,43	1,11
0,5	0,40	0,89
0,48	0,39	0,81
0,46	0,38	0,74
0,44	0,37	0,68
0,42	0,35	0,62
0,4	0,34	0,57
0,39	0,33	0,55
0,38	0,33	0,52
0,37	0,32	0,50
0,36	0,31	0,48
0,35	0,31	0,46
0,34	0,30	0,44
0,33	0,29	0,42
0,32	0,29	0,40
0,31	0,28	0,38
0,3	0,27	0,36
0,29	0,26	0,34
0,28	0,26	0,33
0,27	0,25	0,31
0,26	0,24	0,30
0,25	0,23	0,28
0,24	0,23	0,27

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	13,53	INF	11,95	INF	8,82	INF
12	6,41	139,34	6,03	INF	5,13	INF
6	4,20	10,91	4,04	18,78	3,61	1259,81
4	3,12	5,68	3,03	7,23	2,79	11,53
3	2,48	3,84	2,43	4,48	2,27	5,79
2,5	2,13	3,05	2,09	3,43	1,98	4,14
2	1,76	2,33	1,74	2,54	1,66	2,90
1,8	1,61	2,06	1,58	2,22	1,52	2,49
1,6	1,45	1,80	1,43	1,92	1,38	2,11
1,4	1,28	1,55	1,27	1,63	1,23	1,77
1,2	1,12	1,30	1,11	1,36	1,08	1,45
1,1	1,03	1,18	1,02	1,23	1,00	1,31
1	0,94	1,07	0,94	1,11	0,91	1,16
0,9	0,85	0,95	0,85	0,98	0,83	1,03
0,85	0,81	0,90	0,80	0,92	0,79	0,96
0,8	0,76	0,84	0,76	0,86	0,75	0,90
0,75	0,72	0,79	0,72	0,80	0,70	0,83
0,7	0,67	0,73	0,67	0,75	0,66	0,77
0,65	0,63	0,68	0,62	0,69	0,62	0,71
0,6	0,58	0,62	0,58	0,63	0,57	0,65
0,58	0,56	0,60	0,56	0,61	0,55	0,62
0,56	0,54	0,58	0,54	0,59	0,54	0,60
0,54	0,53	0,56	0,52	0,56	0,52	0,58
0,52	0,51	0,53	0,51	0,54	0,50	0,55
0,5	0,49	0,51	0,49	0,52	0,48	0,53
0,48	0,47	0,49	0,47	0,50	0,46	0,51
0,46	0,45	0,47	0,45	0,48	0,45	0,48
0,44	0,43	0,45	0,43	0,45	0,43	0,46
0,42	0,41	0,43	0,41	0,43	0,41	0,44
0,39	0,38	0,40	0,38	0,40	0,38	0,41
0,38	0,37	0,39	0,37	0,39	0,37	0,39
0,37	0,36	0,38	0,36	0,38	0,36	0,38
0,36	0,35	0,37	0,35	0,37	0,35	0,37
0,35	0,35	0,36	0,34	0,36	0,34	0,36
0,34	0,34	0,34	0,33	0,35	0,33	0,35
0,33	0,33	0,33	0,33	0,34	0,32	0,34
0,32	0,32	0,32	0,32	0,33	0,31	0,33
0,31	0,31	0,31	0,31	0,32	0,30	0,32
0,3	0,30	0,30	0,30	0,31	0,30	0,31
0,29	0,29	0,29	0,29	0,29	0,29	0,30
0,28	0,28	0,28	0,28	0,28	0,28	0,29

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	6,09	INF	4,16	INF	2,86	INF
12	4,08	INF	3,12	INF	2,34	INF
6	3,07	INF	2,50	INF	1,98	INF
4	2,46	44,80	2,09	INF	1,71	INF
3	2,05	9,15	1,79	42,84	1,51	INF
2,5	1,81	5,59	1,60	10,64	1,38	INF
2	1,54	3,53	1,39	5,00	1,22	11,99
1,8	1,42	2,93	1,29	3,86	1,15	6,97
1,6	1,30	2,42	1,19	3,01	1,07	4,57
1,4	1,17	1,97	1,08	2,34	0,98	3,17
1,2	1,03	1,59	0,96	1,81	0,88	2,25
1,1	0,95	1,41	0,90	1,58	0,83	1,90
1	0,88	1,24	0,83	1,37	0,78	1,60
0,9	0,80	1,09	0,77	1,18	0,72	1,34
0,85	0,76	1,01	0,73	1,09	0,69	1,23
0,8	0,73	0,94	0,70	1,01	0,66	1,12
0,75	0,68	0,87	0,66	0,93	0,62	1,02
0,7	0,64	0,80	0,62	0,85	0,59	0,92
0,65	0,60	0,73	0,58	0,77	0,56	0,83
0,6	0,56	0,67	0,54	0,70	0,52	0,75
0,58	0,54	0,64	0,53	0,67	0,51	0,71
0,56	0,53	0,62	0,51	0,64	0,49	0,68
0,54	0,51	0,59	0,50	0,61	0,48	0,65
0,52	0,49	0,57	0,48	0,59	0,46	0,62
0,5	0,47	0,54	0,46	0,56	0,45	0,59
0,48	0,46	0,52	0,45	0,53	0,43	0,56
0,46	0,44	0,49	0,43	0,51	0,42	0,53
0,44	0,42	0,47	0,41	0,48	0,40	0,50
0,42	0,40	0,45	0,40	0,46	0,39	0,47
0,39	0,38	0,41	0,37	0,42	0,36	0,43
0,38	0,37	0,40	0,36	0,41	0,35	0,42
0,37	0,36	0,39	0,35	0,40	0,34	0,41
0,36	0,35	0,38	0,34	0,38	0,34	0,40
0,35	0,34	0,37	0,33	0,37	0,33	0,38
0,34	0,33	0,35	0,33	0,36	0,32	0,37
0,33	0,32	0,34	0,32	0,35	0,31	0,36
0,32	0,31	0,33	0,31	0,34	0,30	0,34
0,31	0,30	0,32	0,30	0,33	0,29	0,33
0,3	0,29	0,31	0,29	0,31	0,29	0,32
0,29	0,28	0,30	0,28	0,30	0,28	0,31
0,28	0,27	0,29	0,27	0,29	0,27	0,30

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	2,00	INF	1,41	INF
12	1,73	INF	1,28	INF
6	1,53	INF	1,17	INF
4	1,37	INF	1,08	INF
3	1,24	INF	1,00	INF
2,5	1,16	INF	0,94	INF
2	1,05	INF	0,87	INF
1,8	0,99	INF	0,84	INF
1,6	0,93	18,06	0,80	INF
1,4	0,87	6,46	0,75	INF
1,2	0,79	3,48	0,69	17,07
1,1	0,75	2,69	0,66	6,82
1	0,71	2,11	0,63	3,97
0,9	0,66	1,68	0,59	2,63
0,85	0,63	1,50	0,57	2,19
0,8	0,61	1,33	0,55	1,85
0,75	0,58	1,19	0,53	1,57
0,7	0,55	1,05	0,51	1,34
0,65	0,52	0,93	0,48	1,14
0,6	0,49	0,83	0,46	0,98
0,58	0,48	0,78	0,45	0,92
0,56	0,47	0,74	0,44	0,86
0,54	0,45	0,71	0,43	0,81
0,52	0,44	0,67	0,42	0,76
0,5	0,43	0,63	0,40	0,71
0,48	0,41	0,60	0,39	0,67
0,46	0,40	0,57	0,38	0,62
0,44	0,39	0,53	0,37	0,58
0,42	0,37	0,50	0,36	0,54
0,39	0,35	0,46	0,34	0,49
0,38	0,34	0,44	0,33	0,47
0,37	0,33	0,43	0,32	0,45
0,36	0,33	0,41	0,32	0,44
0,35	0,32	0,40	0,31	0,42
0,34	0,31	0,38	0,30	0,40
0,33	0,30	0,37	0,29	0,39
0,32	0,30	0,36	0,29	0,37
0,31	0,29	0,34	0,28	0,36
0,3	0,28	0,33	0,27	0,34
0,29	0,27	0,32	0,26	0,33
0,28	0,26	0,30	0,26	0,31

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	16,67	INF	9,95	INF	10,74	INF
10	6,29	24,74	5,03	22,25	5,22	INF
5	3,88	7,07	3,37	6,85	3,45	13,25
3	2,57	3,62	2,34	3,56	2,38	4,72
2	1,80	2,25	1,69	2,23	1,71	2,61
1,6	1,47	1,75	1,40	1,74	1,41	1,96
1,4	1,30	1,51	1,25	1,50	1,26	1,66
1,2	1,13	1,28	1,09	1,27	1,10	1,38
1	0,95	1,05	0,92	1,05	0,93	1,12
0,9	0,86	0,94	0,84	0,94	0,84	0,99
0,8	0,77	0,83	0,75	0,83	0,76	0,87
0,75	0,72	0,78	0,71	0,78	0,71	0,81
0,7	0,68	0,72	0,67	0,72	0,67	0,75
0,65	0,63	0,67	0,62	0,67	0,62	0,69
0,6	0,58	0,62	0,58	0,61	0,58	0,63
0,55	0,54	0,56	0,53	0,56	0,53	0,58
0,5	0,49	0,51	0,48	0,51	0,49	0,52
0,48	0,47	0,49	0,47	0,49	0,47	0,50
0,46	0,45	0,47	0,45	0,47	0,45	0,48
0,44	0,43	0,45	0,43	0,45	0,43	0,46
0,42	0,41	0,43	0,41	0,43	0,41	0,43
0,4	0,39	0,41	0,39	0,41	0,39	0,41
0,39	0,38	0,40	0,38	0,40	0,38	0,40
0,38	0,38	0,39	0,37	0,38	0,37	0,39
0,37	0,37	0,37	0,36	0,37	0,36	0,38
0,36	0,36	0,36	0,35	0,36	0,35	0,37
0,35	0,35	0,35	0,34	0,35	0,34	0,36
0,34	0,34	0,34	0,33	0,34	0,33	0,35
0,33	0,33	0,33	0,32	0,33	0,32	0,34
0,32	0,32	0,32	0,32	0,32	0,32	0,33
0,31	0,31	0,31	0,31	0,31	0,31	0,32
0,3	0,30	0,30	0,30	0,30	0,30	0,31
0,29	0,29	0,29	0,29	0,29	0,29	0,29
0,28	0,28	0,28	0,28	0,28	0,28	0,28
0,27	0,27	0,27	0,27	0,27	0,27	0,27
0,26	0,26	0,26	0,26	0,26	0,26	0,26
0,25	0,25	0,25	0,25	0,25	0,25	0,25
0,24	0,24	0,24	0,24	0,24	0,24	0,24

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	10,34	INF	7,39	INF	4,74	INF
10	5,13	INF	4,29	INF	3,25	INF
5	3,41	INF	3,03	INF	2,48	INF
3	2,36	7,90	2,17	26,61	1,88	INF
2	1,70	3,33	1,60	4,67	1,44	8,95
1,6	1,41	2,32	1,34	2,89	1,23	4,06
1,4	1,25	1,91	1,20	2,27	1,11	2,92
1,2	1,09	1,55	1,05	1,77	0,99	2,12
1	0,93	1,22	0,90	1,35	0,85	1,54
0,9	0,84	1,07	0,82	1,16	0,78	1,30
0,8	0,75	0,93	0,74	0,99	0,71	1,09
0,75	0,71	0,86	0,70	0,91	0,67	0,99
0,7	0,67	0,79	0,65	0,84	0,63	0,90
0,65	0,62	0,73	0,61	0,76	0,59	0,81
0,6	0,58	0,66	0,57	0,69	0,55	0,73
0,55	0,53	0,60	0,52	0,62	0,51	0,65
0,5	0,48	0,54	0,48	0,56	0,47	0,58
0,48	0,47	0,51	0,46	0,53	0,45	0,55
0,46	0,45	0,49	0,44	0,51	0,43	0,52
0,44	0,43	0,47	0,42	0,48	0,42	0,50
0,42	0,41	0,44	0,41	0,46	0,40	0,47
0,4	0,39	0,42	0,39	0,43	0,38	0,44
0,39	0,38	0,41	0,38	0,42	0,37	0,43
0,38	0,37	0,40	0,37	0,41	0,36	0,42
0,37	0,36	0,39	0,36	0,39	0,35	0,40
0,36	0,35	0,38	0,35	0,38	0,35	0,39
0,35	0,34	0,36	0,34	0,37	0,34	0,38
0,34	0,33	0,35	0,33	0,36	0,33	0,37
0,33	0,32	0,34	0,32	0,35	0,32	0,35
0,32	0,32	0,33	0,31	0,34	0,31	0,34
0,31	0,31	0,32	0,30	0,32	0,30	0,33
0,3	0,30	0,31	0,29	0,31	0,29	0,32
0,29	0,29	0,30	0,28	0,30	0,28	0,31
0,28	0,28	0,29	0,28	0,29	0,27	0,29
0,27	0,27	0,28	0,27	0,28	0,26	0,28
0,26	0,26	0,27	0,26	0,27	0,25	0,27
0,25	0,25	0,26	0,25	0,26	0,25	0,26
0,24	0,24	0,24	0,24	0,25	0,24	0,25

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	3,05	INF	2,02	INF
10	2,37	INF	1,71	INF
5	1,94	INF	1,48	INF
3	1,56	INF	1,25	INF
2	1,25	INF	1,05	INF
1,6	1,09	8,75	0,94	INF
1,4	1,00	4,69	0,87	33,85
1,2	0,90	2,90	0,80	6,04
1	0,79	1,89	0,71	2,81
0,9	0,73	1,54	0,66	2,07
0,8	0,66	1,24	0,61	1,56
0,75	0,63	1,12	0,58	1,36
0,7	0,60	1,00	0,55	1,19
0,65	0,56	0,89	0,53	1,03
0,6	0,53	0,79	0,49	0,90
0,55	0,49	0,70	0,46	0,78
0,5	0,45	0,61	0,43	0,67
0,48	0,44	0,58	0,42	0,63
0,46	0,42	0,55	0,40	0,59
0,44	0,40	0,52	0,39	0,56
0,42	0,39	0,49	0,37	0,52
0,4	0,37	0,46	0,36	0,49
0,39	0,36	0,45	0,35	0,47
0,38	0,35	0,43	0,34	0,45
0,37	0,35	0,42	0,34	0,44
0,36	0,34	0,40	0,33	0,42
0,35	0,33	0,39	0,32	0,41
0,34	0,32	0,38	0,31	0,39
0,33	0,31	0,36	0,30	0,38
0,32	0,30	0,35	0,30	0,36
0,31	0,30	0,34	0,29	0,35
0,3	0,29	0,33	0,28	0,34
0,29	0,28	0,31	0,27	0,32
0,28	0,27	0,30	0,26	0,31
0,27	0,26	0,29	0,26	0,29
0,26	0,25	0,28	0,25	0,28
0,25	0,24	0,26	0,24	0,27
0,24	0,23	0,25	0,23	0,26

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	26,21	INF	28,88	INF	24,38	INF
10	7,28	16,06	7,46	29,74	7,13	INF
6	4,91	7,73	4,99	9,89	4,84	15,18
4	3,49	4,69	3,53	5,39	3,46	6,63
3	2,71	3,36	2,73	3,70	2,69	4,24
2,5	2,30	2,74	2,31	2,96	2,28	3,29
2	1,87	2,15	1,88	2,28	1,86	2,46
1,8	1,70	1,92	1,70	2,02	1,69	2,16
1,6	1,52	1,69	1,52	1,77	1,51	1,88
1,4	1,34	1,47	1,34	1,53	1,33	1,60
1,3	1,25	1,36	1,25	1,41	1,24	1,47
1,2	1,15	1,25	1,16	1,29	1,15	1,34
1,1	1,06	1,14	1,07	1,17	1,06	1,22
1	0,97	1,03	0,97	1,06	0,97	1,09
0,95	0,92	0,98	0,93	1,00	0,92	1,03
0,9	0,88	0,93	0,88	0,95	0,87	0,97
0,85	0,83	0,87	0,83	0,89	0,83	0,91
0,8	0,78	0,82	0,78	0,83	0,78	0,85
0,75	0,73	0,77	0,74	0,78	0,73	0,80
0,7	0,69	0,71	0,69	0,73	0,68	0,74
0,65	0,64	0,66	0,64	0,67	0,64	0,68
0,6	0,59	0,61	0,59	0,62	0,59	0,63
0,58	0,57	0,59	0,57	0,60	0,57	0,61
0,56	0,55	0,57	0,55	0,57	0,55	0,58
0,54	0,53	0,55	0,53	0,55	0,53	0,56
0,52	0,51	0,53	0,51	0,53	0,51	0,54
0,5	0,49	0,51	0,49	0,51	0,49	0,52
0,49	0,48	0,50	0,48	0,50	0,48	0,51
0,48	0,47	0,49	0,47	0,49	0,47	0,50
0,47	0,46	0,48	0,47	0,48	0,46	0,48
0,46	0,45	0,47	0,46	0,47	0,45	0,47
0,45	0,45	0,45	0,45	0,46	0,44	0,46
0,44	0,44	0,44	0,44	0,45	0,44	0,45
0,43	0,43	0,43	0,43	0,44	0,43	0,44
0,42	0,42	0,42	0,42	0,43	0,42	0,43
0,41	0,41	0,41	0,41	0,42	0,41	0,42
0,4	0,40	0,40	0,40	0,41	0,40	0,41
0,39	0,39	0,39	0,39	0,40	0,39	0,40
0,38	0,38	0,38	0,38	0,39	0,38	0,39
0,37	0,37	0,37	0,37	0,38	0,37	0,38
0,36	0,36	0,36	0,36	0,36	0,36	0,37
0,35	0,35	0,35	0,35	0,35	0,35	0,36
0,34	0,34	0,34	0,34	0,34	0,34	0,35
0,33	0,33	0,33	0,33	0,33	0,33	0,34
0,32	0,32	0,32	0,32	0,32	0,32	0,33
0,31	0,31	0,31	0,31	0,31	0,31	0,31
0,3	0,30	0,30	0,30	0,30	0,30	0,30

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	16,69	INF	10,56	INF	6,67	INF
10	6,29	INF	5,18	INF	4,04	INF
6	4,45	39,31	3,87	INF	3,20	INF
4	3,25	9,00	2,94	16,01	2,54	INF
3	2,57	5,08	2,37	6,72	2,11	11,49
2,5	2,19	3,77	2,05	4,59	1,85	6,37
2	1,80	2,72	1,70	3,11	1,57	3,82
1,8	1,64	2,35	1,56	2,64	1,45	3,12
1,6	1,47	2,02	1,41	2,22	1,32	2,55
1,4	1,30	1,70	1,25	1,84	1,18	2,06
1,3	1,22	1,55	1,17	1,67	1,11	1,84
1,2	1,13	1,41	1,09	1,50	1,04	1,64
1,1	1,04	1,27	1,01	1,34	0,97	1,45
1	0,95	1,13	0,93	1,19	0,89	1,27
0,95	0,91	1,07	0,88	1,12	0,85	1,19
0,9	0,86	1,00	0,84	1,05	0,81	1,11
0,85	0,82	0,94	0,80	0,98	0,77	1,03
0,8	0,77	0,88	0,75	0,91	0,73	0,95
0,75	0,72	0,82	0,71	0,84	0,69	0,88
0,7	0,68	0,76	0,67	0,78	0,65	0,81
0,65	0,63	0,70	0,62	0,72	0,61	0,74
0,6	0,58	0,64	0,58	0,65	0,56	0,67
0,58	0,57	0,62	0,56	0,63	0,55	0,65
0,56	0,55	0,59	0,54	0,61	0,53	0,62
0,54	0,53	0,57	0,52	0,58	0,51	0,60
0,52	0,51	0,55	0,50	0,56	0,49	0,57
0,5	0,49	0,52	0,48	0,53	0,48	0,55
0,49	0,48	0,51	0,48	0,52	0,47	0,53
0,48	0,47	0,50	0,47	0,51	0,46	0,52
0,47	0,46	0,49	0,46	0,50	0,45	0,51
0,46	0,45	0,48	0,45	0,49	0,44	0,50
0,45	0,44	0,47	0,44	0,48	0,43	0,48
0,44	0,43	0,46	0,43	0,46	0,42	0,47
0,43	0,42	0,45	0,42	0,45	0,41	0,46
0,42	0,41	0,44	0,41	0,44	0,40	0,45
0,41	0,40	0,42	0,40	0,43	0,40	0,44
0,4	0,39	0,41	0,39	0,42	0,39	0,43
0,39	0,38	0,40	0,38	0,41	0,38	0,41
0,38	0,38	0,39	0,37	0,40	0,37	0,40
0,37	0,37	0,38	0,36	0,38	0,36	0,39
0,36	0,36	0,37	0,35	0,37	0,35	0,38
0,35	0,35	0,36	0,34	0,36	0,34	0,37
0,34	0,34	0,35	0,33	0,35	0,33	0,36
0,33	0,33	0,34	0,32	0,34	0,32	0,34
0,32	0,32	0,33	0,32	0,33	0,31	0,33
0,31	0,31	0,32	0,31	0,32	0,30	0,32
0,3	0,30	0,31	0,30	0,31	0,29	0,31

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	4,35	INF	2,93	INF
10	3,07	INF	2,30	INF
6	2,57	INF	2,01	INF
4	2,13	INF	1,74	INF
3	1,82	INF	1,53	INF
2,5	1,63	13,87	1,39	INF
2	1,41	5,60	1,23	16,70
1,8	1,31	4,20	1,16	8,31
1,6	1,21	3,21	1,08	5,10
1,4	1,09	2,46	0,99	3,41
1,3	1,03	2,15	0,94	2,83
1,2	0,97	1,87	0,89	2,37
1,1	0,91	1,63	0,84	1,98
1	0,84	1,41	0,78	1,66
0,95	0,81	1,30	0,75	1,51
0,9	0,77	1,21	0,72	1,38
0,85	0,74	1,11	0,69	1,26
0,8	0,70	1,02	0,66	1,14
0,75	0,66	0,94	0,63	1,04
0,7	0,62	0,86	0,59	0,94
0,65	0,59	0,78	0,56	0,84
0,6	0,55	0,71	0,52	0,75
0,58	0,53	0,68	0,51	0,72
0,56	0,51	0,65	0,49	0,69
0,54	0,50	0,62	0,48	0,66
0,52	0,48	0,59	0,46	0,62
0,5	0,46	0,56	0,45	0,59
0,49	0,46	0,55	0,44	0,58
0,48	0,45	0,54	0,43	0,56
0,47	0,44	0,52	0,43	0,55
0,46	0,43	0,51	0,42	0,53
0,45	0,42	0,50	0,41	0,52
0,44	0,41	0,49	0,40	0,50
0,43	0,41	0,47	0,39	0,49
0,42	0,40	0,46	0,39	0,48
0,41	0,39	0,45	0,38	0,46
0,4	0,38	0,43	0,37	0,45
0,39	0,37	0,42	0,36	0,44
0,38	0,36	0,41	0,35	0,42
0,37	0,35	0,40	0,35	0,41
0,36	0,34	0,39	0,34	0,40
0,35	0,34	0,37	0,33	0,38
0,34	0,33	0,36	0,32	0,37
0,33	0,32	0,35	0,31	0,36
0,32	0,31	0,34	0,30	0,35
0,31	0,30	0,33	0,30	0,33
0,3	0,29	0,31	0,29	0,32

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	44,15	INF	59,78	INF	64,94	INF
20	13,80	26,95	15,01	64,74	15,31	INF
10	8,18	11,47	8,58	15,22	8,68	23,50
7	6,06	7,69	6,28	9,19	6,33	11,65
5	4,51	5,34	4,62	6,01	4,65	6,97
4	3,68	4,21	3,76	4,62	3,77	5,15
3,5	3,25	3,66	3,31	3,96	3,33	4,35
3	2,82	3,12	2,86	3,33	2,87	3,60
2,5	2,37	2,58	2,40	2,72	2,41	2,90
2,2	2,10	2,26	2,13	2,37	2,13	2,50
2	1,92	2,05	1,94	2,14	1,94	2,24
1,8	1,74	1,84	1,75	1,91	1,75	1,99
1,6	1,55	1,63	1,56	1,68	1,56	1,75
1,5	1,46	1,53	1,47	1,57	1,47	1,63
1,4	1,36	1,42	1,37	1,46	1,37	1,51
1,3	1,27	1,32	1,28	1,35	1,28	1,39
1,2	1,17	1,22	1,18	1,25	1,18	1,28
1,1	1,08	1,11	1,08	1,14	1,08	1,16
1	0,98	1,01	0,99	1,03	0,99	1,05
0,95	0,93	0,96	0,94	0,98	0,94	1,00
0,9	0,89	0,91	0,89	0,92	0,89	0,94
0,85	0,84	0,86	0,84	0,87	0,84	0,89
0,8	0,79	0,81	0,79	0,82	0,79	0,83
0,78	0,77	0,79	0,77	0,80	0,77	0,81
0,76	0,75	0,77	0,75	0,78	0,75	0,79
0,74	0,73	0,75	0,73	0,76	0,73	0,77
0,72	0,71	0,73	0,71	0,73	0,71	0,74
0,7	0,69	0,71	0,69	0,71	0,69	0,72
0,68	0,67	0,68	0,67	0,69	0,67	0,70
0,66	0,65	0,66	0,65	0,67	0,65	0,68
0,64	0,63	0,64	0,63	0,65	0,63	0,66
0,62	0,61	0,62	0,61	0,63	0,62	0,64
0,6	0,59	0,60	0,60	0,61	0,60	0,62
0,59	0,58	0,59	0,59	0,60	0,59	0,61
0,58	0,57	0,58	0,58	0,59	0,58	0,59
0,57	0,56	0,57	0,57	0,58	0,57	0,58
0,56	0,55	0,56	0,56	0,57	0,56	0,57
0,55	0,55	0,55	0,55	0,56	0,55	0,56
0,54	0,54	0,54	0,54	0,55	0,54	0,55
0,53	0,53	0,53	0,53	0,54	0,53	0,54
0,52	0,52	0,52	0,52	0,53	0,52	0,53
0,51	0,51	0,51	0,51	0,52	0,51	0,52
0,5	0,50	0,50	0,50	0,51	0,50	0,51
0,49	0,49	0,49	0,49	0,50	0,49	0,50
0,48	0,48	0,48	0,48	0,49	0,48	0,49
0,47	0,47	0,47	0,47	0,48	0,47	0,48
0,46	0,46	0,46	0,46	0,46	0,46	0,47
0,45	0,45	0,45	0,45	0,45	0,45	0,46

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	43,50	INF	24,65	INF	14,45	INF
20	13,72	INF	11,07	INF	8,42	INF
10	8,15	51,83	7,14	INF	5,94	INF
7	6,04	15,94	5,47	27,08	4,74	INF
5	4,49	8,29	4,17	10,52	3,74	15,96
4	3,67	5,84	3,46	6,85	3,16	8,79
3,5	3,25	4,82	3,08	5,49	2,84	6,65
3	2,81	3,91	2,69	4,33	2,50	5,03
2,5	2,37	3,09	2,28	3,35	2,15	3,74
2,2	2,10	2,64	2,03	2,82	1,92	3,10
2	1,92	2,35	1,86	2,50	1,77	2,71
1,8	1,73	2,08	1,69	2,19	1,61	2,35
1,6	1,55	1,81	1,51	1,90	1,45	2,01
1,5	1,45	1,68	1,42	1,75	1,37	1,85
1,4	1,36	1,56	1,33	1,62	1,29	1,70
1,3	1,27	1,43	1,24	1,48	1,20	1,55
1,2	1,17	1,31	1,15	1,35	1,12	1,41
1,1	1,08	1,19	1,06	1,22	1,03	1,27
1	0,98	1,07	0,97	1,10	0,94	1,14
0,95	0,93	1,02	0,92	1,04	0,90	1,07
0,9	0,88	0,96	0,87	0,98	0,85	1,01
0,85	0,84	0,90	0,83	0,92	0,81	0,94
0,8	0,79	0,84	0,78	0,86	0,76	0,88
0,78	0,77	0,82	0,76	0,84	0,75	0,86
0,76	0,75	0,80	0,74	0,81	0,73	0,83
0,74	0,73	0,78	0,72	0,79	0,71	0,81
0,72	0,71	0,75	0,70	0,77	0,69	0,78
0,7	0,69	0,73	0,68	0,74	0,67	0,76
0,68	0,67	0,71	0,66	0,72	0,66	0,73
0,66	0,65	0,69	0,65	0,70	0,64	0,71
0,64	0,63	0,67	0,63	0,68	0,62	0,69
0,62	0,61	0,64	0,61	0,65	0,60	0,66
0,6	0,59	0,62	0,59	0,63	0,58	0,64
0,59	0,58	0,61	0,58	0,62	0,57	0,63
0,58	0,57	0,60	0,57	0,61	0,56	0,62
0,57	0,56	0,59	0,56	0,60	0,55	0,61
0,56	0,55	0,58	0,55	0,59	0,54	0,59
0,55	0,54	0,57	0,54	0,57	0,53	0,58
0,54	0,53	0,56	0,53	0,56	0,53	0,57
0,53	0,52	0,55	0,52	0,55	0,52	0,56
0,52	0,52	0,54	0,51	0,54	0,51	0,55
0,51	0,51	0,52	0,50	0,53	0,50	0,54
0,5	0,50	0,51	0,49	0,52	0,49	0,53
0,49	0,49	0,50	0,48	0,51	0,48	0,51
0,48	0,48	0,49	0,47	0,50	0,47	0,50
0,47	0,47	0,48	0,46	0,49	0,46	0,49
0,46	0,46	0,47	0,45	0,48	0,45	0,48
0,45	0,45	0,46	0,44	0,46	0,44	0,47

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	9,02	INF	5,87	INF
20	6,25	INF	4,56	INF
10	4,78	INF	3,73	INF
7	3,98	INF	3,23	INF
5	3,25	55,54	2,74	INF
4	2,80	14,39	2,41	INF
3,5	2,55	9,41	2,23	22,44
3	2,28	6,44	2,02	10,63
2,5	1,98	4,47	1,78	6,12
2,2	1,79	3,57	1,63	4,54
2	1,66	3,06	1,52	3,74
1,8	1,52	2,60	1,40	3,08
1,6	1,38	2,19	1,28	2,52
1,5	1,30	2,01	1,22	2,27
1,4	1,23	1,83	1,15	2,04
1,3	1,15	1,66	1,09	1,83
1,2	1,07	1,49	1,02	1,63
1,1	0,99	1,34	0,95	1,44
1	0,91	1,19	0,87	1,27
0,95	0,87	1,12	0,84	1,19
0,9	0,83	1,05	0,80	1,11
0,85	0,79	0,98	0,76	1,03
0,8	0,75	0,91	0,72	0,96
0,78	0,73	0,88	0,70	0,93
0,76	0,71	0,86	0,69	0,90
0,74	0,69	0,83	0,67	0,87
0,72	0,68	0,81	0,66	0,84
0,7	0,66	0,78	0,64	0,81
0,68	0,64	0,75	0,62	0,78
0,66	0,62	0,73	0,61	0,76
0,64	0,61	0,70	0,59	0,73
0,62	0,59	0,68	0,57	0,70
0,6	0,57	0,65	0,56	0,68
0,59	0,56	0,64	0,55	0,66
0,58	0,55	0,63	0,54	0,65
0,57	0,54	0,62	0,53	0,64
0,56	0,54	0,61	0,52	0,62
0,55	0,53	0,59	0,51	0,61
0,54	0,52	0,58	0,51	0,60
0,53	0,51	0,57	0,50	0,59
0,52	0,50	0,56	0,49	0,57
0,51	0,49	0,55	0,48	0,56
0,5	0,48	0,53	0,47	0,55
0,49	0,47	0,52	0,46	0,54
0,48	0,46	0,51	0,45	0,52
0,47	0,45	0,50	0,45	0,51
0,46	0,44	0,49	0,44	0,50
0,45	0,44	0,48	0,43	0,49

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	100,99	INF	88,66	INF	76,47	INF
50	33,49	58,69	32,02	77,59	30,28	INF
20	16,73	21,26	16,35	23,30	15,88	27,03
15	13,09	15,70	12,86	16,78	12,57	18,62
12	10,75	12,44	10,59	13,11	10,39	14,20
10	9,12	10,30	9,01	10,76	8,86	11,48
8	7,43	8,19	7,35	8,47	7,26	8,91
7	6,56	7,15	6,50	7,36	6,43	7,69
6	5,68	6,11	5,63	6,26	5,58	6,50
5,5	5,23	5,59	5,19	5,72	5,14	5,91
5	4,77	5,07	4,74	5,18	4,70	5,34
4,5	4,32	4,56	4,29	4,64	4,26	4,77
4	3,86	4,05	3,84	4,11	3,81	4,21
3,8	3,67	3,84	3,65	3,90	3,63	3,99
3,6	3,48	3,64	3,47	3,69	3,45	3,77
3,4	3,30	3,43	3,28	3,48	3,26	3,55
3,2	3,11	3,23	3,10	3,27	3,08	3,33
3	2,92	3,03	2,91	3,06	2,89	3,11
2,8	2,73	2,82	2,72	2,85	2,71	2,90
2,6	2,54	2,62	2,53	2,65	2,52	2,68
2,4	2,35	2,42	2,34	2,44	2,33	2,47
2,2	2,16	2,21	2,15	2,23	2,14	2,26
2	1,97	2,01	1,96	2,03	1,95	2,05
1,9	1,87	1,91	1,86	1,92	1,86	1,94
1,8	1,77	1,81	1,77	1,82	1,76	1,84
1,7	1,68	1,71	1,67	1,72	1,67	1,73
1,6	1,58	1,61	1,58	1,62	1,57	1,63
1,5	1,48	1,51	1,48	1,51	1,47	1,53
1,4	1,38	1,41	1,38	1,41	1,38	1,42
1,3	1,29	1,30	1,28	1,31	1,28	1,32
1,2	1,19	1,20	1,19	1,21	1,18	1,22
1,1	1,09	1,10	1,09	1,11	1,09	1,11
1	0,99	1,00	0,99	1,01	0,99	1,01

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	58,31	INF	41,65	INF	28,93	INF
50	26,96	INF	22,77	INF	18,37	INF
20	14,93	33,15	13,55	46,26	11,87	96,14
15	11,96	21,32	11,06	26,06	9,92	36,77
12	9,98	15,72	9,35	18,14	8,52	22,73
10	8,56	12,44	8,09	13,91	7,47	16,45
8	7,05	9,48	6,74	10,30	6,30	11,63
7	6,27	8,10	6,02	8,70	5,67	9,62
6	5,46	6,79	5,26	7,20	5,00	7,81
5,5	5,04	6,15	4,88	6,49	4,65	6,98
5	4,62	5,53	4,48	5,80	4,29	6,19
4,5	4,19	4,92	4,08	5,13	3,92	5,44
4	3,75	4,33	3,66	4,49	3,53	4,72
3,8	3,58	4,10	3,50	4,24	3,38	4,44
3,6	3,40	3,86	3,33	3,99	3,22	4,17
3,4	3,22	3,63	3,16	3,74	3,06	3,90
3,2	3,04	3,40	2,98	3,50	2,90	3,64
3	2,86	3,18	2,81	3,26	2,73	3,38
2,8	2,68	2,95	2,63	3,03	2,57	3,13
2,6	2,50	2,73	2,46	2,79	2,40	2,88
2,4	2,31	2,51	2,28	2,56	2,23	2,63
2,2	2,13	2,29	2,10	2,33	2,06	2,39
2	1,94	2,07	1,92	2,11	1,88	2,16
1,9	1,85	1,97	1,82	2,00	1,79	2,04
1,8	1,75	1,86	1,73	1,89	1,70	1,92
1,7	1,66	1,75	1,64	1,78	1,62	1,81
1,6	1,56	1,65	1,55	1,67	1,53	1,69
1,5	1,47	1,54	1,45	1,56	1,43	1,58
1,4	1,37	1,43	1,36	1,45	1,34	1,47
1,3	1,28	1,33	1,27	1,34	1,25	1,36
1,2	1,18	1,22	1,17	1,24	1,16	1,25
1,1	1,08	1,12	1,08	1,13	1,07	1,14
1	0,99	1,02	0,98	1,02	0,97	1,03

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	20,13	INF	14,06	INF
50	14,39	INF	11,01	INF
20	10,08	INF	8,30	INF
15	8,64	86,31	7,30	INF
12	7,56	35,17	6,52	153,81
10	6,72	22,08	5,89	42,70
8	5,76	14,17	5,14	20,49
7	5,23	11,29	4,71	14,94
6	4,66	8,87	4,24	10,98
5,5	4,35	7,81	3,99	9,39
5	4,03	6,83	3,72	8,00
4,5	3,71	5,92	3,44	6,78
4	3,36	5,08	3,15	5,69
3,8	3,22	4,76	3,02	5,29
3,6	3,08	4,44	2,90	4,90
3,4	2,93	4,14	2,77	4,54
3,2	2,78	3,84	2,64	4,18
3	2,63	3,56	2,50	3,84
2,8	2,48	3,28	2,36	3,51
2,6	2,32	3,00	2,22	3,20
2,4	2,16	2,74	2,07	2,90
2,2	2,00	2,48	1,92	2,61
2	1,83	2,22	1,77	2,33
1,9	1,75	2,10	1,69	2,19
1,8	1,67	1,98	1,62	2,06
1,7	1,58	1,86	1,54	1,93
1,6	1,50	1,74	1,45	1,80
1,5	1,41	1,62	1,37	1,67
1,4	1,32	1,50	1,29	1,54
1,3	1,23	1,38	1,21	1,42
1,2	1,14	1,27	1,12	1,30
1,1	1,05	1,16	1,03	1,18
1	0,96	1,05	0,95	1,07

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	191,80	INF	178,29	INF	123,99	INF
100	65,79	INF	64,12	INF	55,41	INF
90	61,31	INF	59,86	INF	52,20	INF
80	56,51	INF	55,27	INF	48,68	INF
70	51,33	INF	50,31	INF	44,79	INF
60	45,75	87,22	44,94	INF	40,48	INF
50	39,70	67,56	39,09	85,57	35,68	INF
45	36,49	58,73	35,97	71,87	33,06	96,06
40	33,13	50,48	32,70	59,89	30,29	75,78
35	29,63	42,76	29,29	49,31	27,33	59,59
30	25,97	35,52	25,71	39,92	24,19	46,39
25	22,14	28,71	21,95	31,51	20,84	35,40
20	18,13	22,30	18,00	23,95	17,25	26,12
15	13,93	16,25	13,85	17,10	13,40	18,18
14	13,06	15,08	13,00	15,81	12,60	16,73
13	12,19	13,93	12,13	14,55	11,79	15,32
12	11,31	12,79	11,26	13,30	10,96	13,94
11	10,42	11,66	10,37	12,08	10,12	12,61
10	9,52	10,54	9,48	10,88	9,27	11,31
9,5	9,06	9,98	9,03	10,29	8,84	10,67
9	8,61	9,43	8,58	9,71	8,41	10,04
8,5	8,15	8,88	8,12	9,13	7,97	9,42
8	7,69	8,34	7,67	8,55	7,53	8,81
7,5	7,23	7,80	7,21	7,98	7,08	8,20
7	6,76	7,26	6,74	7,42	6,64	7,61
6,5	6,29	6,72	6,28	6,86	6,19	7,02
6	5,82	6,19	5,81	6,30	5,73	6,44
5,5	5,35	5,66	5,34	5,75	5,28	5,86
5	4,88	5,13	4,87	5,21	4,81	5,30
4,8	4,69	4,92	4,68	4,99	4,63	5,07
4,6	4,50	4,71	4,49	4,77	4,44	4,85
4,5	4,40	4,60	4,39	4,66	4,35	4,74
4,4	4,31	4,50	4,30	4,56	4,26	4,63
4,2	4,11	4,29	4,11	4,34	4,07	4,41
4	3,92	4,08	3,92	4,13	3,88	4,18
3,8	3,73	3,87	3,73	3,92	3,69	3,97
3,6	3,54	3,66	3,53	3,70	3,50	3,75
3,5	3,44	3,56	3,44	3,60	3,41	3,64
3,4	3,34	3,46	3,34	3,49	3,32	3,53
3,2	3,15	3,25	3,15	3,28	3,13	3,31
3	2,96	3,04	2,95	3,07	2,93	3,10
2,9	2,86	2,94	2,86	2,96	2,84	2,99
2,8	2,76	2,84	2,76	2,86	2,74	2,89
2,7	2,67	2,74	2,66	2,76	2,65	2,78
2,6	2,57	2,63	2,57	2,65	2,55	2,67

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2,5	2,47	2,53	2,47	2,55	2,46	2,57
2,4	2,37	2,43	2,37	2,44	2,36	2,46
2,3	2,28	2,33	2,27	2,34	2,26	2,36
2,2	2,18	2,22	2,18	2,24	2,17	2,25
2,1	2,08	2,12	2,08	2,13	2,07	2,15
2	1,98	2,02	1,98	2,03	1,97	2,04
1,95	1,93	1,97	1,93	1,98	1,92	1,99
1,9	1,88	1,92	1,88	1,93	1,87	1,94
1,85	1,83	1,87	1,83	1,87	1,83	1,89
1,8	1,79	1,81	1,78	1,82	1,78	1,83
1,75	1,74	1,76	1,74	1,77	1,73	1,78
1,7	1,69	1,71	1,69	1,72	1,68	1,73
1,65	1,64	1,66	1,64	1,67	1,63	1,68
1,6	1,59	1,61	1,59	1,62	1,58	1,63
1,55	1,54	1,56	1,54	1,57	1,53	1,57
1,5	1,49	1,51	1,49	1,52	1,48	1,52
1,45	1,44	1,46	1,44	1,46	1,44	1,47
1,4	1,39	1,41	1,39	1,41	1,39	1,42
1,35	1,34	1,36	1,34	1,36	1,34	1,37
1,3	1,29	1,31	1,29	1,31	1,29	1,32
1,25	1,24	1,26	1,24	1,26	1,24	1,26
1,2	1,19	1,21	1,19	1,21	1,19	1,21
1,15	1,14	1,16	1,14	1,16	1,14	1,16
1,1	1,10	1,10	1,09	1,11	1,09	1,11
1,05	1,05	1,05	1,05	1,06	1,04	1,06
1	1,00	1,00	1,00	1,01	0,99	1,01
0,98	0,98	0,98	0,98	0,99	0,97	0,99
0,96	0,96	0,96	0,96	0,97	0,95	0,97
0,95	0,95	0,95	0,95	0,96	0,94	0,96
0,94	0,94	0,94	0,94	0,95	0,93	0,95
0,92	0,92	0,92	0,92	0,92	0,92	0,93
0,9	0,90	0,90	0,90	0,90	0,90	0,91
0,88	0,88	0,88	0,88	0,88	0,88	0,89
0,86	0,86	0,86	0,86	0,86	0,86	0,87
0,85	0,85	0,85	0,85	0,85	0,85	0,86
0,84	0,84	0,84	0,84	0,84	0,84	0,85
0,82	0,82	0,82	0,82	0,82	0,82	0,83
0,8	0,80	0,80	0,80	0,80	0,80	0,80
0,78	0,78	0,78	0,78	0,78	0,78	0,78
0,76	0,76	0,76	0,76	0,76	0,76	0,76
0,75	0,75	0,75	0,75	0,75	0,75	0,75
0,74	0,74	0,74	0,74	0,74	0,74	0,74
0,72	0,72	0,72	0,72	0,72	0,72	0,72
0,7	0,70	0,70	0,70	0,70	0,70	0,70

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	85,31	INF	58,55	INF	40,08	INF
100	46,10	INF	36,98	INF	28,66	INF
90	43,86	INF	35,53	INF	27,78	INF
80	41,34	INF	33,87	INF	26,76	INF
70	38,51	INF	31,94	INF	25,54	INF
60	35,28	INF	29,69	INF	24,09	INF
50	31,58	INF	27,03	INF	22,31	INF
45	29,51	INF	25,50	INF	21,26	INF
40	27,28	INF	23,82	INF	20,08	INF
35	24,87	82,82	21,96	INF	18,75	INF
30	22,24	59,32	19,89	INF	17,22	INF
25	19,38	42,45	17,57	58,32	15,46	INF
20	16,24	29,76	14,95	36,75	13,40	54,12
15	12,79	19,86	11,98	22,73	10,96	28,33
14	12,06	18,14	11,34	20,50	10,42	24,94
13	11,31	16,49	10,67	18,41	9,86	21,91
12	10,55	14,90	9,99	16,46	9,28	19,19
11	9,77	13,39	9,29	14,62	8,67	16,74
10	8,97	11,93	8,57	12,90	8,04	14,51
9,5	8,57	11,22	8,20	12,07	7,72	13,47
9	8,16	10,53	7,83	11,27	7,39	12,48
8,5	7,75	9,85	7,45	10,49	7,05	11,53
8	7,33	9,18	7,06	9,74	6,70	10,62
7,5	6,91	8,52	6,67	9,00	6,35	9,75
7	6,49	7,88	6,28	8,29	5,99	8,92
6,5	6,06	7,25	5,87	7,59	5,62	8,11
6	5,62	6,63	5,46	6,91	5,25	7,34
5,5	5,18	6,02	5,05	6,25	4,86	6,60
5	4,74	5,43	4,62	5,61	4,47	5,89
4,8	4,56	5,19	4,45	5,36	4,31	5,61
4,6	4,38	4,96	4,28	5,11	4,15	5,34
4,5	4,29	4,84	4,19	4,99	4,07	5,20
4,4	4,20	4,72	4,11	4,86	3,99	5,07
4,2	4,01	4,49	3,93	4,62	3,82	4,80
4	3,83	4,26	3,76	4,38	3,66	4,54
3,8	3,65	4,04	3,58	4,14	3,49	4,28
3,6	3,46	3,81	3,40	3,90	3,32	4,03
3,5	3,37	3,70	3,32	3,78	3,24	3,90
3,4	3,28	3,59	3,23	3,66	3,15	3,78
3,2	3,09	3,36	3,05	3,43	2,98	3,53
3	2,91	3,14	2,87	3,20	2,81	3,29
2,9	2,81	3,03	2,77	3,09	2,72	3,17
2,8	2,72	2,92	2,68	2,97	2,63	3,05
2,7	2,62	2,81	2,59	2,86	2,54	2,93
2,6	2,53	2,70	2,50	2,75	2,46	2,81

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2,5	2,44	2,60	2,41	2,64	2,37	2,69
2,4	2,34	2,49	2,31	2,52	2,28	2,57
2,3	2,25	2,38	2,22	2,41	2,19	2,46
2,2	2,15	2,27	2,13	2,30	2,10	2,34
2,1	2,06	2,17	2,04	2,19	2,01	2,23
2	1,96	2,06	1,94	2,08	1,92	2,12
1,95	1,91	2,01	1,89	2,03	1,87	2,06
1,9	1,86	1,95	1,85	1,97	1,82	2,00
1,85	1,82	1,90	1,80	1,92	1,78	1,95
1,8	1,77	1,85	1,75	1,87	1,73	1,89
1,75	1,72	1,79	1,71	1,81	1,69	1,84
1,7	1,67	1,74	1,66	1,76	1,64	1,78
1,65	1,62	1,69	1,61	1,70	1,59	1,73
1,6	1,57	1,64	1,56	1,65	1,55	1,67
1,55	1,53	1,58	1,52	1,60	1,50	1,62
1,5	1,48	1,53	1,47	1,54	1,45	1,56
1,45	1,43	1,48	1,42	1,49	1,41	1,51
1,4	1,38	1,43	1,37	1,44	1,36	1,45
1,35	1,33	1,37	1,33	1,38	1,31	1,40
1,3	1,28	1,32	1,28	1,33	1,27	1,34
1,25	1,24	1,27	1,23	1,28	1,22	1,29
1,2	1,19	1,22	1,18	1,23	1,17	1,24
1,15	1,14	1,17	1,13	1,17	1,12	1,18
1,1	1,09	1,12	1,08	1,12	1,08	1,13
1,05	1,04	1,06	1,04	1,07	1,03	1,08
1	0,99	1,01	0,99	1,02	0,98	1,02
0,98	0,97	0,99	0,97	1,00	0,96	1,00
0,96	0,95	0,97	0,95	0,98	0,94	0,98
0,95	0,94	0,96	0,94	0,96	0,93	0,97
0,94	0,93	0,95	0,93	0,95	0,92	0,96
0,92	0,91	0,93	0,91	0,93	0,90	0,94
0,9	0,89	0,91	0,89	0,91	0,89	0,92
0,88	0,87	0,89	0,87	0,89	0,87	0,90
0,86	0,85	0,87	0,85	0,87	0,85	0,88
0,85	0,84	0,86	0,84	0,86	0,84	0,87
0,84	0,83	0,85	0,83	0,85	0,83	0,86
0,82	0,81	0,83	0,81	0,83	0,81	0,83
0,8	0,79	0,81	0,79	0,81	0,79	0,81
0,78	0,78	0,79	0,77	0,79	0,77	0,79
0,76	0,76	0,77	0,75	0,77	0,75	0,77
0,75	0,75	0,76	0,74	0,76	0,74	0,76
0,74	0,74	0,75	0,73	0,75	0,73	0,75
0,72	0,72	0,73	0,71	0,73	0,71	0,73
0,7	0,70	0,70	0,69	0,71	0,69	0,71

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	27,46	INF	18,97	INF
100	21,59	INF	15,98	INF
90	21,09	INF	15,70	INF
80	20,49	INF	15,37	INF
70	19,78	INF	14,97	INF
60	18,89	INF	14,46	INF
50	17,78	INF	13,80	INF
45	17,11	INF	13,40	INF
40	16,34	INF	12,92	INF
35	15,45	INF	12,36	INF
30	14,40	INF	11,68	INF
25	13,15	INF	10,85	INF
20	11,63	INF	9,80	INF
15	9,76	42,84	8,44	INF
14	9,33	35,51	8,12	87,72
13	8,88	29,65	7,78	58,87
12	8,40	24,87	7,41	42,55
11	7,91	20,89	7,02	32,05
10	7,38	17,52	6,61	24,72
9,5	7,11	16,02	6,39	21,83
9	6,83	14,64	6,16	19,33
8,5	6,54	13,34	5,92	17,13
8	6,24	12,14	5,68	15,18
7,5	5,93	11,01	5,43	13,45
7	5,62	9,95	5,16	11,90
6,5	5,30	8,96	4,89	10,51
6	4,96	8,03	4,61	9,24
5,5	4,62	7,15	4,31	8,09
5	4,26	6,32	4,00	7,04
4,8	4,12	6,00	3,87	6,64
4,6	3,97	5,69	3,74	6,26
4,5	3,90	5,53	3,68	6,07
4,4	3,82	5,38	3,61	5,89
4,2	3,67	5,08	3,48	5,53
4	3,52	4,79	3,34	5,18
3,8	3,37	4,50	3,20	4,85
3,6	3,21	4,22	3,06	4,52
3,5	3,13	4,08	2,99	4,36
3,4	3,05	3,94	2,92	4,21
3,2	2,89	3,67	2,77	3,90
3	2,73	3,41	2,62	3,60
2,9	2,64	3,28	2,55	3,46
2,8	2,56	3,15	2,47	3,31
2,7	2,48	3,02	2,39	3,17
2,6	2,40	2,90	2,31	3,03

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
2,5	2,31	2,77	2,24	2,89
2,4	2,23	2,65	2,16	2,76
2,3	2,14	2,53	2,08	2,63
2,2	2,05	2,40	2,00	2,49
2,1	1,97	2,28	1,91	2,36
2	1,88	2,16	1,83	2,24
1,95	1,84	2,11	1,79	2,17
1,9	1,79	2,05	1,75	2,11
1,85	1,75	1,99	1,71	2,05
1,8	1,70	1,93	1,66	1,99
1,75	1,66	1,87	1,62	1,92
1,7	1,61	1,81	1,58	1,86
1,65	1,57	1,76	1,54	1,80
1,6	1,53	1,70	1,49	1,74
1,55	1,48	1,64	1,45	1,68
1,5	1,43	1,59	1,41	1,62
1,45	1,39	1,53	1,36	1,56
1,4	1,34	1,47	1,32	1,50
1,35	1,30	1,42	1,28	1,45
1,3	1,25	1,36	1,23	1,39
1,25	1,21	1,31	1,19	1,33
1,2	1,16	1,25	1,14	1,27
1,15	1,11	1,20	1,10	1,22
1,1	1,07	1,14	1,05	1,16
1,05	1,02	1,09	1,01	1,10
1	0,97	1,03	0,96	1,05
0,98	0,95	1,01	0,94	1,02
0,96	0,94	0,99	0,93	1,00
0,95	0,93	0,98	0,92	0,99
0,94	0,92	0,97	0,91	0,98
0,92	0,90	0,95	0,89	0,96
0,9	0,88	0,93	0,87	0,94
0,88	0,86	0,90	0,85	0,91
0,86	0,84	0,88	0,83	0,89
0,85	0,83	0,87	0,82	0,88
0,84	0,82	0,86	0,82	0,87
0,82	0,80	0,84	0,80	0,85
0,8	0,78	0,82	0,78	0,83
0,78	0,77	0,80	0,76	0,80
0,76	0,75	0,78	0,74	0,78
0,75	0,74	0,77	0,73	0,77
0,74	0,73	0,76	0,72	0,76
0,72	0,71	0,73	0,70	0,74
0,7	0,69	0,71	0,68	0,72

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	361,09	INF	300,03	INF	207,29	INF
60	51,48	73,36	50,04	81,14	46,58	93,69
30	27,72	32,99	27,30	34,47	26,24	36,53
15	14,41	15,71	14,30	16,03	14,01	16,45
12	11,62	12,45	11,55	12,64	11,36	12,91
10	9,74	10,31	9,69	10,44	9,55	10,62
9	8,79	9,25	8,75	9,35	8,64	9,50
8	7,83	8,19	7,80	8,28	7,71	8,39
7	6,87	7,15	6,85	7,21	6,78	7,35
6	5,91	6,11	5,89	6,15	5,84	6,21
5,5	5,42	5,59	5,41	5,63	5,37	5,68
5	4,93	5,07	4,92	5,10	4,89	5,14
4,5	4,45	4,56	4,44	4,58	4,41	4,62
4	3,96	4,05	3,95	4,07	3,93	4,09
3,8	3,76	3,84	3,76	3,86	3,74	3,88
3,6	3,57	3,64	3,56	3,65	3,54	3,67
3,4	3,37	3,43	3,37	3,45	3,35	3,46
3,2	3,17	3,23	3,17	3,24	3,16	3,26
3	2,98	3,03	2,97	3,04	2,96	3,05
2,8	2,78	2,82	2,78	2,83	2,77	2,84
2,6	2,58	2,62	2,58	2,63	2,57	2,64
2,4	2,39	2,42	2,38	2,42	2,38	2,43
2,2	2,19	2,21	2,19	2,22	2,18	2,22
2	1,99	2,01	1,99	2,01	1,98	2,02
1,9	1,89	1,91	1,89	1,91	1,89	1,92
1,8	1,79	1,81	1,79	1,81	1,79	1,82
1,7	1,69	1,71	1,69	1,71	1,69	1,71
1,6	1,59	1,61	1,59	1,61	1,59	1,61
1,5	1,49	1,51	1,49	1,51	1,49	1,51
1,4	1,40	1,40	1,39	1,41	1,39	1,41
1,3	1,30	1,30	1,30	1,31	1,29	1,31
1,2	1,20	1,20	1,20	1,20	1,19	1,21
1,1	1,10	1,10	1,10	1,10	1,10	1,11
1	1,00	1,00	1,00	1,00	1,00	1,00

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	143,41	INF	99,30	INF	69,00	INF
60	42,36	119,50	37,47	193,94	32,17	1537,36
30	24,85	39,87	23,09	45,69	20,97	57,46
15	13,61	17,09	13,07	18,07	12,37	19,64
12	11,09	13,29	10,74	13,87	10,26	14,78
10	9,37	10,88	9,11	11,26	8,77	11,85
9	8,49	9,70	8,28	10,00	7,99	10,46
8	7,59	8,55	7,42	8,78	7,20	9,13
7	6,69	7,41	6,56	7,59	6,38	7,84
6	5,77	6,30	5,67	6,42	5,54	6,60
5,5	5,31	5,75	5,23	5,85	5,12	6,00
5	4,84	5,20	4,77	5,29	4,68	5,41
4,5	4,37	4,66	4,32	4,73	4,24	4,82
4	3,90	4,13	3,86	4,18	3,80	4,25
3,8	3,71	3,91	3,67	3,96	3,62	4,03
3,6	3,52	3,70	3,48	3,74	3,44	3,80
3,4	3,33	3,49	3,30	3,53	3,25	3,58
3,2	3,14	3,28	3,11	3,31	3,07	3,36
3	2,94	3,07	2,92	3,10	2,89	3,13
2,8	2,75	2,86	2,73	2,88	2,70	2,92
2,6	2,56	2,65	2,54	2,67	2,52	2,70
2,4	2,37	2,44	2,35	2,46	2,33	2,48
2,2	2,17	2,23	2,16	2,25	2,14	2,27
2	1,98	2,03	1,97	2,04	1,95	2,06
1,9	1,88	1,93	1,87	1,94	1,86	1,95
1,8	1,78	1,82	1,77	1,83	1,76	1,84
1,7	1,68	1,72	1,68	1,73	1,67	1,74
1,6	1,59	1,62	1,58	1,62	1,57	1,63
1,5	1,49	1,51	1,48	1,52	1,47	1,53
1,4	1,39	1,41	1,38	1,42	1,38	1,42
1,3	1,29	1,31	1,29	1,31	1,28	1,32
1,2	1,19	1,21	1,19	1,21	1,18	1,22
1,1	1,09	1,11	1,09	1,11	1,09	1,11
1	1,00	1,01	0,99	1,01	0,99	1,01

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,025 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	48,16	INF	33,77	INF
60	26,79	INF	21,68	INF
30	18,56	90,28	15,96	474,13
15	11,49	22,40	10,45	27,95
12	9,66	16,28	8,91	19,01
10	8,33	12,78	7,77	14,40
9	7,62	11,18	7,16	12,39
8	6,90	9,67	6,52	10,56
7	6,15	8,24	5,84	8,87
6	5,37	6,88	5,14	7,31
5,5	4,97	6,22	4,77	6,57
5	4,56	5,59	4,39	5,87
4,5	4,14	4,97	4,00	5,18
4	3,72	4,36	3,61	4,53
3,8	3,54	4,12	3,44	4,27
3,6	3,37	3,89	3,28	4,02
3,4	3,20	3,65	3,12	3,77
3,2	3,02	3,42	2,95	3,52
3	2,84	3,19	2,78	3,28
2,8	2,66	2,96	2,61	3,04
2,6	2,48	2,74	2,44	2,80
2,4	2,30	2,52	2,26	2,57
2,2	2,12	2,30	2,08	2,34
2	1,93	2,08	1,91	2,11
1,9	1,84	1,97	1,82	2,00
1,8	1,75	1,86	1,72	1,89
1,7	1,65	1,75	1,63	1,78
1,6	1,56	1,65	1,54	1,67
1,5	1,46	1,54	1,45	1,56
1,4	1,37	1,43	1,36	1,45
1,3	1,27	1,33	1,26	1,34
1,2	1,18	1,22	1,17	1,23
1,1	1,08	1,12	1,08	1,13
1	0,99	1,02	0,98	1,02

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	2,89	INF	2,26	INF	1,88	INF
10	2,28	INF	1,88	INF	1,61	INF
5	1,88	INF	1,60	INF	1,41	INF
3	1,53	INF	1,34	INF	1,21	INF
2,5	1,39	17,56	1,24	INF	1,13	INF
2	1,23	6,06	1,12	17,98	1,02	INF
1,8	1,16	4,45	1,06	8,54	0,98	INF
1,6	1,08	3,34	0,99	5,16	0,92	INF
1,4	0,99	2,52	0,92	3,42	0,86	60,17
1,2	0,89	1,91	0,83	2,36	0,78	6,40
1	0,78	1,42	0,74	1,65	0,70	2,85
0,9	0,73	1,22	0,69	1,37	0,66	2,08
0,85	0,69	1,12	0,66	1,25	0,63	1,80
0,8	0,66	1,03	0,63	1,13	0,61	1,56
0,75	0,63	0,94	0,60	1,03	0,58	1,35
0,7	0,60	0,86	0,57	0,93	0,55	1,18
0,65	0,56	0,78	0,54	0,84	0,52	1,02
0,6	0,53	0,71	0,51	0,75	0,49	0,89
0,55	0,49	0,63	0,48	0,67	0,46	0,77
0,5	0,45	0,56	0,44	0,59	0,43	0,66
0,48	0,44	0,54	0,43	0,56	0,42	0,62
0,46	0,42	0,51	0,41	0,53	0,40	0,59
0,44	0,41	0,48	0,40	0,50	0,39	0,55
0,42	0,39	0,46	0,38	0,47	0,37	0,51
0,4	0,37	0,43	0,37	0,45	0,36	0,48
0,39	0,36	0,42	0,36	0,43	0,35	0,47
0,38	0,36	0,41	0,35	0,42	0,34	0,45
0,37	0,35	0,40	0,34	0,41	0,34	0,43
0,36	0,34	0,38	0,33	0,39	0,33	0,42
0,35	0,33	0,37	0,33	0,38	0,32	0,40
0,34	0,32	0,36	0,32	0,37	0,31	0,39
0,33	0,31	0,35	0,31	0,36	0,31	0,37
0,32	0,31	0,34	0,30	0,34	0,30	0,36
0,31	0,30	0,33	0,29	0,33	0,29	0,35
0,3	0,29	0,31	0,28	0,32	0,28	0,33

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	1,41	INF	1,01	INF	0,72	INF
10	1,26	INF	0,94	INF	0,69	INF
5	1,14	INF	0,87	INF	0,66	INF
3	1,01	INF	0,80	INF	0,62	INF
2,5	0,95	INF	0,76	INF	0,60	INF
2	0,88	INF	0,72	INF	0,57	INF
1,8	0,85	INF	0,70	INF	0,56	INF
1,6	0,81	INF	0,67	INF	0,54	INF
1,4	0,76	INF	0,64	INF	0,53	INF
1,2	0,70	INF	0,60	INF	0,50	INF
1	0,64	48,06	0,56	INF	0,47	INF
0,9	0,60	6,24	0,53	INF	0,46	INF
0,85	0,58	4,13	0,52	INF	0,45	INF
0,8	0,56	2,99	0,50	INF	0,43	INF
0,75	0,54	2,28	0,48	32,76	0,42	INF
0,7	0,52	1,80	0,47	6,24	0,41	INF
0,65	0,49	1,44	0,45	3,23	0,40	INF
0,6	0,47	1,17	0,43	2,07	0,38	INF
0,55	0,44	0,96	0,41	1,46	0,37	6,12
0,5	0,41	0,79	0,38	1,08	0,35	2,29
0,48	0,40	0,73	0,37	0,96	0,34	1,78
0,46	0,39	0,68	0,36	0,86	0,33	1,44
0,44	0,37	0,63	0,35	0,78	0,32	1,19
0,42	0,36	0,58	0,34	0,70	0,32	1,00
0,4	0,35	0,54	0,33	0,63	0,31	0,85
0,39	0,34	0,51	0,32	0,60	0,30	0,79
0,38	0,33	0,49	0,32	0,57	0,30	0,73
0,37	0,33	0,47	0,31	0,54	0,29	0,68
0,36	0,32	0,45	0,31	0,51	0,29	0,64
0,35	0,31	0,44	0,30	0,49	0,28	0,59
0,34	0,31	0,42	0,29	0,46	0,28	0,55
0,33	0,30	0,40	0,29	0,44	0,27	0,52
0,32	0,29	0,38	0,28	0,42	0,27	0,49
0,31	0,28	0,37	0,27	0,40	0,26	0,45
0,3	0,28	0,35	0,27	0,38	0,26	0,43

**COMPACT PRIME CP.3 15mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,53	INF
10	0,51	INF
5	0,50	INF
3	0,48	INF
2,5	0,47	INF
2	0,45	INF
1,8	0,45	INF
1,6	0,44	INF
1,4	0,43	INF
1,2	0,41	INF
1	0,40	INF
0,9	0,38	INF
0,85	0,38	INF
0,8	0,37	INF
0,75	0,36	INF
0,7	0,36	INF
0,65	0,35	INF
0,6	0,34	INF
0,55	0,33	INF
0,5	0,31	INF
0,48	0,31	INF
0,46	0,30	INF
0,44	0,30	8,32
0,42	0,29	3,25
0,4	0,28	1,96
0,39	0,28	1,61
0,38	0,27	1,36
0,37	0,27	1,17
0,36	0,27	1,02
0,35	0,26	0,90
0,34	0,26	0,80
0,33	0,25	0,72
0,32	0,25	0,65
0,31	0,25	0,59
0,3	0,24	0,53

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4,15	INF	3,10	INF	2,40	INF
60	3,90	INF	2,96	INF	2,31	INF
50	3,85	INF	2,93	INF	2,30	INF
30	3,67	INF	2,83	INF	2,23	INF
20	3,47	INF	2,71	INF	2,16	INF
15	3,29	INF	2,60	INF	2,09	INF
12	3,13	INF	2,50	INF	2,03	INF
10	2,98	INF	2,41	INF	1,97	INF
9	2,89	INF	2,35	INF	1,93	INF
8	2,78	INF	2,28	INF	1,88	INF
7	2,66	INF	2,19	INF	1,83	INF
6	2,51	INF	2,09	INF	1,76	INF
5,5	2,42	INF	2,03	INF	1,72	INF
5	2,32	INF	1,97	INF	1,67	INF
4,5	2,22	INF	1,89	INF	1,61	INF
4	2,09	104,33	1,80	INF	1,55	INF
3,8	2,04	42,62	1,76	INF	1,52	INF
3,6	1,98	25,72	1,72	INF	1,49	INF
3,5	1,95	21,16	1,70	INF	1,48	INF
3,4	1,92	17,82	1,68	INF	1,46	INF
3,2	1,86	13,24	1,63	211,07	1,42	INF
3	1,80	10,26	1,58	36,97	1,39	INF
2,8	1,73	8,16	1,53	19,03	1,35	INF
2,6	1,65	6,60	1,47	12,20	1,30	INF
2,5	1,61	5,96	1,44	10,16	1,28	INF
2,4	1,57	5,40	1,41	8,60	1,25	INF
2,2	1,49	4,44	1,34	6,38	1,20	INF
2	1,40	3,66	1,27	4,87	1,14	22,64
1,9	1,35	3,32	1,23	4,28	1,11	13,63
1,8	1,30	3,02	1,19	3,78	1,08	9,46
1,7	1,25	2,73	1,15	3,34	1,05	7,04
1,6	1,20	2,47	1,10	2,95	1,01	5,47
1,5	1,14	2,23	1,06	2,61	0,97	4,37
1,45	1,12	2,12	1,04	2,45	0,95	3,93
1,4	1,09	2,01	1,01	2,30	0,93	3,55
1,35	1,06	1,90	0,99	2,16	0,91	3,22
1,3	1,03	1,80	0,96	2,03	0,89	2,92
1,25	1,00	1,70	0,94	1,90	0,87	2,66
1,2	0,97	1,60	0,91	1,78	0,85	2,42

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
1,15	0,94	1,51	0,88	1,67	0,82	2,21
1,1	0,91	1,42	0,85	1,56	0,80	2,01
1,05	0,87	1,34	0,83	1,45	0,78	1,84
1	0,84	1,25	0,80	1,35	0,75	1,68
0,98	0,83	1,22	0,78	1,31	0,74	1,61
0,96	0,81	1,19	0,77	1,28	0,73	1,56
0,95	0,81	1,17	0,77	1,26	0,72	1,53
0,94	0,80	1,15	0,76	1,24	0,72	1,50
0,92	0,78	1,12	0,75	1,20	0,71	1,44
0,9	0,77	1,09	0,73	1,17	0,70	1,39
0,88	0,76	1,06	0,72	1,13	0,69	1,34
0,86	0,74	1,03	0,71	1,10	0,67	1,29
0,85	0,74	1,02	0,70	1,08	0,67	1,26
0,84	0,73	1,00	0,70	1,06	0,66	1,24
0,82	0,71	0,97	0,68	1,03	0,65	1,19
0,8	0,70	0,94	0,67	0,99	0,64	1,15
0,78	0,68	0,91	0,66	0,96	0,63	1,10
0,76	0,67	0,88	0,64	0,93	0,62	1,06
0,75	0,66	0,87	0,64	0,91	0,61	1,04
0,74	0,66	0,86	0,63	0,90	0,60	1,02
0,72	0,64	0,83	0,62	0,87	0,59	0,98
0,7	0,62	0,80	0,60	0,84	0,58	0,94
0,68	0,61	0,77	0,59	0,81	0,57	0,90
0,66	0,59	0,75	0,57	0,78	0,55	0,86
0,65	0,59	0,73	0,57	0,76	0,55	0,84
0,64	0,58	0,72	0,56	0,75	0,54	0,82
0,62	0,56	0,69	0,55	0,72	0,53	0,79
0,6	0,55	0,67	0,53	0,69	0,51	0,75
0,59	0,54	0,65	0,52	0,68	0,51	0,74
0,58	0,53	0,64	0,52	0,66	0,50	0,72
0,57	0,52	0,63	0,51	0,65	0,49	0,70
0,56	0,51	0,62	0,50	0,64	0,49	0,69
0,55	0,51	0,60	0,49	0,62	0,48	0,67
0,54	0,50	0,59	0,49	0,61	0,47	0,65
0,53	0,49	0,58	0,48	0,59	0,46	0,64
0,52	0,48	0,57	0,47	0,58	0,46	0,62
0,51	0,47	0,55	0,46	0,57	0,45	0,61
0,5	0,47	0,54	0,45	0,56	0,44	0,59
0,49	0,46	0,53	0,45	0,54	0,44	0,58

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0,48	0,45	0,52	0,44	0,53	0,43	0,56
0,47	0,44	0,51	0,43	0,52	0,42	0,55
0,46	0,43	0,49	0,42	0,50	0,41	0,53
0,45	0,42	0,48	0,42	0,49	0,41	0,52
0,44	0,42	0,47	0,41	0,48	0,40	0,50
0,43	0,41	0,46	0,40	0,47	0,39	0,49
0,42	0,40	0,45	0,39	0,45	0,38	0,47
0,41	0,39	0,43	0,38	0,44	0,38	0,46
0,4	0,38	0,42	0,37	0,43	0,37	0,45
0,39	0,37	0,41	0,37	0,42	0,36	0,43
0,38	0,36	0,40	0,36	0,41	0,35	0,42
0,37	0,35	0,39	0,35	0,39	0,34	0,41
0,36	0,35	0,38	0,34	0,38	0,34	0,39
0,35	0,34	0,37	0,33	0,37	0,33	0,38
0,34	0,33	0,35	0,32	0,36	0,32	0,37
0,33	0,32	0,34	0,31	0,35	0,31	0,36
0,32	0,31	0,33	0,31	0,34	0,30	0,34
0,31	0,30	0,32	0,30	0,32	0,29	0,33
0,3	0,29	0,31	0,29	0,31	0,29	0,32

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	1,80	INF	1,30	INF	0,94	INF
60	1,75	INF	1,28	INF	0,93	INF
50	1,74	INF	1,27	INF	0,92	INF
30	1,71	INF	1,25	INF	0,91	INF
20	1,66	INF	1,23	INF	0,90	INF
15	1,62	INF	1,21	INF	0,89	INF
12	1,59	INF	1,19	INF	0,88	INF
10	1,55	INF	1,17	INF	0,87	INF
9	1,53	INF	1,16	INF	0,87	INF
8	1,50	INF	1,14	INF	0,86	INF
7	1,46	INF	1,12	INF	0,85	INF
6	1,42	INF	1,10	INF	0,84	INF
5,5	1,39	INF	1,08	INF	0,83	INF
5	1,36	INF	1,07	INF	0,82	INF
4,5	1,33	INF	1,05	INF	0,81	INF
4	1,29	INF	1,02	INF	0,79	INF
3,8	1,27	INF	1,01	INF	0,79	INF
3,6	1,25	INF	1,00	INF	0,78	INF
3,5	1,24	INF	0,99	INF	0,77	INF
3,4	1,22	INF	0,98	INF	0,77	INF
3,2	1,20	INF	0,97	INF	0,76	INF
3	1,17	INF	0,95	INF	0,75	INF
2,8	1,15	INF	0,93	INF	0,74	INF
2,6	1,12	INF	0,91	INF	0,73	INF
2,5	1,10	INF	0,90	INF	0,72	INF
2,4	1,08	INF	0,89	INF	0,72	INF
2,2	1,04	INF	0,87	INF	0,70	INF
2	1,00	INF	0,84	INF	0,69	INF
1,9	0,98	INF	0,82	INF	0,68	INF
1,8	0,95	INF	0,81	INF	0,67	INF
1,7	0,93	INF	0,79	INF	0,65	INF
1,6	0,90	INF	0,77	INF	0,64	INF
1,5	0,87	101,63	0,75	INF	0,63	INF
1,45	0,86	27,36	0,74	INF	0,62	INF
1,4	0,84	15,35	0,73	INF	0,61	INF
1,35	0,82	10,43	0,72	INF	0,61	INF
1,3	0,81	7,76	0,70	INF	0,60	INF
1,25	0,79	6,08	0,69	INF	0,59	INF
1,2	0,77	4,92	0,68	INF	0,58	INF

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
1,15	0,75	4,08	0,66	INF	0,57	INF
1,1	0,73	3,44	0,65	114,51	0,56	INF
1,05	0,71	2,93	0,63	16,11	0,55	INF
1	0,69	2,53	0,62	8,29	0,54	INF
0,98	0,68	2,38	0,61	6,86	0,53	INF
0,96	0,67	2,25	0,61	5,82	0,53	INF
0,95	0,67	2,19	0,60	5,40	0,53	INF
0,94	0,67	2,13	0,60	5,02	0,52	INF
0,92	0,66	2,01	0,59	4,40	0,52	INF
0,9	0,65	1,91	0,58	3,89	0,51	INF
0,88	0,64	1,81	0,58	3,47	0,51	INF
0,86	0,63	1,71	0,57	3,12	0,50	INF
0,85	0,62	1,67	0,57	2,97	0,50	INF
0,84	0,62	1,62	0,56	2,82	0,50	INF
0,82	0,61	1,54	0,55	2,57	0,49	77,50
0,8	0,60	1,46	0,55	2,34	0,49	18,71
0,78	0,59	1,39	0,54	2,15	0,48	10,42
0,76	0,58	1,32	0,53	1,97	0,47	7,10
0,75	0,57	1,28	0,53	1,89	0,47	6,10
0,74	0,57	1,25	0,52	1,82	0,47	5,32
0,72	0,56	1,19	0,51	1,68	0,46	4,21
0,7	0,55	1,12	0,50	1,55	0,45	3,45
0,68	0,54	1,07	0,50	1,44	0,45	2,90
0,66	0,52	1,01	0,49	1,33	0,44	2,48
0,65	0,52	0,99	0,48	1,29	0,44	2,30
0,64	0,51	0,96	0,48	1,24	0,43	2,14
0,62	0,50	0,91	0,47	1,15	0,43	1,88
0,6	0,49	0,86	0,46	1,07	0,42	1,66
0,59	0,48	0,84	0,45	1,03	0,41	1,56
0,58	0,48	0,82	0,45	1,00	0,41	1,48
0,57	0,47	0,79	0,44	0,96	0,41	1,39
0,56	0,47	0,77	0,44	0,93	0,40	1,32
0,55	0,46	0,75	0,43	0,90	0,40	1,25
0,54	0,45	0,73	0,43	0,86	0,39	1,18
0,53	0,45	0,71	0,42	0,83	0,39	1,12
0,52	0,44	0,69	0,41	0,81	0,38	1,07
0,51	0,43	0,67	0,41	0,78	0,38	1,01
0,5	0,43	0,65	0,40	0,75	0,37	0,97
0,49	0,42	0,63	0,40	0,72	0,37	0,92

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
0,48	0,41	0,61	0,39	0,70	0,37	0,87
0,47	0,41	0,59	0,39	0,67	0,36	0,83
0,46	0,40	0,58	0,38	0,65	0,36	0,79
0,45	0,39	0,56	0,37	0,63	0,35	0,76
0,44	0,39	0,54	0,37	0,60	0,35	0,72
0,43	0,38	0,52	0,36	0,58	0,34	0,69
0,42	0,37	0,51	0,36	0,56	0,34	0,66
0,41	0,36	0,49	0,35	0,54	0,33	0,63
0,4	0,36	0,48	0,34	0,52	0,32	0,60
0,39	0,35	0,46	0,34	0,50	0,32	0,57
0,38	0,34	0,44	0,33	0,48	0,31	0,54
0,37	0,34	0,43	0,32	0,46	0,31	0,52
0,36	0,33	0,41	0,32	0,44	0,30	0,49
0,35	0,32	0,40	0,31	0,43	0,30	0,47
0,34	0,31	0,38	0,30	0,41	0,29	0,45
0,33	0,30	0,37	0,30	0,39	0,28	0,43
0,32	0,30	0,36	0,29	0,38	0,28	0,41
0,31	0,29	0,34	0,28	0,36	0,27	0,39
0,3	0,28	0,33	0,27	0,34	0,26	0,37

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	0,68	INF
60	0,68	INF
50	0,68	INF
30	0,67	INF
20	0,67	INF
15	0,66	INF
12	0,66	INF
10	0,65	INF
9	0,65	INF
8	0,65	INF
7	0,64	INF
6	0,63	INF
5,5	0,63	INF
5	0,62	INF
4,5	0,62	INF
4	0,61	INF
3,8	0,61	INF
3,6	0,60	INF
3,5	0,60	INF
3,4	0,60	INF
3,2	0,59	INF
3	0,59	INF
2,8	0,58	INF
2,6	0,58	INF
2,5	0,57	INF
2,4	0,57	INF
2,2	0,56	INF
2	0,55	INF
1,9	0,54	INF
1,8	0,54	INF
1,7	0,53	INF
1,6	0,52	INF
1,5	0,52	INF
1,45	0,51	INF
1,4	0,51	INF
1,35	0,50	INF
1,3	0,50	INF
1,25	0,49	INF
1,2	0,49	INF

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
1,15	0,48	INF
1,1	0,47	INF
1,05	0,47	INF
1	0,46	INF
0,98	0,46	INF
0,96	0,45	INF
0,95	0,45	INF
0,94	0,45	INF
0,92	0,45	INF
0,9	0,44	INF
0,88	0,44	INF
0,86	0,44	INF
0,85	0,43	INF
0,84	0,43	INF
0,82	0,43	INF
0,8	0,42	INF
0,78	0,42	INF
0,76	0,41	INF
0,75	0,41	INF
0,74	0,41	INF
0,72	0,41	INF
0,7	0,40	INF
0,68	0,40	INF
0,66	0,39	INF
0,65	0,39	INF
0,64	0,39	INF
0,62	0,38	54,70
0,6	0,37	10,27
0,59	0,37	7,21
0,58	0,37	5,51
0,57	0,37	4,43
0,56	0,36	3,68
0,55	0,36	3,14
0,54	0,36	2,72
0,53	0,35	2,39
0,52	0,35	2,12
0,51	0,35	1,90
0,5	0,34	1,72
0,49	0,34	1,56

**COMPACT PRIME CP.3 18mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
0,48	0,34	1,42
0,47	0,33	1,31
0,46	0,33	1,20
0,45	0,32	1,11
0,44	0,32	1,03
0,43	0,32	0,95
0,42	0,31	0,89
0,41	0,31	0,83
0,4	0,30	0,77
0,39	0,30	0,72
0,38	0,29	0,68
0,37	0,29	0,63
0,36	0,28	0,60
0,35	0,28	0,56
0,34	0,27	0,53
0,33	0,27	0,49
0,32	0,26	0,46
0,31	0,26	0,44
0,3	0,25	0,41

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,9		4		5,6	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	5,61	INF	4,64	INF	4,15	INF
10	3,64	INF	3,22	INF	2,98	INF
5	2,70	44,93	2,46	INF	2,32	INF
3	2,00	6,22	1,87	9,07	1,79	INF
2	1,52	3,00	1,44	3,51	1,40	7,53
1,7	1,34	2,35	1,29	2,65	1,25	4,38
1,5	1,22	1,97	1,17	2,17	1,14	3,19
1,3	1,09	1,63	1,05	1,76	1,03	2,36
1,1	0,95	1,32	0,92	1,40	0,90	1,74
1	0,88	1,17	0,85	1,24	0,84	1,48
0,9	0,80	1,03	0,78	1,08	0,77	1,26
0,8	0,72	0,90	0,71	0,93	0,70	1,06
0,75	0,68	0,84	0,67	0,86	0,66	0,97
0,7	0,64	0,77	0,63	0,80	0,62	0,88
0,65	0,60	0,71	0,59	0,73	0,59	0,80
0,6	0,56	0,65	0,55	0,66	0,55	0,72
0,55	0,52	0,59	0,51	0,60	0,51	0,64
0,5	0,47	0,53	0,47	0,54	0,46	0,57
0,48	0,46	0,51	0,45	0,52	0,45	0,54
0,46	0,44	0,48	0,43	0,49	0,43	0,52
0,44	0,42	0,46	0,42	0,47	0,41	0,49
0,42	0,40	0,44	0,40	0,44	0,40	0,46
0,4	0,39	0,42	0,38	0,42	0,38	0,44
0,39	0,38	0,41	0,37	0,41	0,37	0,43
0,38	0,37	0,39	0,36	0,40	0,36	0,41
0,37	0,36	0,38	0,36	0,39	0,35	0,40
0,36	0,35	0,37	0,35	0,38	0,34	0,39
0,35	0,34	0,36	0,34	0,36	0,34	0,38
0,34	0,33	0,35	0,33	0,35	0,33	0,36
0,33	0,32	0,34	0,32	0,34	0,32	0,35
0,32	0,31	0,33	0,31	0,33	0,31	0,34
0,31	0,30	0,32	0,30	0,32	0,30	0,33
0,3	0,29	0,31	0,29	0,31	0,29	0,32
0,29	0,28	0,30	0,28	0,30	0,28	0,30
0,28	0,27	0,29	0,27	0,29	0,27	0,29
0,27	0,27	0,28	0,26	0,28	0,26	0,28
0,26	0,26	0,26	0,26	0,27	0,25	0,27
0,25	0,25	0,25	0,25	0,25	0,25	0,26
0,24	0,24	0,24	0,24	0,24	0,24	0,25

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	8		11		16	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	3,21	INF	2,22	INF	1,50	INF
10	2,47	INF	1,84	INF	1,32	INF
5	2,01	INF	1,58	INF	1,19	INF
3	1,60	INF	1,33	INF	1,04	INF
2	1,28	INF	1,10	INF	0,91	INF
1,7	1,16	23,06	1,01	INF	0,85	INF
1,5	1,07	7,58	0,95	INF	0,80	INF
1,3	0,97	4,04	0,87	32,04	0,75	INF
1,1	0,86	2,47	0,78	5,10	0,69	INF
1	0,80	1,97	0,73	3,30	0,65	35,39
0,9	0,74	1,58	0,68	2,31	0,61	6,00
0,8	0,67	1,27	0,63	1,68	0,57	2,95
0,75	0,64	1,14	0,60	1,44	0,55	2,26
0,7	0,60	1,01	0,57	1,24	0,52	1,79
0,65	0,57	0,90	0,54	1,07	0,50	1,44
0,6	0,53	0,80	0,51	0,92	0,47	1,17
0,55	0,49	0,70	0,47	0,80	0,44	0,96
0,5	0,46	0,62	0,44	0,68	0,41	0,79
0,48	0,44	0,58	0,42	0,64	0,40	0,73
0,46	0,42	0,55	0,41	0,60	0,39	0,68
0,44	0,41	0,52	0,39	0,56	0,38	0,63
0,42	0,39	0,49	0,38	0,53	0,36	0,58
0,4	0,37	0,46	0,36	0,49	0,35	0,54
0,39	0,37	0,45	0,36	0,47	0,34	0,52
0,38	0,36	0,43	0,35	0,46	0,33	0,50
0,37	0,35	0,42	0,34	0,44	0,33	0,48
0,36	0,34	0,40	0,33	0,42	0,32	0,46
0,35	0,33	0,39	0,32	0,41	0,31	0,44
0,34	0,32	0,38	0,32	0,39	0,31	0,42
0,33	0,31	0,36	0,31	0,38	0,30	0,40
0,32	0,31	0,35	0,30	0,36	0,29	0,38
0,31	0,30	0,34	0,29	0,35	0,28	0,37
0,3	0,29	0,32	0,28	0,34	0,28	0,35
0,29	0,28	0,31	0,28	0,32	0,27	0,34
0,28	0,27	0,30	0,27	0,31	0,26	0,32
0,27	0,26	0,29	0,26	0,29	0,25	0,30
0,26	0,25	0,27	0,25	0,28	0,24	0,29
0,25	0,24	0,26	0,24	0,27	0,24	0,28
0,24	0,23	0,25	0,23	0,26	0,23	0,26

**COMPACT PRIME CP.3 21mm/T2.9 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop	
	22	
m	von / from	bis / to
INF	1,03	INF
10	0,95	INF
5	0,89	INF
3	0,81	INF
2	0,73	INF
1,7	0,69	INF
1,5	0,66	INF
1,3	0,63	INF
1,1	0,59	INF
1	0,56	INF
0,9	0,53	INF
0,8	0,50	INF
0,75	0,49	13,73
0,7	0,47	4,99
0,65	0,45	2,88
0,6	0,43	1,93
0,55	0,41	1,39
0,5	0,38	1,05
0,48	0,37	0,94
0,46	0,36	0,85
0,44	0,35	0,76
0,42	0,34	0,69
0,4	0,33	0,62
0,39	0,32	0,59
0,38	0,32	0,56
0,37	0,31	0,54
0,36	0,31	0,51
0,35	0,30	0,49
0,34	0,29	0,46
0,33	0,29	0,44
0,32	0,28	0,42
0,31	0,27	0,40
0,3	0,27	0,38
0,29	0,26	0,36
0,28	0,25	0,34
0,27	0,25	0,32
0,26	0,24	0,30
0,25	0,23	0,29
0,24	0,22	0,27

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	11,27	INF	9,68	INF	7,09	INF
12	5,86	INF	5,40	INF	4,50	INF
6	3,96	13,03	3,75	29,96	3,30	INF
4	2,99	6,19	2,87	8,42	2,60	17,02
3	2,40	4,06	2,32	4,90	2,15	6,89
2,5	2,07	3,19	2,02	3,67	1,88	4,67
2	1,72	2,41	1,68	2,67	1,59	3,15
1,8	1,57	2,12	1,54	2,32	1,46	2,66
1,6	1,42	1,84	1,39	1,99	1,33	2,24
1,4	1,26	1,58	1,24	1,68	1,19	1,85
1,2	1,10	1,33	1,09	1,40	1,05	1,51
1,1	1,02	1,20	1,00	1,26	0,97	1,35
1	0,93	1,08	0,92	1,13	0,90	1,20
0,9	0,85	0,97	0,84	1,00	0,82	1,05
0,85	0,80	0,91	0,79	0,94	0,78	0,98
0,8	0,76	0,85	0,75	0,88	0,73	0,91
0,75	0,71	0,79	0,71	0,81	0,69	0,85
0,7	0,67	0,74	0,66	0,75	0,65	0,78
0,65	0,62	0,68	0,62	0,70	0,61	0,72
0,6	0,58	0,63	0,57	0,64	0,57	0,66
0,58	0,56	0,60	0,56	0,61	0,55	0,63
0,56	0,54	0,58	0,54	0,59	0,53	0,61
0,54	0,52	0,56	0,52	0,57	0,51	0,58
0,52	0,50	0,54	0,50	0,55	0,50	0,56
0,5	0,49	0,52	0,48	0,52	0,48	0,54
0,48	0,47	0,49	0,46	0,50	0,46	0,51
0,46	0,45	0,47	0,45	0,48	0,44	0,49
0,44	0,43	0,45	0,43	0,46	0,42	0,47
0,42	0,41	0,43	0,41	0,44	0,41	0,44
0,39	0,38	0,40	0,38	0,40	0,38	0,41
0,38	0,37	0,39	0,37	0,39	0,37	0,40
0,37	0,36	0,38	0,36	0,38	0,36	0,39
0,36	0,35	0,37	0,35	0,37	0,35	0,37
0,35	0,34	0,36	0,34	0,36	0,34	0,36
0,34	0,33	0,35	0,33	0,35	0,33	0,35
0,33	0,32	0,34	0,32	0,34	0,32	0,34
0,32	0,32	0,32	0,31	0,33	0,31	0,33
0,31	0,31	0,31	0,31	0,32	0,30	0,32
0,3	0,30	0,30	0,30	0,31	0,29	0,31
0,29	0,29	0,29	0,29	0,30	0,28	0,30
0,28	0,28	0,28	0,28	0,28	0,28	0,29

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	4,93	INF	3,40	INF	2,36	INF
12	3,53	INF	2,68	INF	2,00	INF
6	2,75	INF	2,21	INF	1,73	INF
4	2,25	INF	1,88	INF	1,53	INF
3	1,91	14,33	1,64	INF	1,37	INF
2,5	1,70	7,15	1,49	26,43	1,26	INF
2	1,46	4,08	1,30	6,90	1,13	288,65
1,8	1,35	3,30	1,22	4,89	1,07	15,50
1,6	1,24	2,66	1,13	3,59	1,00	7,10
1,4	1,12	2,13	1,03	2,67	0,92	4,19
1,2	0,99	1,68	0,92	1,99	0,84	2,71
1,1	0,93	1,48	0,86	1,72	0,79	2,21
1	0,86	1,30	0,80	1,47	0,74	1,81
0,9	0,78	1,13	0,74	1,25	0,69	1,49
0,85	0,75	1,05	0,71	1,15	0,66	1,34
0,8	0,71	0,97	0,68	1,06	0,63	1,21
0,75	0,67	0,89	0,64	0,97	0,60	1,09
0,7	0,63	0,82	0,61	0,88	0,57	0,98
0,65	0,59	0,75	0,57	0,80	0,54	0,88
0,6	0,55	0,68	0,53	0,72	0,51	0,78
0,58	0,54	0,65	0,52	0,69	0,49	0,75
0,56	0,52	0,63	0,50	0,66	0,48	0,71
0,54	0,50	0,60	0,49	0,63	0,47	0,68
0,52	0,49	0,58	0,47	0,60	0,45	0,64
0,5	0,47	0,55	0,46	0,57	0,44	0,61
0,48	0,45	0,53	0,44	0,55	0,42	0,58
0,46	0,43	0,50	0,42	0,52	0,41	0,55
0,44	0,42	0,48	0,41	0,49	0,39	0,52
0,42	0,40	0,45	0,39	0,47	0,38	0,49
0,39	0,37	0,42	0,37	0,43	0,36	0,44
0,38	0,36	0,40	0,36	0,41	0,35	0,43
0,37	0,35	0,39	0,35	0,40	0,34	0,42
0,36	0,35	0,38	0,34	0,39	0,33	0,40
0,35	0,34	0,37	0,33	0,38	0,32	0,39
0,34	0,33	0,36	0,32	0,37	0,32	0,38
0,33	0,32	0,35	0,31	0,35	0,31	0,36
0,32	0,31	0,33	0,31	0,34	0,30	0,35
0,31	0,30	0,32	0,30	0,33	0,29	0,34
0,3	0,29	0,31	0,29	0,32	0,28	0,32
0,29	0,28	0,30	0,28	0,31	0,27	0,31
0,28	0,27	0,29	0,27	0,29	0,27	0,30

**COMPACT PRIME CP.3 25mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	1,66	INF	1,18	INF
12	1,48	INF	1,09	INF
6	1,33	INF	1,01	INF
4	1,21	INF	0,95	INF
3	1,11	INF	0,89	INF
2,5	1,04	INF	0,84	INF
2	0,95	INF	0,79	INF
1,8	0,91	INF	0,76	INF
1,6	0,86	INF	0,73	INF
1,4	0,81	23,37	0,69	INF
1,2	0,74	5,61	0,64	INF
1,1	0,71	3,79	0,62	INF
1	0,67	2,72	0,59	10,51
0,9	0,63	2,03	0,56	4,39
0,85	0,60	1,76	0,54	3,27
0,8	0,58	1,54	0,52	2,54
0,75	0,56	1,34	0,50	2,03
0,7	0,53	1,17	0,48	1,65
0,65	0,50	1,02	0,46	1,36
0,6	0,48	0,89	0,44	1,13
0,58	0,46	0,84	0,43	1,05
0,56	0,45	0,80	0,42	0,97
0,54	0,44	0,75	0,41	0,91
0,52	0,43	0,71	0,40	0,84
0,5	0,42	0,67	0,39	0,78
0,48	0,40	0,63	0,38	0,73
0,46	0,39	0,59	0,37	0,67
0,44	0,38	0,56	0,36	0,63
0,42	0,36	0,52	0,34	0,58
0,39	0,34	0,47	0,33	0,52
0,38	0,34	0,45	0,32	0,50
0,37	0,33	0,44	0,31	0,48
0,36	0,32	0,42	0,31	0,46
0,35	0,31	0,41	0,30	0,44
0,34	0,31	0,39	0,29	0,42
0,33	0,30	0,38	0,29	0,40
0,32	0,29	0,36	0,28	0,39
0,31	0,28	0,35	0,27	0,37
0,3	0,28	0,34	0,27	0,35
0,29	0,27	0,32	0,26	0,34
0,28	0,26	0,31	0,25	0,32

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	13,91	INF	8,63	INF	8,71	INF
10	5,86	35,20	4,68	34,11	4,70	INF
5	3,71	7,71	3,21	7,66	3,22	18,69
3	2,49	3,78	2,26	3,76	2,27	5,25
2	1,77	2,31	1,65	2,30	1,65	2,76
1,6	1,45	1,78	1,37	1,78	1,38	2,04
1,4	1,29	1,54	1,23	1,54	1,23	1,72
1,2	1,12	1,30	1,07	1,30	1,07	1,42
1	0,94	1,06	0,91	1,06	0,91	1,14
0,9	0,86	0,95	0,83	0,95	0,83	1,01
0,8	0,77	0,84	0,75	0,84	0,75	0,88
0,75	0,72	0,78	0,70	0,78	0,70	0,82
0,7	0,67	0,73	0,66	0,73	0,66	0,76
0,65	0,63	0,67	0,62	0,67	0,62	0,70
0,6	0,58	0,62	0,57	0,62	0,57	0,64
0,55	0,54	0,57	0,53	0,57	0,53	0,58
0,5	0,49	0,51	0,48	0,51	0,48	0,53
0,48	0,47	0,49	0,46	0,49	0,46	0,50
0,46	0,45	0,47	0,45	0,47	0,45	0,48
0,44	0,43	0,45	0,43	0,45	0,43	0,46
0,42	0,41	0,43	0,41	0,43	0,41	0,44
0,4	0,39	0,41	0,39	0,41	0,39	0,41
0,39	0,38	0,40	0,38	0,40	0,38	0,40
0,38	0,37	0,39	0,37	0,39	0,37	0,39
0,37	0,36	0,38	0,36	0,38	0,36	0,38
0,36	0,35	0,37	0,35	0,37	0,35	0,37
0,35	0,35	0,35	0,34	0,35	0,34	0,36
0,34	0,34	0,34	0,33	0,34	0,33	0,35
0,33	0,33	0,33	0,32	0,33	0,32	0,34
0,32	0,32	0,32	0,31	0,32	0,31	0,33
0,31	0,31	0,31	0,30	0,31	0,30	0,32
0,3	0,30	0,30	0,30	0,30	0,30	0,31
0,29	0,29	0,29	0,29	0,29	0,29	0,30
0,28	0,28	0,28	0,28	0,28	0,28	0,29
0,27	0,27	0,27	0,27	0,27	0,27	0,27
0,26	0,26	0,26	0,26	0,26	0,26	0,26
0,25	0,25	0,25	0,25	0,25	0,25	0,25
0,24	0,24	0,24	0,24	0,24	0,24	0,24

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	7,85	INF	5,61	INF	3,69	INF
10	4,44	INF	3,64	INF	2,73	INF
5	3,10	INF	2,69	INF	2,17	INF
3	2,21	10,43	2,00	INF	1,70	INF
2	1,62	3,70	1,51	5,85	1,34	20,19
1,6	1,35	2,49	1,28	3,29	1,15	5,38
1,4	1,21	2,02	1,15	2,50	1,05	3,53
1,2	1,06	1,62	1,01	1,90	0,94	2,42
1	0,90	1,26	0,87	1,42	0,82	1,68
0,9	0,82	1,10	0,80	1,22	0,75	1,40
0,8	0,74	0,95	0,72	1,03	0,68	1,15
0,75	0,70	0,88	0,68	0,95	0,65	1,05
0,7	0,66	0,81	0,64	0,86	0,61	0,94
0,65	0,61	0,74	0,60	0,78	0,58	0,85
0,6	0,57	0,67	0,56	0,71	0,54	0,76
0,55	0,52	0,61	0,51	0,64	0,50	0,67
0,5	0,48	0,54	0,47	0,57	0,46	0,60
0,48	0,46	0,52	0,45	0,54	0,44	0,57
0,46	0,44	0,50	0,44	0,51	0,43	0,54
0,44	0,43	0,47	0,42	0,49	0,41	0,51
0,42	0,41	0,45	0,40	0,46	0,39	0,48
0,4	0,39	0,42	0,38	0,44	0,38	0,45
0,39	0,38	0,41	0,37	0,42	0,37	0,44
0,38	0,37	0,40	0,37	0,41	0,36	0,42
0,37	0,36	0,39	0,36	0,40	0,35	0,41
0,36	0,35	0,38	0,35	0,39	0,34	0,40
0,35	0,34	0,37	0,34	0,37	0,33	0,38
0,34	0,33	0,36	0,33	0,36	0,32	0,37
0,33	0,32	0,34	0,32	0,35	0,32	0,36
0,32	0,31	0,33	0,31	0,34	0,31	0,35
0,31	0,30	0,32	0,30	0,33	0,30	0,33
0,3	0,29	0,31	0,29	0,32	0,29	0,32
0,29	0,29	0,30	0,28	0,30	0,28	0,31
0,28	0,28	0,29	0,27	0,29	0,27	0,30
0,27	0,27	0,28	0,26	0,28	0,26	0,29
0,26	0,26	0,27	0,26	0,27	0,25	0,27
0,25	0,25	0,26	0,25	0,26	0,24	0,26
0,24	0,24	0,25	0,24	0,25	0,23	0,25

**COMPACT PRIME CP.3 28mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	2,44	INF	1,65	INF
10	1,99	INF	1,44	INF
5	1,68	INF	1,27	INF
3	1,39	INF	1,11	INF
2	1,14	INF	0,95	INF
1,6	1,01	38,34	0,86	INF
1,4	0,93	7,91	0,80	INF
1,2	0,84	3,84	0,74	24,22
1	0,75	2,24	0,67	4,24
0,9	0,69	1,75	0,62	2,73
0,8	0,64	1,38	0,58	1,90
0,75	0,61	1,22	0,56	1,60
0,7	0,58	1,08	0,53	1,36
0,65	0,54	0,95	0,50	1,16
0,6	0,51	0,84	0,48	0,99
0,55	0,48	0,74	0,45	0,84
0,5	0,44	0,64	0,42	0,72
0,48	0,43	0,60	0,40	0,67
0,46	0,41	0,57	0,39	0,63
0,44	0,40	0,54	0,38	0,59
0,42	0,38	0,50	0,36	0,55
0,4	0,36	0,47	0,35	0,51
0,39	0,36	0,46	0,34	0,49
0,38	0,35	0,44	0,34	0,47
0,37	0,34	0,43	0,33	0,45
0,36	0,33	0,41	0,32	0,44
0,35	0,32	0,40	0,31	0,42
0,34	0,32	0,38	0,31	0,40
0,33	0,31	0,37	0,30	0,39
0,32	0,30	0,36	0,29	0,37
0,31	0,29	0,34	0,28	0,36
0,3	0,28	0,33	0,28	0,34
0,29	0,28	0,32	0,27	0,33
0,28	0,27	0,30	0,26	0,31
0,27	0,26	0,29	0,25	0,30
0,26	0,25	0,28	0,24	0,29
0,25	0,24	0,27	0,24	0,27
0,24	0,23	0,25	0,23	0,26

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	21,86	INF	22,35	INF	18,09	INF
10	6,90	18,29	6,95	42,61	6,48	INF
6	4,74	8,20	4,76	10,98	4,54	19,38
4	3,41	4,86	3,42	5,69	3,30	7,31
3	2,66	3,45	2,66	3,84	2,59	4,50
2,5	2,26	2,80	2,26	3,05	2,21	3,45
2	1,85	2,18	1,85	2,33	1,82	2,55
1,8	1,68	1,95	1,68	2,06	1,65	2,23
1,6	1,50	1,71	1,50	1,80	1,48	1,92
1,4	1,33	1,48	1,33	1,55	1,31	1,64
1,3	1,24	1,37	1,24	1,42	1,22	1,50
1,2	1,15	1,26	1,15	1,30	1,14	1,36
1,1	1,06	1,15	1,06	1,18	1,05	1,23
1	0,96	1,04	0,96	1,07	0,96	1,11
0,95	0,92	0,99	0,92	1,01	0,91	1,05
0,9	0,87	0,93	0,87	0,95	0,87	0,98
0,85	0,82	0,88	0,82	0,90	0,82	0,92
0,8	0,78	0,82	0,78	0,84	0,77	0,86
0,75	0,73	0,77	0,73	0,78	0,73	0,80
0,7	0,68	0,72	0,68	0,73	0,68	0,75
0,65	0,64	0,66	0,64	0,67	0,63	0,69
0,6	0,59	0,61	0,59	0,62	0,59	0,63
0,58	0,57	0,59	0,57	0,60	0,57	0,61
0,56	0,55	0,57	0,55	0,58	0,55	0,59
0,54	0,53	0,55	0,53	0,56	0,53	0,56
0,52	0,51	0,53	0,51	0,53	0,51	0,54
0,5	0,49	0,51	0,49	0,51	0,49	0,52
0,49	0,48	0,50	0,48	0,50	0,48	0,51
0,48	0,47	0,49	0,47	0,49	0,47	0,50
0,47	0,46	0,48	0,46	0,48	0,46	0,49
0,46	0,45	0,47	0,45	0,47	0,45	0,48
0,45	0,44	0,46	0,44	0,46	0,44	0,47
0,44	0,43	0,45	0,43	0,45	0,43	0,45
0,43	0,42	0,44	0,42	0,44	0,42	0,44
0,42	0,42	0,43	0,42	0,43	0,41	0,43
0,41	0,41	0,41	0,41	0,42	0,40	0,42
0,4	0,40	0,40	0,40	0,41	0,39	0,41
0,39	0,39	0,39	0,39	0,40	0,39	0,40
0,38	0,38	0,38	0,38	0,39	0,38	0,39
0,37	0,37	0,37	0,37	0,38	0,37	0,38
0,36	0,36	0,36	0,36	0,37	0,36	0,37
0,35	0,35	0,35	0,35	0,35	0,35	0,36
0,34	0,34	0,34	0,34	0,34	0,34	0,35
0,33	0,33	0,33	0,33	0,33	0,33	0,34
0,32	0,32	0,32	0,32	0,32	0,32	0,33
0,31	0,31	0,31	0,31	0,31	0,31	0,32
0,3	0,30	0,30	0,30	0,30	0,30	0,30

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	12,50	INF	8,14	INF	5,28	INF
10	5,60	INF	4,53	INF	3,50	INF
6	4,09	INF	3,50	INF	2,85	INF
4	3,06	10,99	2,72	29,65	2,32	INF
3	2,45	5,65	2,23	8,29	1,96	21,52
2,5	2,11	4,07	1,94	5,26	1,74	8,55
2	1,74	2,87	1,63	3,40	1,49	4,49
1,8	1,59	2,46	1,50	2,84	1,38	3,56
1,6	1,44	2,09	1,36	2,36	1,26	2,82
1,4	1,27	1,76	1,22	1,93	1,14	2,23
1,3	1,19	1,60	1,14	1,74	1,07	1,97
1,2	1,11	1,44	1,07	1,56	1,00	1,74
1,1	1,02	1,30	0,99	1,39	0,94	1,53
1	0,94	1,16	0,91	1,23	0,86	1,33
0,95	0,89	1,09	0,87	1,15	0,83	1,24
0,9	0,85	1,02	0,83	1,07	0,79	1,15
0,85	0,81	0,96	0,78	1,00	0,75	1,07
0,8	0,76	0,89	0,74	0,93	0,72	0,99
0,75	0,72	0,83	0,70	0,86	0,68	0,91
0,7	0,67	0,77	0,66	0,79	0,64	0,83
0,65	0,63	0,71	0,61	0,73	0,60	0,76
0,6	0,58	0,65	0,57	0,66	0,55	0,69
0,58	0,56	0,62	0,55	0,64	0,54	0,66
0,56	0,54	0,60	0,53	0,61	0,52	0,63
0,54	0,52	0,57	0,52	0,59	0,50	0,61
0,52	0,51	0,55	0,50	0,56	0,49	0,58
0,5	0,49	0,53	0,48	0,54	0,47	0,55
0,49	0,48	0,52	0,47	0,53	0,46	0,54
0,48	0,47	0,51	0,46	0,52	0,45	0,53
0,47	0,46	0,49	0,45	0,50	0,44	0,52
0,46	0,45	0,48	0,44	0,49	0,44	0,50
0,45	0,44	0,47	0,43	0,48	0,43	0,49
0,44	0,43	0,46	0,43	0,47	0,42	0,48
0,43	0,42	0,45	0,42	0,46	0,41	0,47
0,42	0,41	0,44	0,41	0,44	0,40	0,45
0,41	0,40	0,43	0,40	0,43	0,39	0,44
0,4	0,39	0,42	0,39	0,42	0,38	0,43
0,39	0,38	0,40	0,38	0,41	0,37	0,42
0,38	0,37	0,39	0,37	0,40	0,37	0,41
0,37	0,36	0,38	0,36	0,39	0,36	0,39
0,36	0,35	0,37	0,35	0,38	0,35	0,38
0,35	0,34	0,36	0,34	0,36	0,34	0,37
0,34	0,34	0,35	0,33	0,35	0,33	0,36
0,33	0,33	0,34	0,32	0,34	0,32	0,35
0,32	0,32	0,33	0,31	0,33	0,31	0,34
0,31	0,31	0,32	0,30	0,32	0,30	0,32
0,3	0,30	0,31	0,29	0,31	0,29	0,31

**COMPACT PRIME CP.3 35mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	3,52	INF	2,40	INF
10	2,64	INF	1,96	INF
6	2,26	INF	1,75	INF
4	1,92	INF	1,54	INF
3	1,66	INF	1,38	INF
2,5	1,51	69,69	1,27	INF
2	1,32	8,19	1,14	INF
1,8	1,23	5,50	1,07	25,65
1,6	1,14	3,90	1,00	8,64
1,4	1,04	2,84	0,93	4,66
1,3	0,99	2,43	0,89	3,63
1,2	0,93	2,08	0,84	2,89
1,1	0,87	1,78	0,79	2,33
1	0,81	1,52	0,74	1,89
0,95	0,78	1,40	0,72	1,70
0,9	0,75	1,28	0,69	1,53
0,85	0,71	1,18	0,66	1,38
0,8	0,68	1,08	0,63	1,24
0,75	0,64	0,98	0,60	1,12
0,7	0,61	0,89	0,57	1,00
0,65	0,57	0,81	0,54	0,89
0,6	0,53	0,73	0,51	0,79
0,58	0,52	0,70	0,50	0,75
0,56	0,50	0,67	0,48	0,72
0,54	0,49	0,64	0,47	0,68
0,52	0,47	0,61	0,45	0,65
0,5	0,46	0,58	0,44	0,61
0,49	0,45	0,56	0,43	0,60
0,48	0,44	0,55	0,42	0,58
0,47	0,43	0,54	0,42	0,57
0,46	0,42	0,52	0,41	0,55
0,45	0,42	0,51	0,40	0,53
0,44	0,41	0,49	0,40	0,52
0,43	0,40	0,48	0,39	0,50
0,42	0,39	0,47	0,38	0,49
0,41	0,38	0,45	0,37	0,47
0,4	0,38	0,44	0,36	0,46
0,39	0,37	0,43	0,36	0,45
0,38	0,36	0,42	0,35	0,43
0,37	0,35	0,40	0,34	0,42
0,36	0,34	0,39	0,33	0,40
0,35	0,33	0,38	0,32	0,39
0,34	0,32	0,37	0,32	0,38
0,33	0,32	0,35	0,31	0,36
0,32	0,31	0,34	0,30	0,35
0,31	0,30	0,33	0,29	0,34
0,3	0,29	0,32	0,28	0,32

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	46,20	INF	54,25	INF	52,28	INF
20	13,99	35,18	14,64	INF	14,49	INF
10	8,24	12,73	8,46	17,21	8,41	30,40
7	6,10	8,23	6,21	9,88	6,18	13,12
5	4,52	5,59	4,59	6,30	4,57	7,46
4	3,69	4,37	3,73	4,78	3,72	5,42
3,5	3,26	3,78	3,29	4,08	3,29	4,53
3	2,83	3,20	2,85	3,41	2,84	3,72
2,5	2,38	2,63	2,40	2,78	2,39	2,97
2,2	2,11	2,30	2,12	2,41	2,12	2,56
2	1,92	2,08	1,93	2,17	1,93	2,29
1,8	1,74	1,87	1,75	1,94	1,74	2,03
1,6	1,55	1,65	1,56	1,70	1,56	1,77
1,5	1,46	1,55	1,46	1,59	1,46	1,65
1,4	1,36	1,44	1,37	1,48	1,37	1,53
1,3	1,27	1,33	1,27	1,37	1,27	1,41
1,2	1,17	1,23	1,18	1,26	1,18	1,29
1,1	1,08	1,12	1,08	1,15	1,08	1,18
1	0,98	1,02	0,98	1,04	0,98	1,06
0,95	0,93	0,97	0,94	0,98	0,93	1,00
0,9	0,89	0,92	0,89	0,93	0,89	0,95
0,85	0,84	0,86	0,84	0,88	0,84	0,89
0,8	0,79	0,81	0,79	0,82	0,79	0,84
0,78	0,77	0,79	0,77	0,80	0,77	0,81
0,76	0,75	0,77	0,75	0,78	0,75	0,79
0,74	0,73	0,75	0,73	0,76	0,73	0,77
0,72	0,71	0,73	0,71	0,74	0,71	0,75
0,7	0,69	0,71	0,69	0,72	0,69	0,73
0,68	0,67	0,69	0,67	0,70	0,67	0,70
0,66	0,65	0,67	0,65	0,67	0,65	0,68
0,64	0,63	0,65	0,63	0,65	0,63	0,66
0,62	0,61	0,63	0,61	0,63	0,61	0,64
0,6	0,59	0,61	0,59	0,61	0,59	0,62
0,59	0,58	0,60	0,58	0,60	0,58	0,61
0,58	0,57	0,59	0,58	0,59	0,57	0,60
0,57	0,56	0,58	0,57	0,58	0,56	0,59
0,56	0,55	0,57	0,56	0,57	0,56	0,58
0,55	0,55	0,55	0,55	0,56	0,55	0,57
0,54	0,54	0,54	0,54	0,55	0,54	0,55
0,53	0,53	0,53	0,53	0,54	0,53	0,54
0,52	0,52	0,52	0,52	0,53	0,52	0,53
0,51	0,51	0,51	0,51	0,52	0,51	0,52
0,5	0,50	0,50	0,50	0,51	0,50	0,51
0,49	0,49	0,49	0,49	0,50	0,49	0,50
0,48	0,48	0,48	0,48	0,49	0,48	0,49
0,47	0,47	0,47	0,47	0,48	0,47	0,48
0,46	0,46	0,46	0,46	0,47	0,46	0,47
0,45	0,45	0,45	0,45	0,46	0,45	0,46

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	33,43	INF	19,44	INF	11,69	INF
20	12,54	INF	9,89	INF	7,41	INF
10	7,72	INF	6,63	INF	5,42	INF
7	5,80	19,75	5,17	48,13	4,41	INF
5	4,36	9,20	4,00	12,65	3,53	24,45
4	3,58	6,27	3,33	7,69	3,01	10,85
3,5	3,18	5,11	2,98	6,01	2,72	7,76
3	2,76	4,10	2,61	4,65	2,41	5,63
2,5	2,33	3,21	2,23	3,53	2,08	4,06
2,2	2,07	2,72	1,99	2,95	1,87	3,31
2	1,89	2,42	1,82	2,60	1,72	2,87
1,8	1,71	2,13	1,66	2,26	1,58	2,47
1,6	1,53	1,85	1,49	1,95	1,42	2,10
1,5	1,44	1,72	1,40	1,80	1,34	1,92
1,4	1,35	1,59	1,31	1,66	1,26	1,76
1,3	1,26	1,46	1,23	1,52	1,18	1,60
1,2	1,16	1,33	1,14	1,38	1,10	1,45
1,1	1,07	1,21	1,05	1,25	1,02	1,30
1	0,97	1,09	0,96	1,12	0,93	1,16
0,95	0,93	1,03	0,91	1,05	0,89	1,09
0,9	0,88	0,97	0,87	0,99	0,84	1,03
0,85	0,83	0,91	0,82	0,93	0,80	0,96
0,8	0,78	0,85	0,77	0,87	0,76	0,89
0,78	0,76	0,83	0,75	0,85	0,74	0,87
0,76	0,75	0,81	0,74	0,82	0,72	0,84
0,74	0,73	0,78	0,72	0,80	0,70	0,82
0,72	0,71	0,76	0,70	0,77	0,69	0,79
0,7	0,69	0,74	0,68	0,75	0,67	0,77
0,68	0,67	0,72	0,66	0,73	0,65	0,74
0,66	0,65	0,69	0,64	0,70	0,63	0,72
0,64	0,63	0,67	0,62	0,68	0,61	0,70
0,62	0,61	0,65	0,60	0,66	0,60	0,67
0,6	0,59	0,63	0,59	0,64	0,58	0,65
0,59	0,58	0,61	0,58	0,62	0,57	0,64
0,58	0,57	0,60	0,57	0,61	0,56	0,62
0,57	0,56	0,59	0,56	0,60	0,55	0,61
0,56	0,55	0,58	0,55	0,59	0,54	0,60
0,55	0,54	0,57	0,54	0,58	0,53	0,59
0,54	0,53	0,56	0,53	0,57	0,52	0,58
0,53	0,52	0,55	0,52	0,56	0,51	0,56
0,52	0,51	0,54	0,51	0,54	0,50	0,55
0,51	0,50	0,53	0,50	0,53	0,49	0,54
0,5	0,49	0,52	0,49	0,52	0,48	0,53
0,49	0,48	0,51	0,48	0,51	0,48	0,52
0,48	0,47	0,49	0,47	0,50	0,47	0,51
0,47	0,47	0,48	0,46	0,49	0,46	0,50
0,46	0,46	0,47	0,45	0,48	0,45	0,48
0,45	0,45	0,46	0,44	0,47	0,44	0,47

**COMPACT PRIME CP.3 50mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	7,41	INF	4,88	INF
20	5,44	INF	3,94	INF
10	4,29	INF	3,31	INF
7	3,64	INF	2,91	INF
5	3,02	INF	2,50	INF
4	2,63	25,17	2,23	INF
3,5	2,41	13,04	2,07	INF
3	2,16	7,94	1,89	18,86
2,5	1,90	5,13	1,69	8,15
2,2	1,72	3,98	1,55	5,56
2	1,60	3,35	1,45	4,40
1,8	1,47	2,81	1,34	3,50
1,6	1,34	2,34	1,23	2,79
1,5	1,27	2,13	1,17	2,49
1,4	1,20	1,92	1,11	2,22
1,3	1,12	1,73	1,05	1,97
1,2	1,05	1,56	0,99	1,74
1,1	0,97	1,39	0,92	1,53
1	0,90	1,23	0,85	1,33
0,95	0,86	1,15	0,81	1,24
0,9	0,82	1,08	0,78	1,15
0,85	0,78	1,00	0,74	1,07
0,8	0,73	0,93	0,70	0,99
0,78	0,72	0,90	0,69	0,96
0,76	0,70	0,88	0,67	0,93
0,74	0,68	0,85	0,66	0,89
0,72	0,67	0,82	0,64	0,86
0,7	0,65	0,79	0,63	0,83
0,68	0,63	0,77	0,61	0,81
0,66	0,62	0,74	0,60	0,78
0,64	0,60	0,72	0,58	0,75
0,62	0,58	0,69	0,56	0,72
0,6	0,56	0,66	0,55	0,69
0,59	0,56	0,65	0,54	0,68
0,58	0,55	0,64	0,53	0,66
0,57	0,54	0,63	0,52	0,65
0,56	0,53	0,61	0,52	0,64
0,55	0,52	0,60	0,51	0,62
0,54	0,51	0,59	0,50	0,61
0,53	0,50	0,58	0,49	0,60
0,52	0,49	0,57	0,48	0,58
0,51	0,49	0,55	0,47	0,57
0,5	0,48	0,54	0,47	0,56
0,49	0,47	0,53	0,46	0,54
0,48	0,46	0,52	0,45	0,53
0,47	0,45	0,50	0,44	0,52
0,46	0,44	0,49	0,43	0,51
0,45	0,43	0,48	0,42	0,49

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	121,68	INF	103,91	INF	80,76	INF
50	35,48	84,80	33,79	INF	30,92	INF
20	17,20	23,90	16,80	26,73	16,06	32,48
15	13,37	17,08	13,13	18,48	12,67	21,04
12	10,94	13,29	10,77	14,12	10,47	15,56
10	9,25	10,88	9,14	11,42	8,91	12,35
8	7,52	8,55	7,44	8,88	7,29	9,43
7	6,63	7,42	6,57	7,66	6,45	8,06
6	5,73	6,30	5,68	6,48	5,60	6,76
5,5	5,27	5,75	5,23	5,90	5,16	6,13
5	4,81	5,21	4,78	5,32	4,72	5,51
4,5	4,35	4,67	4,32	4,76	4,27	4,91
4	3,88	4,13	3,86	4,20	3,82	4,32
3,8	3,69	3,92	3,67	3,98	3,64	4,08
3,6	3,50	3,70	3,49	3,76	3,45	3,85
3,4	3,31	3,49	3,30	3,54	3,27	3,62
3,2	3,12	3,28	3,11	3,33	3,08	3,40
3	2,93	3,07	2,92	3,11	2,90	3,17
2,8	2,74	2,86	2,73	2,90	2,71	2,95
2,6	2,55	2,65	2,54	2,68	2,52	2,73
2,4	2,36	2,44	2,35	2,47	2,34	2,51
2,2	2,16	2,24	2,16	2,26	2,15	2,29
2	1,97	2,03	1,97	2,05	1,96	2,07
1,9	1,87	1,93	1,87	1,94	1,86	1,96
1,8	1,78	1,82	1,77	1,84	1,76	1,86
1,7	1,68	1,72	1,68	1,73	1,67	1,75
1,6	1,58	1,62	1,58	1,63	1,57	1,64
1,5	1,48	1,52	1,48	1,53	1,48	1,54
1,4	1,39	1,41	1,38	1,42	1,38	1,43
1,3	1,29	1,31	1,29	1,32	1,28	1,33
1,2	1,19	1,21	1,19	1,22	1,18	1,22
1,1	1,09	1,11	1,09	1,11	1,09	1,12
1	0,99	1,01	0,99	1,01	0,99	1,02

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	56,79	INF	38,32	INF	25,68	INF
50	26,63	INF	21,74	INF	17,01	INF
20	14,82	43,89	13,18	79,52	11,29	INF
15	11,89	25,29	10,81	34,05	9,51	63,13
12	9,93	17,76	9,17	21,66	8,22	30,60
10	8,52	13,69	7,96	15,88	7,23	20,19
8	7,03	10,18	6,64	11,34	6,13	13,37
7	6,25	8,61	5,94	9,42	5,53	10,77
6	5,44	7,14	5,21	7,68	4,89	8,56
5,5	5,03	6,44	4,83	6,88	4,56	7,56
5	4,61	5,76	4,44	6,11	4,21	6,64
4,5	4,18	5,10	4,04	5,37	3,85	5,78
4	3,75	4,47	3,64	4,67	3,48	4,97
3,8	3,57	4,22	3,47	4,40	3,33	4,66
3,6	3,39	3,97	3,30	4,13	3,18	4,36
3,4	3,22	3,73	3,14	3,87	3,02	4,07
3,2	3,04	3,49	2,97	3,61	2,86	3,78
3	2,86	3,25	2,79	3,35	2,70	3,50
2,8	2,68	3,01	2,62	3,10	2,54	3,23
2,6	2,49	2,78	2,44	2,86	2,38	2,97
2,4	2,31	2,55	2,27	2,62	2,21	2,71
2,2	2,12	2,33	2,09	2,38	2,04	2,45
2	1,94	2,10	1,91	2,15	1,87	2,20
1,9	1,84	1,99	1,82	2,03	1,78	2,08
1,8	1,75	1,88	1,73	1,92	1,69	1,96
1,7	1,66	1,77	1,63	1,80	1,60	1,84
1,6	1,56	1,66	1,54	1,69	1,52	1,72
1,5	1,47	1,56	1,45	1,58	1,43	1,61
1,4	1,37	1,45	1,36	1,47	1,34	1,49
1,3	1,27	1,34	1,26	1,36	1,25	1,38
1,2	1,18	1,23	1,17	1,25	1,15	1,26
1,1	1,08	1,13	1,07	1,14	1,06	1,15
1	0,99	1,02	0,98	1,03	0,97	1,04

**COMPACT PRIME CP.3 85mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	17,47	INF	12,01	INF
50	12,98	INF	9,71	INF
20	9,37	INF	7,54	INF
15	8,11	INF	6,71	INF
12	7,16	72,59	6,05	INF
10	6,40	32,60	5,50	INF
8	5,53	17,85	4,84	33,71
7	5,03	13,49	4,46	20,89
6	4,50	10,17	4,04	13,86
5,5	4,22	8,80	3,81	11,42
5	3,92	7,57	3,57	9,42
4,5	3,61	6,47	3,31	7,77
4	3,28	5,47	3,04	6,37
3,8	3,15	5,10	2,92	5,86
3,6	3,01	4,74	2,80	5,39
3,4	2,87	4,39	2,68	4,95
3,2	2,73	4,06	2,56	4,53
3	2,58	3,74	2,43	4,13
2,8	2,43	3,43	2,30	3,75
2,6	2,28	3,13	2,16	3,40
2,4	2,13	2,84	2,03	3,06
2,2	1,97	2,56	1,88	2,73
2	1,81	2,29	1,74	2,43
1,9	1,73	2,16	1,66	2,28
1,8	1,65	2,03	1,59	2,13
1,7	1,56	1,90	1,51	1,99
1,6	1,48	1,78	1,43	1,85
1,5	1,39	1,65	1,35	1,72
1,4	1,31	1,53	1,27	1,59
1,3	1,22	1,41	1,19	1,46
1,2	1,13	1,29	1,11	1,33
1,1	1,05	1,17	1,02	1,21
1	0,96	1,06	0,94	1,08

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	159,86	INF	142,81	INF	99,47	INF
100	61,58	INF	58,87	INF	49,93	INF
90	57,64	INF	55,26	INF	47,31	INF
80	53,37	INF	51,33	INF	44,40	INF
70	48,74	INF	47,03	INF	41,14	INF
60	43,68	95,94	42,30	INF	37,48	INF
50	38,13	72,67	37,08	97,15	33,33	INF
45	35,16	62,55	34,26	79,86	31,03	INF
40	32,03	53,28	31,29	65,33	28,58	89,23
35	28,75	44,75	28,15	52,94	25,94	67,60
30	25,29	36,88	24,83	42,26	23,09	51,09
25	21,65	29,59	21,31	32,95	20,02	38,07
20	17,80	22,83	17,57	24,77	16,69	27,54
15	13,73	16,53	13,59	17,52	13,06	18,86
14	12,89	15,32	12,77	16,16	12,30	17,30
13	12,04	14,13	11,93	14,84	11,52	15,79
12	11,18	12,96	11,09	13,55	10,73	14,33
11	10,31	11,80	10,23	12,29	9,93	12,92
10	9,42	10,65	9,36	11,05	9,11	11,56
9,5	8,98	10,09	8,92	10,44	8,69	10,90
9	8,53	9,52	8,48	9,84	8,27	10,24
8,5	8,08	8,96	8,04	9,24	7,85	9,60
8	7,63	8,41	7,59	8,65	7,42	8,96
7,5	7,17	7,86	7,14	8,07	6,99	8,34
7	6,72	7,31	6,68	7,49	6,55	7,72
6,5	6,25	6,77	6,23	6,92	6,12	7,11
6	5,79	6,22	5,77	6,35	5,67	6,52
5,5	5,32	5,69	5,30	5,80	5,22	5,93
5	4,86	5,15	4,84	5,24	4,77	5,35
4,8	4,67	4,94	4,65	5,02	4,59	5,12
4,6	4,48	4,73	4,46	4,80	4,41	4,89
4,5	4,38	4,62	4,37	4,69	4,32	4,78
4,4	4,29	4,52	4,28	4,58	4,22	4,67
4,2	4,10	4,31	4,09	4,37	4,04	4,44
4	3,91	4,10	3,90	4,15	3,85	4,22
3,8	3,72	3,89	3,71	3,94	3,67	4,00
3,6	3,53	3,68	3,52	3,72	3,48	3,77
3,5	3,43	3,57	3,42	3,61	3,39	3,66
3,4	3,33	3,47	3,33	3,51	3,30	3,55
3,2	3,14	3,26	3,13	3,29	3,11	3,34
3	2,95	3,05	2,94	3,08	2,92	3,12
2,9	2,85	2,95	2,85	2,98	2,82	3,01
2,8	2,76	2,85	2,75	2,87	2,73	2,90
2,7	2,66	2,74	2,65	2,77	2,63	2,79
2,6	2,56	2,64	2,56	2,66	2,54	2,69

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2,5	2,47	2,54	2,46	2,56	2,44	2,58
2,4	2,37	2,43	2,36	2,45	2,35	2,47
2,3	2,27	2,33	2,27	2,35	2,25	2,37
2,2	2,17	2,23	2,17	2,24	2,16	2,26
2,1	2,08	2,12	2,07	2,14	2,06	2,15
2	1,98	2,02	1,98	2,03	1,97	2,05
1,95	1,93	1,97	1,93	1,98	1,92	2,00
1,9	1,88	1,92	1,88	1,93	1,87	1,94
1,85	1,83	1,87	1,83	1,88	1,82	1,89
1,8	1,78	1,82	1,78	1,83	1,77	1,84
1,75	1,73	1,77	1,73	1,78	1,72	1,79
1,7	1,68	1,72	1,68	1,72	1,68	1,73
1,65	1,64	1,66	1,63	1,67	1,63	1,68
1,6	1,59	1,61	1,58	1,62	1,58	1,63
1,55	1,54	1,56	1,54	1,57	1,53	1,58
1,5	1,49	1,51	1,49	1,52	1,48	1,53
1,45	1,44	1,46	1,44	1,47	1,43	1,47
1,4	1,39	1,41	1,39	1,42	1,38	1,42
1,35	1,34	1,36	1,34	1,36	1,34	1,37
1,3	1,29	1,31	1,29	1,31	1,29	1,32
1,25	1,24	1,26	1,24	1,26	1,24	1,27
1,2	1,19	1,21	1,19	1,21	1,19	1,22
1,15	1,14	1,16	1,14	1,16	1,14	1,16
1,1	1,09	1,11	1,09	1,11	1,09	1,11
1,05	1,04	1,06	1,04	1,06	1,04	1,06
1	1,00	1,00	0,99	1,01	0,99	1,01
0,98	0,98	0,98	0,97	0,99	0,97	0,99
0,96	0,96	0,96	0,96	0,97	0,95	0,97
0,95	0,95	0,95	0,95	0,96	0,94	0,96
0,94	0,94	0,94	0,94	0,95	0,93	0,95
0,92	0,92	0,92	0,92	0,93	0,91	0,93
0,9	0,90	0,90	0,90	0,91	0,89	0,91
0,88	0,88	0,88	0,88	0,89	0,87	0,89
0,86	0,86	0,86	0,86	0,86	0,85	0,87
0,85	0,85	0,85	0,85	0,85	0,84	0,86
0,84	0,84	0,84	0,84	0,84	0,84	0,85
0,82	0,82	0,82	0,82	0,82	0,82	0,83
0,8	0,80	0,80	0,80	0,80	0,80	0,81
0,78	0,78	0,78	0,78	0,78	0,78	0,79
0,76	0,76	0,76	0,76	0,76	0,76	0,77
0,75	0,75	0,75	0,75	0,75	0,75	0,75
0,74	0,74	0,74	0,74	0,74	0,74	0,74
0,72	0,72	0,72	0,72	0,72	0,72	0,72
0,7	0,70	0,70	0,70	0,70	0,70	0,70

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	68,77	INF	47,46	INF	32,70	INF
100	40,81	INF	32,24	INF	24,69	INF
90	39,04	INF	31,13	INF	24,04	INF
80	37,04	INF	29,85	INF	23,26	INF
70	34,75	INF	28,34	INF	22,34	INF
60	32,10	INF	26,56	INF	21,22	INF
50	29,01	INF	24,41	INF	19,83	INF
45	27,26	INF	23,16	INF	19,00	INF
40	25,35	INF	21,77	INF	18,05	INF
35	23,25	INF	20,20	INF	16,97	INF
30	20,94	71,26	18,44	INF	15,71	INF
25	18,38	48,22	16,43	76,11	14,23	INF
20	15,54	32,48	14,12	43,08	12,47	78,12
15	12,35	21,03	11,44	25,00	10,34	33,74
14	11,67	19,11	10,85	22,32	9,86	29,03
13	10,97	17,28	10,25	19,86	9,35	25,00
12	10,25	15,55	9,62	17,61	8,83	21,51
11	9,51	13,90	8,97	15,52	8,28	18,47
10	8,76	12,34	8,30	13,59	7,70	15,79
9,5	8,37	11,58	7,95	12,68	7,41	14,57
9	7,98	10,84	7,60	11,79	7,10	13,41
8,5	7,59	10,12	7,24	10,94	6,79	12,32
8	7,19	9,42	6,88	10,12	6,47	11,29
7,5	6,78	8,73	6,51	9,33	6,14	10,31
7	6,37	8,05	6,13	8,56	5,80	9,38
6,5	5,96	7,40	5,74	7,82	5,46	8,49
6	5,54	6,75	5,35	7,10	5,10	7,65
5,5	5,11	6,12	4,95	6,41	4,74	6,85
5	4,68	5,51	4,54	5,74	4,37	6,08
4,8	4,50	5,26	4,38	5,47	4,21	5,79
4,6	4,33	5,02	4,21	5,21	4,06	5,50
4,5	4,24	4,90	4,13	5,08	3,98	5,35
4,4	4,15	4,78	4,05	4,95	3,90	5,21
4,2	3,97	4,55	3,88	4,70	3,75	4,93
4	3,79	4,31	3,71	4,45	3,59	4,65
3,8	3,61	4,08	3,54	4,20	3,43	4,38
3,6	3,43	3,85	3,36	3,96	3,27	4,12
3,5	3,34	3,73	3,28	3,84	3,18	3,98
3,4	3,25	3,62	3,19	3,72	3,10	3,85
3,2	3,07	3,39	3,01	3,48	2,94	3,60
3	2,88	3,17	2,84	3,24	2,77	3,34
2,9	2,79	3,06	2,75	3,12	2,68	3,22
2,8	2,70	2,94	2,66	3,01	2,60	3,09
2,7	2,61	2,83	2,57	2,89	2,51	2,97
2,6	2,51	2,72	2,48	2,78	2,43	2,85

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
2,5	2,42	2,61	2,39	2,66	2,34	2,73
2,4	2,33	2,50	2,30	2,55	2,25	2,61
2,3	2,23	2,39	2,20	2,43	2,16	2,49
2,2	2,14	2,29	2,11	2,32	2,08	2,37
2,1	2,04	2,18	2,02	2,21	1,99	2,26
2	1,95	2,07	1,93	2,10	1,90	2,14
1,95	1,90	2,02	1,88	2,04	1,85	2,08
1,9	1,86	1,96	1,84	1,99	1,81	2,02
1,85	1,81	1,91	1,79	1,93	1,76	1,97
1,8	1,76	1,85	1,74	1,88	1,72	1,91
1,75	1,71	1,80	1,70	1,82	1,67	1,85
1,7	1,66	1,75	1,65	1,77	1,63	1,80
1,65	1,62	1,70	1,60	1,71	1,58	1,74
1,6	1,57	1,64	1,56	1,66	1,54	1,68
1,55	1,52	1,59	1,51	1,61	1,49	1,63
1,5	1,47	1,54	1,46	1,55	1,44	1,57
1,45	1,43	1,48	1,41	1,50	1,40	1,52
1,4	1,38	1,43	1,37	1,44	1,35	1,46
1,35	1,33	1,38	1,32	1,39	1,31	1,41
1,3	1,28	1,33	1,27	1,34	1,26	1,35
1,25	1,23	1,27	1,22	1,28	1,21	1,30
1,2	1,18	1,22	1,18	1,23	1,17	1,24
1,15	1,14	1,17	1,13	1,18	1,12	1,19
1,1	1,09	1,12	1,08	1,13	1,07	1,14
1,05	1,04	1,07	1,03	1,07	1,03	1,08
1	0,99	1,01	0,98	1,02	0,98	1,03
0,98	0,97	0,99	0,97	1,00	0,96	1,01
0,96	0,95	0,97	0,95	0,98	0,94	0,99
0,95	0,94	0,96	0,94	0,97	0,93	0,97
0,94	0,93	0,95	0,93	0,96	0,92	0,96
0,92	0,91	0,93	0,91	0,94	0,90	0,94
0,9	0,89	0,91	0,89	0,92	0,88	0,92
0,88	0,87	0,89	0,87	0,89	0,86	0,90
0,86	0,85	0,87	0,85	0,87	0,84	0,88
0,85	0,84	0,86	0,84	0,86	0,83	0,87
0,84	0,83	0,85	0,83	0,85	0,83	0,86
0,82	0,81	0,83	0,81	0,83	0,81	0,84
0,8	0,79	0,81	0,79	0,81	0,79	0,82
0,78	0,77	0,79	0,77	0,79	0,77	0,80
0,76	0,75	0,77	0,75	0,77	0,75	0,77
0,75	0,74	0,76	0,74	0,76	0,74	0,76
0,74	0,73	0,75	0,73	0,75	0,73	0,75
0,72	0,72	0,73	0,71	0,73	0,71	0,73
0,7	0,70	0,71	0,69	0,71	0,69	0,71

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	22,55	INF	15,66	INF
100	18,44	INF	13,57	INF
90	18,07	INF	13,37	INF
80	17,64	INF	13,13	INF
70	17,10	INF	12,83	INF
60	16,44	INF	12,46	INF
50	15,60	INF	11,97	INF
45	15,08	INF	11,66	INF
40	14,48	INF	11,30	INF
35	13,78	INF	10,87	INF
30	12,94	INF	10,35	INF
25	11,92	INF	9,69	INF
20	10,66	INF	8,84	INF
15	9,07	65,32	7,72	INF
14	8,70	49,65	7,46	INF
13	8,31	38,89	7,17	INF
12	7,89	31,04	6,86	82,54
11	7,45	25,06	6,52	50,40
10	6,98	20,36	6,16	34,35
9,5	6,74	18,36	5,97	29,00
9	6,48	16,56	5,77	24,73
8,5	6,22	14,92	5,57	21,23
8	5,95	13,43	5,35	18,31
7,5	5,68	12,06	5,13	15,85
7	5,39	10,80	4,89	13,73
6,5	5,09	9,64	4,65	11,90
6	4,78	8,57	4,39	10,30
5,5	4,46	7,57	4,12	8,89
5	4,13	6,64	3,84	7,63
4,8	3,99	6,29	3,72	7,16
4,6	3,86	5,95	3,60	6,72
4,5	3,79	5,78	3,54	6,50
4,4	3,72	5,61	3,48	6,29
4,2	3,57	5,29	3,35	5,88
4	3,43	4,97	3,23	5,49
3,8	3,28	4,66	3,10	5,12
3,6	3,13	4,36	2,97	4,75
3,5	3,06	4,21	2,90	4,58
3,4	2,98	4,06	2,83	4,40
3,2	2,83	3,78	2,69	4,07
3	2,67	3,50	2,55	3,74
2,9	2,60	3,36	2,48	3,59
2,8	2,52	3,23	2,41	3,43
2,7	2,44	3,09	2,34	3,28
2,6	2,36	2,96	2,26	3,13

**COMPACT PRIME CP.3 100mm/T2.1 CF T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
2,5	2,27	2,83	2,19	2,98
2,4	2,19	2,70	2,11	2,84
2,3	2,11	2,57	2,03	2,70
2,2	2,03	2,45	1,96	2,56
2,1	1,94	2,32	1,88	2,42
2	1,86	2,20	1,80	2,29
1,95	1,81	2,14	1,76	2,22
1,9	1,77	2,08	1,72	2,16
1,85	1,73	2,02	1,68	2,09
1,8	1,68	1,96	1,64	2,03
1,75	1,64	1,90	1,60	1,96
1,7	1,60	1,84	1,56	1,90
1,65	1,55	1,78	1,52	1,83
1,6	1,51	1,72	1,47	1,77
1,55	1,47	1,66	1,43	1,71
1,5	1,42	1,60	1,39	1,65
1,45	1,38	1,55	1,35	1,59
1,4	1,33	1,49	1,30	1,53
1,35	1,29	1,43	1,26	1,47
1,3	1,24	1,37	1,22	1,41
1,25	1,20	1,32	1,18	1,35
1,2	1,15	1,26	1,13	1,29
1,15	1,11	1,21	1,09	1,23
1,1	1,06	1,15	1,04	1,17
1,05	1,01	1,09	1,00	1,11
1	0,97	1,04	0,95	1,06
0,98	0,95	1,02	0,94	1,03
0,96	0,93	1,00	0,92	1,01
0,95	0,92	0,98	0,91	1,00
0,94	0,91	0,97	0,90	0,99
0,92	0,89	0,95	0,88	0,97
0,9	0,88	0,93	0,86	0,94
0,88	0,86	0,91	0,85	0,92
0,86	0,84	0,89	0,83	0,90
0,85	0,83	0,88	0,82	0,89
0,84	0,82	0,87	0,81	0,88
0,82	0,80	0,84	0,79	0,85
0,8	0,78	0,82	0,77	0,83
0,78	0,76	0,80	0,76	0,81
0,76	0,74	0,78	0,74	0,79
0,75	0,73	0,77	0,73	0,78
0,74	0,72	0,76	0,72	0,77
0,72	0,71	0,74	0,70	0,74
0,7	0,69	0,72	0,68	0,72

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	2,1		2,8		4	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	298,48	INF	243,82	INF	169,32	INF
60	49,99	76,62	48,20	86,53	44,36	104,26
30	27,28	33,63	26,74	35,40	25,52	38,03
15	14,29	15,85	14,15	16,22	13,80	16,75
12	11,54	12,53	11,45	12,77	11,22	13,09
10	9,68	10,37	9,62	10,52	9,46	10,74
9	8,74	9,30	8,69	9,42	8,56	9,59
8	7,80	8,23	7,75	8,33	7,65	8,46
7	6,84	7,18	6,81	7,25	6,73	7,35
6	5,89	6,13	5,86	6,18	5,80	6,25
5,5	5,40	5,61	5,39	5,65	5,34	5,71
5	4,92	5,09	4,91	5,12	4,86	5,17
4,5	4,44	4,57	4,42	4,60	4,39	4,64
4	3,95	4,06	3,94	4,08	3,91	4,11
3,8	3,76	3,85	3,75	3,87	3,72	3,90
3,6	3,56	3,64	3,55	3,66	3,53	3,69
3,4	3,36	3,44	3,36	3,45	3,34	3,48
3,2	3,17	3,23	3,16	3,25	3,15	3,27
3	2,97	3,03	2,97	3,04	2,95	3,06
2,8	2,78	2,83	2,77	2,84	2,76	2,85
2,6	2,58	2,62	2,58	2,63	2,57	2,64
2,4	2,38	2,42	2,38	2,43	2,37	2,44
2,2	2,19	2,22	2,18	2,22	2,18	2,23
2	1,99	2,01	1,99	2,02	1,98	2,02
1,9	1,89	1,91	1,89	1,92	1,88	1,92
1,8	1,79	1,81	1,79	1,81	1,78	1,82
1,7	1,69	1,71	1,69	1,71	1,69	1,72
1,6	1,59	1,61	1,59	1,61	1,59	1,61
1,5	1,49	1,51	1,49	1,51	1,49	1,51
1,4	1,39	1,41	1,39	1,41	1,39	1,41
1,3	1,30	1,30	1,29	1,31	1,29	1,31
1,2	1,20	1,20	1,20	1,21	1,19	1,21
1,1	1,10	1,10	1,10	1,10	1,09	1,11
1	1,00	1,00	1,00	1,00	1,00	1,00

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop					
	5,6		8		11	
m	von / from	bis / to	von / from	bis / to	von / from	bis / to
INF	117,66	INF	81,81	INF	57,05	INF
60	39,80	146,24	34,69	334,33	29,32	INF
30	23,95	42,45	22,01	50,68	19,73	69,67
15	13,33	17,54	12,72	18,79	11,93	20,88
12	10,91	13,56	10,50	14,29	9,96	15,46
10	9,24	11,06	8,94	11,53	8,55	12,28
9	8,38	9,84	8,14	10,22	7,81	10,80
8	7,51	8,66	7,31	8,94	7,05	9,38
7	6,62	7,49	6,47	7,71	6,27	8,03
6	5,72	6,36	5,61	6,51	5,46	6,73
5,5	5,27	5,80	5,17	5,92	5,04	6,11
5	4,81	5,24	4,73	5,34	4,62	5,49
4,5	4,35	4,69	4,28	4,77	4,19	4,89
4	3,88	4,15	3,83	4,21	3,76	4,30
3,8	3,69	3,93	3,64	3,99	3,58	4,07
3,6	3,50	3,72	3,46	3,77	3,40	3,84
3,4	3,31	3,51	3,28	3,55	3,23	3,61
3,2	3,12	3,29	3,09	3,33	3,05	3,39
3	2,93	3,08	2,90	3,11	2,87	3,16
2,8	2,74	2,87	2,72	2,90	2,68	2,94
2,6	2,55	2,66	2,53	2,68	2,50	2,72
2,4	2,36	2,45	2,34	2,47	2,32	2,50
2,2	2,17	2,24	2,15	2,26	2,13	2,28
2	1,97	2,03	1,96	2,05	1,94	2,07
1,9	1,87	1,93	1,86	1,94	1,85	1,96
1,8	1,78	1,83	1,77	1,84	1,75	1,85
1,7	1,68	1,72	1,67	1,73	1,66	1,75
1,6	1,58	1,62	1,58	1,63	1,56	1,64
1,5	1,49	1,52	1,48	1,52	1,47	1,53
1,4	1,39	1,41	1,38	1,42	1,37	1,43
1,3	1,29	1,31	1,28	1,32	1,28	1,32
1,2	1,19	1,21	1,19	1,21	1,18	1,22
1,1	1,09	1,11	1,09	1,11	1,09	1,12
1	0,99	1,01	0,99	1,01	0,99	1,01

**COMPACT PRIME CP.3 135mm/T2.1 T***

Zerstreuungskreisdurchmesser / circle of confusion: 0,030 mm

Gravur Engraving	T-Blende / T-Stop			
	16		22	
m	von / from	bis / to	von / from	bis / to
INF	39,93	INF	28,06	INF
60	24,05	INF	19,19	INF
30	17,21	148,20	14,58	INF
15	10,97	24,77	9,85	33,67
12	9,28	17,49	8,47	21,48
10	8,05	13,51	7,43	15,76
9	7,39	11,74	6,87	13,39
8	6,71	10,08	6,28	11,27
7	6,00	8,53	5,65	9,36
6	5,25	7,08	4,99	7,64
5,5	4,87	6,39	4,64	6,84
5	4,47	5,72	4,28	6,07
4,5	4,07	5,07	3,92	5,34
4	3,66	4,44	3,54	4,65
3,8	3,50	4,19	3,38	4,37
3,6	3,33	3,95	3,22	4,11
3,4	3,16	3,71	3,06	3,85
3,2	2,98	3,47	2,90	3,59
3	2,81	3,23	2,74	3,34
2,8	2,64	3,00	2,57	3,09
2,6	2,46	2,77	2,40	2,84
2,4	2,28	2,54	2,23	2,60
2,2	2,10	2,32	2,06	2,37
2	1,92	2,09	1,89	2,13
1,9	1,83	1,98	1,80	2,02
1,8	1,74	1,87	1,71	1,91
1,7	1,64	1,76	1,62	1,79
1,6	1,55	1,66	1,53	1,68
1,5	1,46	1,55	1,44	1,57
1,4	1,36	1,44	1,35	1,46
1,3	1,27	1,33	1,26	1,35
1,2	1,17	1,23	1,16	1,24
1,1	1,08	1,12	1,07	1,13
1	0,98	1,02	0,98	1,03



Depth of Field Tables in Feet for Compact Prime CP.3 Lenses for

Lenses	MFT Format	ANSI Super 35, Normal 35, APS-H and APS-C Format	Full Format
CP.3 15 mm/T2.9	■	■	■
CP.3 18 mm/T2.9	■	■	■
CP.3 21 mm/T2.9	■	■	■
CP.3 25 mm/T2.1	■	■	■
CP.3 28 mm/T2.1	■	■	■
CP.3 35 mm/T2.1	■	■	■
CP.3 50 mm/T2.1	■	■	■
CP.3 85 mm/T2.1	■	■	■
CP.3 100 mm/T2.1 CF	■	■	■
CP.3 135 mm/T2.1	■	■	■



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	14' 1/4"	INF	10' 11 3/4"	INF	9' 10 1/2"	INF
30'	9' 8 1/2"	INF	8' 2 1/4"	INF	7' 6 3/4"	INF
15'	7' 5 1/4"	INF	6' 6 1/4"	INF	6' 1 1/2"	INF
10'	6' 1/4"	33' 3"	5' 5"	136' 9 1/4"	5' 1 3/4"	INF
8'	5' 3 1/4"	17' 8 3/4"	4' 9 3/4"	29' 4 1/4"	4' 7 1/4"	INF
6'	4' 4 1/4"	9' 11 3/4"	4' 1/2"	12' 8 1/2"	3' 10 3/4"	73' 7 1/2"
5'	3' 10"	7' 4 3/4"	3' 7"	8' 9"	3' 5 3/4"	19' 7 1/2"
4' 6"	3' 6 1/2"	6' 3 3/4"	3' 4"	7' 3"	3' 3"	13' 2 1/4"
4'	3' 2 3/4"	5' 4"	3' 3/4"	5' 11 1/2"	3'	9' 4 1/4"
3' 6"	2' 11"	4' 5 1/4"	2' 9 1/2"	4' 10 1/4"	2' 8 3/4"	6' 9 3/4"
3'	2' 7"	3' 7 1/2"	2' 5 3/4"	3' 10 3/4"	2' 5"	5'
1' 6"	1' 5"	1' 7 1/4"	1' 4 3/4"	1' 7 3/4"	1' 4 1/2"	1' 9"
1' 5"	1' 4"	1' 6"	1' 3 3/4"	1' 6 1/2"	1' 3 3/4"	1' 7 3/4"
1' 4"	1' 3 1/4"	1' 5"	1' 3"	1' 5 1/4"	1' 3"	1' 6 1/4"
1' 3"	1' 2 1/4"	1' 3 3/4"	1' 2 1/4"	1' 4"	1' 2"	1' 4 3/4"
1' 2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/4"	1' 2 3/4"	1' 1 1/4"	1' 3 1/2"
1' 1"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 3/4"	1' 1/2"	1' 2 1/4"
1'	11 3/4"	1' 1/2"	11 1/2"	1' 1/2"	11 1/2"	1' 1"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	7' 6 1/2"	INF	5' 2 3/4"	INF	3' 7"	INF
30'	6' 1 3/4"	INF	4' 6 1/2"	INF	3' 3 1/4"	INF
15'	5' 2"	INF	4' 1/4"	INF	3'	INF
10'	4' 5 3/4"	INF	3' 7"	INF	2' 9 1/4"	INF
8'	4' 3/4"	INF	3' 4"	INF	2' 7 1/2"	INF
6'	3' 6 1/4"	INF	2' 11 3/4"	INF	2' 5"	INF
5'	3' 2 1/4"	INF	2' 8 3/4"	INF	2' 3 1/4"	INF
4' 6"	8,00	947' 1 1/2"	11,00	INF	16,00	INF
4'	2' 9 1/4"	29' 6 1/2"	2' 5 1/4"	INF	2' 3/4"	INF
3' 6"	2' 6 1/2"	13' 2"	2' 3 1/4"	INF	1' 11 1/2"	INF
3'	2' 3 1/2"	7' 7"	2' 3/4"	21' 4 3/4"	1' 9 3/4"	INF
2' 9"	2' 1 3/4"	5' 11 3/4"	1' 11 1/2"	11' 10"	1' 8 3/4"	INF
2' 6"	2'	4' 9 1/4"	1' 10 1/4"	7' 8 1/2"	1' 7 3/4"	57' 2 1/2"
2' 3"	1' 10 1/4"	3' 9 3/4"	1' 8 3/4"	5' 5"	1' 6 3/4"	12' 11 1/4"
2'	1' 8 1/4"	3' 3/4"	1' 7"	3' 11 1/4"	1' 5 1/2"	6' 7"
1' 11"	1' 7 3/4"	2' 10 1/4"	1' 6 1/2"	3' 6 3/4"	1' 5"	5' 6 1/2"
1' 10"	1' 7"	2' 7 3/4"	1' 6"	3' 2 3/4"	1' 4 1/2"	4' 8 1/2"
1' 9"	1' 6 1/4"	2' 5 1/4"	1' 5 1/4"	2' 11 1/4"	1' 4"	4' 3/4"
1' 8"	1' 5 1/2"	2' 3 1/4"	1' 4 3/4"	2' 8"	1' 3 1/2"	3' 6 1/4"
1' 7"	1' 4 3/4"	2' 1"	1' 4"	2' 5"	1' 3"	3' 3/4"
1' 6"	1' 4 1/4"	1' 11 1/4"	1' 3 1/2"	2' 2 1/4"	1' 2 1/2"	2' 8 1/4"
1' 5"	1' 3 1/4"	1' 9 1/4"	1' 2 3/4"	1' 11 3/4"	1' 2"	2' 4 1/2"
1' 4"	1' 2 1/2"	1' 7 1/2"	1' 2"	1' 9 1/2"	1' 1 1/4"	2' 1"
1' 3"	1' 1 3/4"	1' 6"	1' 1 1/4"	1' 7 1/2"	1' 3/4"	1' 10"
1' 2"	1' 1"	1' 4 1/4"	1' 3/4"	1' 5 1/2"	1'	1' 7 1/2"
1' 1"	1' 1/4"	1' 2 3/4"	1'	1' 3 3/4"	11 1/2"	1' 5 1/4"
1'	11 1/4"	1' 1 1/2"	11"	1' 2"	10 3/4"	1' 3"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	2' 6 1/2"	INF
30'	2' 4 1/2"	INF
15'	2' 3"	INF
10'	2' 1 1/2"	INF
8'	2' 3/4"	INF
6'	1' 11 1/4"	INF
5'	1' 10"	INF
4' 6"	1' 9 1/2"	INF
4'	1' 8 3/4"	INF
3' 6"	1' 7 3/4"	INF
3'	1' 6 3/4"	INF
2' 9"	1' 6"	INF
2' 6"	1' 5 1/4"	INF
2' 3"	1' 4 1/2"	INF
2'	1' 3 1/2"	INF
1' 11"	1' 3 1/4"	34' 4 1/2"
1' 10"	1' 2 3/4"	15' 6 1/2"
1' 9"	1' 2 1/2"	9' 8 3/4"
1' 8"	1' 2"	6' 11"
1' 7"	1' 1 3/4"	5' 2 3/4"
1' 6"	1' 1 1/4"	4' 1 1/2"
1' 5"	1' 3/4"	3' 4 1/4"
1' 4"	1' 1/2"	2' 9 1/4"
1' 3"	1'	2' 3 3/4"
1' 2"	11 1/2"	1' 11 1/2"
1' 1"	10 3/4"	1' 7 3/4"
1'	10 1/4"	1' 5"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	20' 3 1/4"	INF	14' 10 3/4"	INF	11' 11"	INF
200'	18' 5 1/2"	INF	13' 11"	INF	11' 3 1/2"	INF
100'	16' 11 1/2"	INF	13' 1/2"	INF	10' 8 3/4"	INF
60'	15' 3 1/2"	INF	12' 1/2"	INF	10' 1/2"	INF
50'	14' 6 3/4"	INF	11' 7 1/4"	INF	9' 8 3/4"	INF
40'	13' 7 1/4"	INF	11'	INF	9' 3 3/4"	INF
30'	12' 3 1/4"	INF	10' 1 1/4"	INF	8' 8 1/4"	INF
25'	11' 4 1/2"	INF	9' 6"	INF	8' 2 3/4"	INF
20'	10' 3"	1558' 1"	8' 8 1/2"	INF	7' 7 3/4"	INF
19'	9' 11 3/4"	296' 9 1/2"	8' 6 1/4"	INF	7' 6"	INF
18'	9' 8 1/2"	156' 3"	8' 4"	INF	7' 4 1/4"	INF
17'	9' 5"	102' 2 1/4"	8' 1 1/2"	INF	7' 2 1/4"	INF
16'	9' 1 1/2"	73' 6 1/2"	7' 10 3/4"	INF	7'	INF
15'	8' 9 1/2"	55' 9 3/4"	7' 7 3/4"	230' 7 1/4"	6' 9 3/4"	INF
14'	8' 5 1/2"	43' 9 1/4"	7' 4 3/4"	107' 3 1/2"	6' 7 1/2"	INF
13'	8' 1"	35' 1/2"	7' 1 1/2"	66' 4 1/4"	6' 4 3/4"	INF
12'	7' 8 1/2"	28' 5"	6' 10"	45' 11"	6' 2"	INF
11'	7' 3 1/2"	23' 2 3/4"	6' 6"	33' 8"	5' 10 3/4"	INF
10'	6' 10 1/4"	19' 3/4"	6' 2"	25' 6"	5' 7 1/2"	344' 9 1/4"
9' 6"	6' 7 1/2"	17' 3 1/4"	5' 11 3/4"	22' 4 1/4"	5' 5 1/2"	116' 11"
9'	6' 4 1/2"	15' 7 1/2"	5' 9 1/4"	19' 8"	5' 3 3/4"	67' 5"
8' 6"	6' 1 3/4"	14' 1 3/4"	5' 7"	17' 4"	5' 1 3/4"	45' 9 1/4"
8'	5' 10 1/2"	12' 9 1/4"	5' 4 1/2"	15' 3 1/2"	4' 11 1/2"	33' 7 1/2"
7' 9"	5' 9"	12' 1 1/2"	5' 3"	14' 4 1/2"	4' 10 1/2"	29' 4 1/4"
7' 6"	5' 7 1/2"	11' 6"	5' 1 3/4"	13' 6"	4' 9 1/4"	25' 10 1/4"
7' 3"	5' 5 3/4"	10' 10 3/4"	5' 1/2"	12' 8 1/4"	4' 8 1/4"	22' 11"
7'	5' 4"	10' 4"	4' 11"	11' 10 3/4"	4' 7"	20' 5 1/2"
6' 9"	5' 2 1/4"	9' 9 1/4"	4' 9 1/2"	11' 2"	4' 5 3/4"	18' 3 3/4"
6' 6"	5' 3/4"	9' 3"	4' 8"	10' 5 3/4"	4' 4 1/2"	16' 5 3/4"
6' 3"	4' 10 3/4"	8' 8 3/4"	4' 6 1/2"	9' 9 3/4"	4' 3 1/4"	14' 10 1/4"
6'	4' 9"	8' 2 3/4"	4' 5"	9' 2 1/4"	4' 1 3/4"	13' 5 1/4"
5' 9"	4' 7 1/4"	7' 9"	4' 3 1/2"	8' 7"	4' 1/2"	12' 2"
5' 6"	4' 5 1/4"	7' 3 1/2"	4' 2"	8' 1/4"	3' 11"	11' 1/4"
5' 3"	4' 3 1/2"	6' 10 1/4"	4' 1/4"	7' 5 3/4"	3' 9 1/2"	10'
5'	8,00	6' 5"	11,00	6' 11 1/2"	16,00	9' 1"
4' 9"	3' 11 1/2"	6'	3' 8 3/4"	6' 5 1/2"	3' 6 1/2"	8' 2 3/4"
4' 6"	3' 9 1/2"	5' 7"	3' 7"	6'	3' 5"	7' 5 1/2"
4' 3"	3' 7 1/4"	5' 2 1/4"	3' 5 1/4"	5' 6 1/2"	3' 3 1/4"	6' 9"
4'	3' 5 1/4"	4' 9 3/4"	3' 3 1/4"	5' 1 1/4"	3' 1 1/2"	6' 1 1/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
3' 9"	3' 3"	4' 5 1/4"	3' 1 1/4"	4' 8 1/4"	2' 11 3/4"	5' 6"
3' 6"	3' 3/4"	4' 1"	2' 11 1/4"	4' 3 1/2"	2' 10"	4' 11 1/2"
3' 3"	2' 10 1/2"	3' 9"	2' 9 1/4"	3' 10 3/4"	2' 8"	4' 5 1/4"
3'	2' 8 1/4"	3' 4 3/4"	2' 7 1/4"	3' 6 1/2"	2' 6"	3' 11 1/2"
2' 9"	2' 6"	3' 1"	2' 5"	3' 2 1/4"	2' 4"	3' 6"
2' 6"	2' 3 1/2"	2' 9"	2' 2 3/4"	2' 10"	2' 2"	3' 1"
2' 3"	2' 1"	2' 5 1/2"	2' 1/2"	2' 6"	1' 11 3/4"	2' 8 1/4"
2'	1' 10 1/2"	2' 1 3/4"	1' 10"	2' 2 1/4"	1' 9 1/2"	2' 4"
1' 11"	1' 9 3/4"	2' 1/2"	1' 9 1/4"	2' 1"	1' 8 3/4"	2' 2 1/2"
1' 10"	1' 8 3/4"	1' 11 1/2"	1' 8 1/4"	1' 11 3/4"	1' 8"	2' 1"
1' 9"	1' 8"	1' 10 1/4"	1' 7 1/2"	1' 10 3/4"	1' 7 1/4"	1' 11 3/4"
1' 8"	1' 7"	1' 9"	1' 6 3/4"	1' 9 1/2"	1' 6 1/2"	1' 10 1/4"
1' 7"	1' 6 1/4"	1' 8"	1' 5 3/4"	1' 8 1/4"	1' 5 1/2"	1' 9"
1' 6"	1' 5 1/4"	1' 6 3/4"	1' 5"	1' 7"	1' 4 3/4"	1' 7 3/4"
1' 5"	1' 4 1/4"	1' 5 3/4"	1' 4 1/4"	1' 6"	1' 4"	1' 6 1/2"
1' 4"	1' 3 1/2"	1' 4 1/2"	1' 3 1/4"	1' 4 3/4"	1' 3"	1' 5 1/4"
1' 3"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"	1' 2 1/4"	1' 4"
1' 2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/4"	1' 2 3/4"
1' 1"	1' 3/4"	1' 1 1/4"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 3/4"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 1/2"	1' 1/2"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	9' 1"	INF	6' 6"	INF	4' 7"	INF
200'	8' 8 1/2"	INF	6' 3 3/4"	INF	4' 6"	INF
100'	8' 4 1/2"	INF	6' 1 3/4"	INF	4' 5"	INF
60'	7' 11 1/2"	INF	5' 11 1/4"	INF	4' 3 3/4"	INF
50'	7' 9 1/4"	INF	5' 10"	INF	4' 3"	INF
40'	7' 6"	INF	5' 8 1/4"	INF	4' 2 1/4"	INF
30'	7' 1 1/4"	INF	5' 5 1/4"	INF	4' 3/4"	INF
25'	6' 9 1/2"	INF	5' 3 1/4"	INF	3' 11 1/2"	INF
20'	6' 4 3/4"	INF	5' 1/2"	INF	3' 10"	INF
19'	6' 3 1/2"	INF	4' 11 3/4"	INF	3' 9 3/4"	INF
18'	6' 2 1/4"	INF	4' 11"	INF	3' 9 1/4"	INF
17'	6' 1"	INF	4' 10 1/4"	INF	3' 8 3/4"	INF
16'	5' 11 1/2"	INF	4' 9 1/4"	INF	3' 8 1/4"	INF
15'	5' 10"	INF	4' 8 1/4"	INF	3' 7 3/4"	INF
14'	5' 8 1/4"	INF	4' 7 1/4"	INF	3' 7"	INF
13'	5' 6 1/4"	INF	4' 6"	INF	3' 6 1/4"	INF
12'	5' 4 1/4"	INF	4' 4 1/2"	INF	3' 5 1/2"	INF
11'	5' 1 3/4"	INF	4' 3"	INF	3' 4 1/2"	INF
10'	4' 11 1/4"	INF	4' 1 1/4"	INF	3' 3 1/2"	INF
9' 6"	4' 9 3/4"	INF	4' 1/2"	INF	3' 3"	INF
9'	4' 8 1/2"	INF	3' 11 1/2"	INF	3' 2 1/4"	INF
8' 6"	4' 6 3/4"	INF	3' 10 1/4"	INF	3' 1 3/4"	INF
8'	4' 5 1/4"	INF	3' 9 1/4"	INF	3' 1"	INF
7' 9"	4' 4 1/4"	INF	3' 8 1/2"	INF	3' 1/2"	INF
7' 6"	4' 3 1/2"	INF	3' 8"	INF	3' 1/4"	INF
7' 3"	4' 2 1/2"	INF	3' 7 1/4"	INF	2' 11 3/4"	INF
7'	4' 1 1/2"	153' 2 1/4"	3' 6 1/2"	INF	2' 11 1/4"	INF
6' 9"	4' 1/2"	153' 1"	3' 6"	INF	2' 10 3/4"	INF
6' 6"	3' 11 1/2"	77' 9"	3' 5 1/4"	INF	2' 10 1/4"	INF
6' 3"	3' 10 1/2"	50' 9 1/4"	3' 4 1/2"	INF	2' 9 3/4"	INF
6'	3' 9 1/2"	36' 10 3/4"	3' 3 1/2"	INF	2' 9 1/4"	INF
5' 9"	3' 8 1/4"	28' 5 1/2"	3' 2 3/4"	INF	2' 8 3/4"	INF
5' 6"	3' 7"	22' 9 1/4"	3' 2"	INF	2' 8 1/4"	INF
5' 3"	3' 6"	18' 8 1/4"	3' 1"	INF	2' 7 1/2"	INF
5'	3' 4 3/4"	15' 7 1/4"	3'	240' 4 1/2"	2' 6 3/4"	INF
4' 9"	3' 3 1/4"	13' 2 1/2"	2' 11"	61' 2"	2' 6 1/4"	INF
4' 6"	3' 2"	11' 3 1/4"	2' 10"	33' 5 1/2"	2' 5 1/2"	INF
4' 3"	3' 1/2"	9' 8 1/4"	2' 9"	22' 2 3/4"	2' 4 1/2"	INF
4'	2' 11 1/4"	8' 4 1/2"	2' 7 3/4"	16' 1 1/2"	2' 3 3/4"	INF



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
3' 9"	2' 9 1/2"	7' 3"	2' 6 1/2"	12' 3 3/4"	2' 3"	396' 10"
3' 6"	2' 8"	6' 3 1/2"	2' 5 1/4"	9' 8 1/4"	2' 2"	38' 9 1/2"
3' 3"	2' 6 1/4"	5' 5 1/2"	2' 4"	7' 9 1/4"	2' 1"	19' 1/4"
3'	2' 4 3/4"	4' 8 3/4"	2' 2 1/2"	6' 4"	1' 11 3/4"	11' 11 1/4"
2' 9"	2' 2 3/4"	4' 1"	2' 1"	5' 2 1/4"	1' 10 3/4"	8' 3 1/2"
2' 6"	2' 1"	3' 6"	1' 11 1/4"	4' 3 1/4"	1' 9 1/4"	6' 1"
2' 3"	1' 11"	3'	1' 9 3/4"	3' 6"	1' 8"	4' 7"
2'	1' 9"	2' 6 1/2"	1' 7 3/4"	2' 10 1/2"	1' 6 1/2"	3' 6"
1' 11"	1' 8 1/4"	2' 4 3/4"	1' 7 1/4"	2' 8 1/4"	1' 6"	3' 2 1/2"
1' 10"	1' 7 1/2"	2' 3"	1' 6 1/2"	2' 6"	1' 5 1/2"	2' 11 1/4"
1' 9"	1' 6 3/4"	2' 1 1/2"	1' 6"	2' 4"	1' 4 3/4"	2' 8 1/2"
1' 8"	1' 6"	1' 11 3/4"	1' 5 1/4"	2' 2"	1' 4 1/4"	2' 5 3/4"
1' 7"	1' 5 1/4"	1' 10 1/4"	1' 4 1/2"	2'	1' 3 3/4"	2' 3 1/4"
1' 6"	1' 4 1/2"	1' 8 3/4"	1' 3 3/4"	1' 10 1/4"	1' 3"	2' 3/4"
1' 5"	1' 3 3/4"	1' 7 1/2"	1' 3 1/4"	1' 8 3/4"	1' 2 1/2"	1' 10 3/4"
1' 4"	1' 2 3/4"	1' 6"	1' 2 1/2"	1' 7"	1' 1 3/4"	1' 8 3/4"
1' 3"	1' 2"	1' 4 3/4"	1' 1 3/4"	1' 5 1/2"	1' 1 1/4"	1' 6 3/4"
1' 2"	1' 1 1/4"	1' 3 1/4"	1' 1"	1' 4"	1' 1/2"	1' 5"
1' 1"	1' 1/4"	1' 2"	1'	1' 2 1/2"	11 3/4"	1' 3 1/4"
1'	11 1/2"	1' 3/4"	11 1/4"	1' 1 1/4"	11"	1' 1 3/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	3' 3 1/4"	INF
200'	3' 2 3/4"	INF
100'	3' 2 1/4"	INF
60'	3' 1 1/2"	INF
50'	3' 1 1/4"	INF
40'	3' 3/4"	INF
30'	3'	INF
25'	2' 11 1/2"	INF
20'	2' 10 3/4"	INF
19'	2' 10 1/2"	INF
18'	2' 10 1/4"	INF
17'	2' 10"	INF
16'	2' 9 3/4"	INF
15'	2' 9 1/2"	INF
14'	2' 9"	INF
13'	2' 8 3/4"	INF
12'	2' 8 1/4"	INF
11'	2' 7 3/4"	INF
10'	2' 7"	INF
9' 6"	2' 6 3/4"	INF
9'	2' 6 1/2"	INF
8' 6"	2' 6"	INF
8'	2' 5 1/2"	INF
7' 9"	2' 5 1/4"	INF
7' 6"	2' 5"	INF
7' 3"	2' 4 3/4"	INF
7'	2' 4 1/2"	INF
6' 9"	2' 4 1/4"	INF
6' 6"	2' 4"	INF
6' 3"	2' 3 3/4"	INF
6'	2' 3 1/4"	INF
5' 9"	2' 3"	INF
5' 6"	2' 2 1/2"	INF
5' 3"	2' 2 1/4"	INF
5'	2' 1 3/4"	INF
4' 9"	2' 1 1/4"	INF
4' 6"	2' 3/4"	INF
4' 3"	2' 1/4"	INF
4'	1' 11 3/4"	INF



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop	
	22	
feet	from	to
3' 9"	1' 11"	INF
3' 6"	1' 10 1/2"	INF
3' 3"	1' 9 3/4"	INF
3'	1' 9"	INF
2' 9"	1' 8"	68' 9 1/4"
2' 6"	1' 7"	16' 1 1/4"
2' 3"	1' 6"	8' 4"
2'	1' 5"	5' 2 1/2"
1' 11"	1' 4 1/2"	4' 6 1/2"
1' 10"	1' 4"	4'
1' 9"	1' 3 1/2"	3' 6 1/4"
1' 8"	1' 3 1/4"	3' 1 1/2"
1' 7"	1' 2 3/4"	2' 9 1/4"
1' 6"	1' 2 1/4"	2' 5 3/4"
1' 5"	1' 1 1/2"	2' 2 1/2"
1' 4"	1' 1"	1' 11 1/2"
1' 3"	1' 1/2"	1' 9"
1' 2"	1'	1' 6 3/4"
1' 1"	11 1/4"	1' 4 1/2"
1'	10 1/2"	1' 2 3/4"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	27' 5 1/4"	INF	22' 11 3/4"	INF	23' 7 1/2"	INF
30'	14' 6"	INF	13' 2 1/4"	INF	13' 4 3/4"	INF
15'	9' 10 1/4"	32' 3 3/4"	9' 3"	50' 1 3/4"	9' 4"	INF
10'	7' 5 1/2"	15' 4 1/4"	7' 1 1/2"	18' 4 1/2"	7' 2"	61' 7 1/4"
8'	6' 3 3/4"	11' 1/4"	6' 3/4"	12' 5 1/2"	6' 1 1/4"	23' 4 1/2"
6'	5' 1/4"	7' 6"	4' 10 1/2"	8' 1 1/4"	4' 10 3/4"	11' 6"
5'	4' 3 3/4"	5' 11 1/2"	4' 2 1/2"	6' 4"	4' 2 3/4"	8' 2"
4' 6"	3' 11 1/2"	5' 3"	3' 10 1/4"	5' 6 1/2"	3' 10 1/2"	6' 10 1/4"
4'	3' 6 3/4"	4' 6 3/4"	3' 6"	4' 9 1/4"	3' 6"	5' 8 1/2"
3' 6"	3' 2"	3' 11"	3' 1 1/2"	4' 3/4"	3' 1 1/2"	4' 8 1/4"
2' 9"	2' 6 3/4"	2' 11 3/4"	2' 6 1/4"	3' 3/4"	2' 6 1/4"	3' 4 1/2"
2' 6"	2' 4"	2' 8 1/4"	2' 3 3/4"	2' 9"	2' 3 3/4"	3'
2' 3"	2' 1 1/2"	2' 4 3/4"	2' 1 1/4"	2' 5 1/4"	2' 1 1/4"	2' 7 1/2"
1' 11"	1' 10"	2' 1/4"	1' 9 3/4"	2' 1/2"	1' 9 3/4"	2' 2"
1' 10"	1' 9"	1' 11"	1' 9"	1' 11 1/4"	1' 9"	2' 3/4"
1' 9"	1' 8 1/4"	1' 10"	1' 8"	1' 10 1/4"	1' 8"	1' 11 1/4"
1' 8"	1' 7 1/4"	1' 8 3/4"	1' 7 1/4"	1' 9"	1' 7 1/4"	1' 10"
1' 7"	1' 6 1/4"	1' 7 3/4"	1' 6 1/4"	1' 8"	1' 6 1/4"	1' 8 3/4"
1' 6"	1' 5 1/2"	1' 6 1/2"	1' 5 1/4"	1' 6 3/4"	1' 5 1/4"	1' 7 1/2"
1' 5"	1' 4 1/2"	1' 5 1/2"	1' 4 1/2"	1' 5 3/4"	1' 4 1/2"	1' 6 1/4"
1' 4"	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 5"
1' 3"	1' 2 3/4"	1' 3 1/4"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 4"
1' 2"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 3/4"
1' 1"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/4"
10"	10"	10"	10"	10 1/4"	10"	10 1/4"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	19' 6"	INF	12' 10 1/2"	INF	8' 1 3/4"	INF
30'	11' 11 3/4"	INF	9' 1 3/4"	INF	6' 6 1/4"	INF
15'	8' 7 3/4"	INF	7' 1 1/4"	INF	5' 5 1/4"	INF
10'	6' 9 1/4"	INF	5' 9 1/2"	INF	4' 8"	INF
8'	5' 9 3/4"	INF	5' 1 1/4"	INF	4' 2 1/2"	INF
6'	4' 8 1/2"	22' 5 1/2"	4' 3"	INF	3' 7 1/2"	INF
5'	4' 1"	12' 4 1/4"	3' 8 3/4"	29' 2 1/2"	3' 3 1/4"	INF
4' 6"	3' 9"	9' 6"	3' 5 1/2"	16' 10 1/4"	3' 3/4"	INF
4'	3' 5"	7' 4 1/2"	3' 2"	11' 1/4"	2' 10"	29' 7"
3' 6"	3' 3/4"	5' 8 3/4"	2' 10 1/2"	7' 7 3/4"	2' 7"	13' 2 1/2"
2' 9"	2' 5 3/4"	3' 10 1/4"	2' 4 1/4"	4' 7"	2' 2 1/4"	6'
2' 6"	2' 3 1/2"	3' 4 1/4"	2' 2 1/4"	3' 10 1/4"	2' 1/2"	4' 9 1/4"
2' 3"	2' 1"	2' 10 1/2"	2'	3' 2 3/4"	1' 10 1/2"	3' 10"
1' 11"	1' 9 1/2"	2' 3 3/4"	1' 9"	2' 6 1/4"	1' 7 3/4"	2' 10 1/4"
1' 10"	1' 8 3/4"	2' 2 1/4"	1' 8"	2' 4 1/2"	1' 7 1/4"	2' 7 3/4"
1' 9"	1' 7 3/4"	2' 3/4"	1' 7 1/4"	2' 2 3/4"	1' 6 1/2"	2' 5 1/2"
1' 8"	1' 7"	1' 11 1/4"	1' 6 1/2"	2' 1"	1' 5 3/4"	2' 3 1/4"
1' 7"	1' 6"	1' 9 3/4"	1' 5 3/4"	1' 11 1/4"	1' 5"	2' 1 1/4"
1' 6"	1' 5 1/4"	1' 8 1/2"	1' 4 3/4"	1' 9 1/2"	1' 4 1/4"	1' 11 1/4"
1' 5"	1' 4 1/4"	1' 7"	1' 4"	1' 8"	1' 3 1/2"	1' 9 1/4"
1' 4"	1' 3 1/2"	1' 5 3/4"	1' 3 1/4"	1' 6 1/2"	1' 2 3/4"	1' 7 1/2"
1' 3"	1' 2 1/2"	1' 4 1/2"	1' 2 1/4"	1' 5"	1' 2"	1' 6"
1' 2"	1' 1 1/2"	1' 3 1/4"	1' 1 1/2"	1' 3 3/4"	1' 1"	1' 4 1/4"
1' 1"	1' 3/4"	1' 2"	1' 1/2"	1' 2 1/4"	1' 1/4"	1' 2 3/4"
1'	11 3/4"	1' 3/4"	11 1/2"	1' 1"	11 1/2"	1' 1 1/2"
11"	10 3/4"	11 1/2"	10 3/4"	11 3/4"	10 1/2"	1'
10"	9 3/4"	10 1/2"	9 3/4"	10 1/2"	9 3/4"	10 3/4"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.020 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	5' 4"	INF
30'	4' 7 1/2"	INF
15'	4' 3/4"	INF
10'	3' 7 3/4"	INF
8'	3' 4 1/2"	INF
6'	3'	INF
5'	2' 9"	INF
4'6	2' 7 1/4"	INF
4'	2' 5 1/2"	INF
3'6	2' 3 1/4"	INF
3'	1' 11 3/4"	10' 8"
2'9	1' 10 1/4"	7' 2 3/4"
2'6	1' 8 3/4"	5' 2 1/4"
2'3	1' 6 1/2"	3' 5 3/4"
2'	1' 6"	3' 2"
23"	1' 5 1/4"	2' 10 1/2"
22"	1' 4 3/4"	2' 7 1/2"
21"	1' 4"	2' 4 1/2"
20"	1' 3 1/2"	2' 2"
19"	1' 2 3/4"	1' 11 1/2"
18"	1' 2"	1' 9 1/4"
17"	1' 1 1/4"	1' 7 1/4"
16"	1' 1/2"	1' 5 1/2"
15"	11 3/4"	1' 3 3/4"
14"	11"	1' 2"
13"	10 1/4"	1' 1/2"
12"	9 1/2"	11"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	55' 7 1/2"	INF	51' 3 3/4"	INF	38' 3 3/4"	INF
40'	23' 5"	156' 7 3/4"	22' 7 1/2"	INF	19' 8 1/2"	INF
20'	14' 10"	31' 7"	14' 6 1/4"	46' 7 1/2"	13' 3 1/4"	124' 4 1/2"
13'	10' 7 1/2"	16' 11 3/4"	10' 5 1/2"	20' 5 3/4"	9' 9 3/4"	28' 1/2"
10'	8' 6 3/4"	12' 2"	8' 5 1/2"	13' 10"	8' 1/4"	16' 10 1/4"
8'	7' 3/4"	9' 3 3/4"	7'	10' 2 3/4"	6' 8 1/2"	11' 9 1/4"
7'	6' 3 1/4"	7' 11 1/2"	6' 2 3/4"	8' 7 1/2"	6'	9' 8 1/4"
6'	5' 5 1/2"	6' 8 1/4"	5' 5"	7' 1 1/2"	5' 3"	7' 10"
5'	4' 7 1/2"	5' 5 1/2"	4' 7 1/4"	5' 9"	4' 5 3/4"	6' 2 1/4"
4' 6"	4' 2 1/2"	4' 10 1/4"	4' 2 1/4"	5' 1"	4' 1"	5' 5"
4'	3' 9 1/4"	4' 3 1/4"	3' 9"	4' 5 1/4"	3' 8"	4' 8 1/4"
3' 6"	3' 4"	3' 8 1/2"	3' 3 3/4"	3' 10"	3' 3"	4'
3' 3"	3' 1 1/4"	3' 5"	3' 1"	3' 6 1/4"	3' 1/2"	3' 8"
3'	2' 10 1/2"	3' 1 3/4"	2' 10 1/4"	3' 2 3/4"	2' 9 3/4"	3' 4 1/4"
2' 9"	2' 7 3/4"	2' 10 1/2"	2' 7 3/4"	2' 11 1/4"	2' 7 1/4"	3' 1/2"
2' 6"	2' 5"	2' 7 1/4"	2' 5"	2' 7 3/4"	2' 4 1/2"	2' 8 3/4"
2' 3"	2' 2 1/4"	2' 4"	2' 2 1/4"	2' 4 1/2"	2' 1 3/4"	2' 5"
2'	1' 11 1/2"	2' 3/4"	1' 11 1/4"	2' 1"	1' 11 1/4"	2' 1 1/2"
1' 11"	1' 10 1/2"	1' 11 1/2"	1' 10 1/2"	2'	1' 10 1/4"	2' 1/2"
1' 10"	1' 9 1/2"	1' 10 1/2"	1' 9 1/2"	1' 10 3/4"	1' 9 1/4"	1' 11 1/4"
1' 9"	1' 8 1/2"	1' 9 1/2"	1' 8 1/2"	1' 9 3/4"	1' 8 1/4"	1' 10 1/4"
1' 8"	1' 7 1/2"	1' 8 1/2"	1' 7 1/2"	1' 8 3/4"	1' 7 1/2"	1' 9"
1' 7"	1' 6 3/4"	1' 7 1/2"	1' 6 1/2"	1' 7 1/2"	1' 6 1/2"	1' 8"
1' 6"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"
1' 5"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"	1' 4 1/2"	1' 5 3/4"
1' 4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"	1' 3 3/4"	1' 4 1/2"
1' 3"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"
1' 2"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"
1' 1"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"
1'	1'	1'	1'	1' 1/4"	11 3/4"	1' 1/4"
11"	11"	11"	11"	11 1/4"	11"	11 1/4"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	26' 2"	INF	17' 7 1/2"	INF	11' 11 3/4"	INF
40'	15' 11 1/2"	INF	12' 4 1/2"	INF	9' 4"	INF
20'	11' 5 3/4"	INF	9' 6 1/4"	INF	7' 7 1/2"	INF
13'	8' 9 3/4"	50' 9 1/2"	7' 7 1/2"	INF	6' 4 1/2"	INF
10'	7' 4 1/4"	22' 11 1/4"	6' 6 1/4"	44' 3 1/4"	5' 7 1/4"	INF
8'	6' 2 3/4"	14' 4 3/4"	5' 7 1/2"	20' 5 3/4"	4' 11 1/4"	49' 7 1/2"
7'	5' 7 1/2"	11' 4 1/2"	5' 1 1/2"	14' 9 3/4"	4' 6 3/4"	25' 6"
6'	4' 11 3/4"	8' 10 1/2"	4' 7"	10' 9 3/4"	4' 1 1/2"	15' 5 3/4"
5'	4' 3 1/4"	6' 9 1/2"	4'	7' 10 1/4"	3' 7 3/4"	9' 11 3/4"
4' 6"	3' 11"	5' 10 1/2"	3' 8 1/4"	6' 7 1/2"	3' 4 3/4"	8' 1"
4'	3' 6 1/2"	5' 1/4"	3' 4 1/4"	5' 6 3/4"	3' 1 1/4"	6' 6 1/4"
3' 6"	3' 1 3/4"	4' 3"	3'	4' 7 1/4"	2' 9 3/4"	5' 2 3/4"
3' 3"	2' 11 1/4"	3' 10 1/2"	2' 9 3/4"	4' 2"	2' 7 3/4"	4' 7 3/4"
3'	2' 9"	3' 6"	2' 7 3/4"	3' 9"	2' 6"	4' 1 1/2"
2' 9"	2' 6 1/2"	3' 2"	2' 5 1/4"	3' 4 1/4"	2' 4"	3' 7 3/4"
2' 6"	2' 4"	2' 10"	2' 3"	2' 11 3/4"	2' 1 3/4"	3' 2 1/4"
2' 3"	2' 1 1/4"	2' 6"	2' 3/4"	2' 7 1/4"	1' 11 3/4"	2' 9 1/4"
2'	1' 10 3/4"	2' 2 1/4"	1' 10 1/4"	2' 3 1/4"	1' 9 1/2"	2' 4 3/4"
1' 11"	1' 9 3/4"	2' 1"	1' 9 1/4"	2' 1 3/4"	1' 8 3/4"	2' 3 1/4"
1' 10"	1' 9"	1' 11 3/4"	1' 8 1/2"	2' 1/2"	1' 7 3/4"	2' 1 3/4"
1' 9"	1' 8"	1' 10 1/2"	1' 7 3/4"	1' 11 1/4"	1' 7"	2' 1/4"
1' 8"	1' 7 1/4"	1' 9 1/2"	1' 6 3/4"	1' 10"	1' 6 1/4"	1' 10 3/4"
1' 7"	1' 6 1/4"	1' 8 1/4"	1' 6"	1' 8 3/4"	1' 5 1/2"	1' 9 1/2"
1' 6"	1' 5 1/4"	1' 7"	1' 5"	1' 7 1/2"	1' 4 3/4"	1' 8 1/4"
1' 5"	1' 4 1/2"	1' 6"	1' 4 1/4"	1' 6 1/4"	1' 3 3/4"	1' 6 3/4"
1' 4"	1' 3 1/2"	1' 4 3/4"	1' 3 1/4"	1' 5"	1' 3"	1' 5 1/2"
1' 3"	1' 2 1/2"	1' 3 3/4"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/4"
1' 2"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3"
1' 1"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 3/4"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"	11 1/2"	1' 3/4"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/2"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	8' 3"	INF	5' 9 1/4"	INF
40'	6' 11 1/4"	INF	5' 1 1/4"	INF
20'	5' 11 1/2"	INF	4' 7"	INF
13'	5' 2 1/4"	INF	4' 1 1/2"	INF
10'	4' 8"	INF	3' 9 1/2"	INF
8'	4' 2 1/2"	INF	3' 6"	INF
7'	3' 11 1/4"	INF	3' 3 3/4"	INF
6'	3' 7 1/2"	40' 2 1/4"	3' 1 1/4"	INF
5'	3' 3"	16' 3 3/4"	2' 10"	203' 7 3/4"
4' 6"	3' 1/2"	11' 8 1/4"	2' 8 1/4"	33' 3 3/4"
4'	2' 10"	8' 7 1/2"	2' 6"	16' 3 1/2"
3' 6"	2' 7"	6' 5 1/2"	2' 3 3/4"	9' 10"
3' 3"	2' 5 1/2"	5' 7 1/4"	2' 2 3/4"	7' 11"
3'	2' 3 3/4"	4' 10"	2' 1 1/4"	6' 5 1/4"
2' 9"	2' 2"	4' 2"	2'	5' 3 1/2"
2' 6"	2' 1/4"	3' 7"	1' 10 1/2"	4' 4 1/4"
2' 3"	1' 10 1/2"	3' 3/4"	1' 8 3/4"	3' 6 3/4"
2'	1' 8 1/2"	2' 7"	1' 7 1/4"	2' 11"
1' 11"	1' 7 3/4"	2' 5 1/4"	1' 6 1/2"	2' 8 3/4"
1' 10"	1' 7"	2' 3 1/2"	1' 6"	2' 6 1/2"
1' 9"	1' 6 1/4"	2' 1 3/4"	1' 5 1/2"	2' 4 1/2"
1' 8"	1' 5 1/2"	2' 1/4"	1' 4 3/4"	2' 2 1/2"
1' 7"	1' 4 3/4"	1' 10 3/4"	1' 4"	2' 1/2"
1' 6"	1' 4"	1' 9 1/4"	1' 3 1/2"	1' 10 3/4"
1' 5"	1' 3 1/4"	1' 7 3/4"	1' 2 3/4"	1' 9"
1' 4"	1' 2 1/2"	1' 6 1/4"	1' 2"	1' 7 1/4"
1' 3"	1' 1 3/4"	1' 4 3/4"	1' 1 1/4"	1' 5 3/4"
1' 2"	1' 1"	1' 3 1/2"	1' 1/2"	1' 4 1/4"
1' 1"	1' 1/4"	1' 2 1/4"	11 3/4"	1' 2 3/4"
1'	11 1/4"	1' 1"	11"	1' 1 1/2"
11"	10 1/2"	11 3/4"	10 1/4"	1'



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	68' 3 1/2"	INF	38' 6 3/4"	INF	46' 1/4"	INF
30'	20' 11 3/4"	53' 3/4"	17' 1/4"	46' 10 3/4"	18' 3 3/4"	INF
15'	12' 4 3/4"	19' 3/4"	10' 11"	18' 2 1/2"	11' 5"	28' 2 1/4"
10'	8' 9 1/2"	11' 7 1/4"	8' 1/2"	11' 3 3/4"	8' 3 3/4"	14' 4 3/4"
8'	7' 2 1/2"	8' 11 3/4"	6' 8 1/2"	8' 9 1/2"	6' 10 3/4"	10' 6 1/4"
6'	5' 6 3/4"	6' 6 1/4"	5' 3 1/4"	6' 5"	5' 4 1/2"	7' 3 1/4"
5'	4' 8 1/4"	5' 4 1/4"	4' 5 3/4"	5' 3 1/2"	4' 6 3/4"	5' 10"
4'6	4' 3"	4' 9 1/4"	4' 1"	4' 8 3/4"	4' 1 3/4"	5' 1 3/4"
4'	3' 9 3/4"	4' 2 1/2"	3' 8"	4' 2"	3' 8 3/4"	4' 6"
3'6	3' 4 1/4"	3' 8"	3' 3"	3' 7 1/2"	3' 3 1/2"	3' 10 1/2"
3'	2' 10 3/4"	3' 1 1/4"	2' 10"	3' 1"	2' 10 1/4"	3' 3"
2'9	2' 8"	2' 10"	2' 7 1/4"	2' 10"	2' 7 1/2"	2' 11 1/2"
2'6	2' 5 1/4"	2' 7"	2' 4 1/2"	2' 6 3/4"	2' 4 3/4"	2' 8"
2'3	2' 2 1/4"	2' 3 3/4"	2' 2"	2' 3 1/2"	2' 2"	2' 4 1/2"
2'	1' 11 1/2"	2' 1/2"	1' 11 1/4"	2' 1/2"	1' 11 1/4"	2' 1 1/4"
23"	1' 10 1/2"	1' 11 1/2"	1' 10 1/4"	1' 11 1/2"	1' 10 1/4"	2'
22"	1' 9 1/2"	1' 10 1/2"	1' 9 1/4"	1' 10 1/4"	1' 9 1/2"	1' 11"
21"	1' 8 3/4"	1' 9 1/2"	1' 8 1/2"	1' 9 1/4"	1' 8 1/2"	1' 9 3/4"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 1/2"	1' 8 1/4"	1' 7 1/2"	1' 8 3/4"
19"	1' 6 3/4"	1' 7 1/4"	1' 6 1/2"	1' 7 1/4"	1' 6 1/2"	1' 7 3/4"
18"	1' 5 3/4"	1' 6 1/4"	1' 5 1/2"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"
17"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"
16"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"
15"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"
14"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2"	1' 1 3/4"	1' 2 1/4"
13"	1' 1"	1' 1"	1' 3/4"	1' 1"	1' 3/4"	1' 1 1/4"
12"	1'	1'	11 3/4"	1'	1'	1' 1/4"
11"	11"	11"	11"	11"	11"	11 1/4"
10"	10"	10"	10"	10"	10"	10"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	4		5,6		11	
feet	from	to	from	to	from	to
INF	49' 10"	INF	35' 7 3/4"	INF	21' 9 1/4"	INF
30'	18' 10 1/4"	INF	16' 5 1/4"	INF	12' 9"	INF
15'	11' 7 1/2"	84' 11 1/2"	10' 8 1/4"	INF	9' 1/4"	INF
10'	8' 5"	21' 7 1/4"	7' 11"	43' 1 1/2"	6' 11 3/4"	INF
8'	6' 11 1/2"	13' 10 1/4"	6' 7 1/2"	20' 2 3/4"	5' 11 1/2"	42' 6 1/2"
6'	5' 5"	8' 8"	5' 2 1/2"	10' 8 3/4"	4' 9 3/4"	14' 8 1/2"
5'	4' 7"	6' 8 1/4"	4' 5 1/4"	7' 9 3/4"	4' 1 3/4"	9' 8"
4'6	4' 2"	5' 9 1/2"	4' 1/2"	6' 7 1/4"	3' 9 3/4"	7' 10 1/4"
4'	3' 9"	4' 11 1/2"	3' 7 3/4"	5' 6 1/2"	3' 5 1/2"	6' 4 1/2"
3'6	3' 3 3/4"	4' 2 1/4"	3' 2 3/4"	4' 7"	3' 1"	5' 1 1/2"
3'	2' 10 1/4"	3' 5 3/4"	2' 9 3/4"	3' 8 3/4"	2' 8 1/4"	4' 1"
2'9	2' 7 1/2"	3' 1 3/4"	2' 7"	3' 4"	2' 6"	3' 7 1/4"
2'6	2' 4 3/4"	2' 9 3/4"	2' 4 1/2"	2' 11 1/2"	2' 3 1/2"	3' 2"
2'3	2' 2"	2' 5 3/4"	2' 1 3/4"	2' 7 1/4"	2' 1"	2' 9"
2'	1' 11 1/4"	2' 2"	1' 11"	2' 3 1/4"	1' 10 1/2"	2' 4 1/2"
23"	1' 10 1/2"	2' 1"	1' 10 1/4"	2' 1 3/4"	1' 9 3/4"	2' 3"
22"	1' 9 1/2"	1' 11 3/4"	1' 9 1/4"	2' 1/2"	1' 8 3/4"	2' 1 1/2"
21"	1' 8 1/2"	1' 10 1/2"	1' 8 1/4"	1' 11 1/4"	1' 8"	2'
20"	1' 7 1/2"	1' 9 1/4"	1' 7 1/2"	1' 10"	1' 7"	1' 10 3/4"
19"	1' 6 1/2"	1' 8 1/4"	1' 6 1/2"	1' 8 3/4"	1' 6 1/4"	1' 9 1/4"
18"	1' 5 3/4"	1' 7"	1' 5 1/2"	1' 7 1/2"	1' 5 1/4"	1' 8"
17"	1' 4 3/4"	1' 5 3/4"	1' 4 1/2"	1' 6 1/4"	1' 4 1/4"	1' 6 3/4"
16"	1' 3 3/4"	1' 4 3/4"	1' 3 3/4"	1' 5"	1' 3 1/2"	1' 5 1/2"
15"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 4"	1' 2 1/2"	1' 4 1/4"
14"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 3/4"	1' 1 1/2"	1' 3"
13"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 3/4"
12"	1'	1' 1/4"	11 3/4"	1' 1/2"	11 3/4"	1' 3/4"
11"	11"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/2"
10"	10"	10 1/4"	10"	10 1/4"	9 3/4"	10 1/4"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	13' 4 3/4"	INF	8' 7 1/2"	INF
30'	9' 4 3/4"	INF	6' 9 3/4"	INF
15'	7' 2 3/4"	INF	5' 7 1/2"	INF
10'	5' 10 1/2"	INF	4' 9 1/2"	INF
8'	5' 1 3/4"	INF	4' 3 1/2"	INF
6'	4' 3 1/4"	28' 3 1/2"	3' 8 1/4"	INF
5'	3' 9"	13' 11 1/2"	3' 3 3/4"	36' 10 1/4"
4'6"	3' 5 3/4"	10' 5 1/4"	3' 1"	19' 3"
4'	3' 2 1/4"	7' 11 1/4"	2' 10 1/4"	12' 1/2"
3'6"	2' 10 1/2"	6' 3/4"	2' 7 1/4"	8' 1 3/4"
3'	2' 6 1/2"	4' 7 1/2"	2' 4"	5' 8 1/4"
2'9"	2' 4 1/4"	4' 1/4"	2' 2 1/4"	4' 9 1/4"
2'6"	2' 2 1/4"	3' 5 1/2"	2' 1/2"	4'
2'3"	2'	2' 11 3/4"	1' 10 1/2"	3' 4"
2'	1' 9 3/4"	2' 6 1/4"	1' 8 1/2"	2' 9 1/4"
23"	1' 9"	2' 4 1/2"	1' 7 3/4"	2' 7 1/4"
22"	1' 8"	2' 3"	1' 7 1/4"	2' 5 1/4"
21"	1' 7 1/4"	2' 1 1/4"	1' 6 1/2"	2' 3 1/4"
20"	1' 6 1/2"	1' 11 3/4"	1' 5 3/4"	2' 1 1/2"
19"	1' 5 3/4"	1' 10 1/4"	1' 5"	1' 11 3/4"
18"	1' 4 3/4"	1' 8 3/4"	1' 4 1/4"	1' 10"
17"	1' 4"	1' 7 1/2"	1' 3 1/2"	1' 8 1/2"
16"	1' 3"	1' 6"	1' 2 3/4"	1' 6 3/4"
15"	1' 2 1/4"	1' 4 3/4"	1' 1 3/4"	1' 5 1/4"
14"	1' 1 1/4"	1' 3 1/4"	1' 1"	1' 4"
13"	1' 1/2"	1' 2"	1' 1/4"	1' 2 1/2"
12"	11 1/2"	1' 3/4"	11 1/4"	1' 1 1/4"
11"	10 3/4"	11 3/4"	10 1/2"	1'
10"	9 3/4"	10 1/2"	9 3/4"	10 3/4"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	107' 5"	INF	133' 11 1/4"	INF	122' 10 1/4"	INF
50'	34' 3"	93' 1"	36' 6 1/4"	364' 4"	35' 7 3/4"	INF
25'	20' 4 1/2"	32' 5"	21' 1 3/4"	43' 6 1/2"	20' 10 1/4"	74' 4 1/2"
15'	13' 2 3/4"	17' 4"	13' 6 1/2"	20' 1/2"	13' 5"	24' 7 3/4"
10'	9' 2 1/4"	10' 11 1/2"	9' 4"	11' 11 1/2"	9' 3 1/2"	13' 5 1/4"
8'	7' 5 3/4"	8' 7 1/4"	7' 7"	9' 2 1/4"	7' 6 1/2"	10' 1/4"
7'	6' 7 1/4"	7' 5 1/4"	6' 8 1/4"	7' 10 1/2"	6' 7 3/4"	8' 5 3/4"
6'	5' 8 1/2"	6' 3 3/4"	5' 9 1/4"	6' 7 1/2"	5' 9"	7' 1/4"
5'	4' 9 3/4"	5' 2 1/2"	4' 10"	5' 5"	4' 10"	5' 8 1/4"
4'6	4' 4"	4' 8"	4' 4 1/2"	4' 10"	4' 4 1/4"	5' 1/2"
4'	3' 10 1/2"	4' 1 1/2"	3' 10 3/4"	4' 3"	3' 10 3/4"	4' 5"
3'9	3' 7 3/4"	3' 10 1/2"	3' 8"	3' 11 1/2"	3' 7 3/4"	4' 1 1/4"
3'6	3' 5"	3' 7 1/4"	3' 5"	3' 8 1/4"	3' 5"	3' 9 1/2"
3'3	3' 2"	3' 4"	3' 2 1/4"	3' 5"	3' 2 1/4"	3' 6"
3'	2' 11 1/4"	3' 3/4"	2' 11 1/4"	3' 1 1/2"	2' 11 1/4"	3' 2 1/2"
2'9	2' 8 1/4"	2' 9 3/4"	2' 8 1/2"	2' 10 1/4"	2' 8 1/2"	2' 11"
2'6	2' 5 1/2"	2' 6 1/2"	2' 5 1/2"	2' 7"	2' 5 1/2"	2' 7 3/4"
2'3	2' 2 1/2"	2' 3 1/2"	2' 2 3/4"	2' 3 3/4"	2' 2 1/2"	2' 4 1/4"
2'	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/2"	1' 11 3/4"	2' 1"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/2"	1' 10 3/4"	1' 11 3/4"
22"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"	1' 9 3/4"	1' 10 3/4"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"	1' 8 3/4"	1' 9 3/4"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 1/2"
19"	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/2"
18"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"
17"	1' 4 3/4"	1' 5 1/4"	1' 5"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"
16"	1' 4"	1' 4"	1' 4"	1' 4 1/4"	1' 4"	1' 4 1/4"
15"	1' 3"	1' 3"	1' 3"	1' 3 1/4"	1' 3"	1' 3 1/4"
14"	1' 2"	1' 2"	1' 2"	1' 2 1/4"	1' 2"	1' 2 1/4"
13"	1' 1"	1' 1"	1' 1"	1' 1"	1' 1"	1' 1 1/4"
12"	1'	1'	1'	1'	1'	1' 1/4"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	82' 7"	INF	49' 5 3/4"	INF	29' 9"	INF
50'	31' 3 1/4"	INF	25'	INF	18' 9 1/2"	INF
25'	19' 3 1/2"	345' 8 3/4"	16' 8 3/4"	INF	13' 8 3/4"	INF
15'	12' 9 1/4"	33' 1 1/2"	11' 7 1/4"	55' 10"	10' 1 1/4"	INF
10'	8' 11 3/4"	15' 6 1/2"	8' 4 3/4"	19' 1 1/2"	7' 7 1/4"	26' 11 1/4"
8'	7' 4"	11' 1 1/2"	6' 11 1/2"	12' 9 3/4"	6' 4 3/4"	15' 10"
7'	6' 6"	9' 3"	6' 2 1/4"	10' 4 1/4"	5' 9"	12' 2 3/4"
6'	5' 7 1/2"	7' 6 1/2"	5' 4 3/4"	8' 3 1/4"	5' 1"	9' 4 3/4"
5'	4' 9"	6'	4' 7"	6' 5 1/4"	4' 4 1/4"	7' 1"
4'6	4' 3 1/2"	5' 3 1/4"	4' 2"	5' 7 1/4"	3' 11 3/4"	6' 1"
4'	3' 10"	4' 7"	3' 8 3/4"	4' 10"	3' 7"	5' 2"
3'9	3' 7 1/4"	4' 3"	3' 6 1/4"	4' 5 1/2"	3' 4 3/4"	4' 9"
3'6	3' 4 1/2"	3' 11 1/4"	3' 3 3/4"	4' 1 1/4"	3' 2 1/4"	4' 4"
3'3	3' 1 3/4"	3' 7 1/4"	3' 1"	3' 9"	2' 11 3/4"	3' 11 1/2"
3'	2' 11"	3' 3 1/2"	2' 10 1/4"	3' 5"	2' 9 1/4"	3' 7"
2'9	2' 8 1/4"	3'	2' 7 1/2"	3' 1"	2' 6 3/4"	3' 2 1/2"
2'6	2' 5 1/4"	2' 8 1/4"	2' 4 3/4"	2' 9 1/4"	2' 4 1/4"	2' 10 1/2"
2'3	2' 2 1/2"	2' 4 3/4"	2' 2"	2' 5 1/2"	2' 1 1/2"	2' 6 1/4"
2'	1' 11 1/2"	2' 1 1/4"	1' 11 1/4"	2' 1 3/4"	1' 11"	2' 2 1/2"
23"	1' 10 1/2"	2' 1/4"	1' 10 1/2"	2' 3/4"	1' 10"	2' 1 1/4"
22"	1' 9 3/4"	1' 11"	1' 9 1/2"	1' 11 1/2"	1' 9"	2'
21"	1' 8 3/4"	1' 10"	1' 8 1/2"	1' 10 1/4"	1' 8 1/4"	1' 10 3/4"
20"	1' 7 3/4"	1' 8 3/4"	1' 7 1/2"	1' 9 1/4"	1' 7 1/4"	1' 9 1/2"
19"	1' 6 3/4"	1' 7 3/4"	1' 6 1/2"	1' 8"	1' 6 1/4"	1' 8 1/4"
18"	1' 5 3/4"	1' 6 3/4"	1' 5 3/4"	1' 7"	1' 5 1/2"	1' 7 1/4"
17"	1' 4 3/4"	1' 5 1/2"	1' 4 3/4"	1' 5 3/4"	1' 4 1/2"	1' 6"
16"	1' 3 3/4"	1' 4 1/2"	1' 3 3/4"	1' 4 3/4"	1' 3 1/2"	1' 4 3/4"
15"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 3 3/4"
14"	1' 2"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 1/2"
13"	1' 1"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
12"	1'	1' 1/4"	1'	1' 1/4"	11 3/4"	1' 1/4"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	18' 9 3/4"	INF	12' 4 1/2"	INF
50'	13' 9 1/2"	INF	10' 1/4"	INF
25'	10' 10 1/2"	INF	8' 5"	INF
15'	8' 6"	INF	6' 11 1/4"	INF
10'	6' 8"	61' 6"	5' 8 1/4"	INF
8'	5' 8 3/4"	23' 5 1/2"	5'	74' 1/2"
7'	5' 2 1/2"	16' 3 1/4"	4' 7 1/4"	30' 7 1/4"
6'	4' 8"	11' 6 3/4"	4' 2"	17' 2"
5'	4' 1/2"	8' 2 3/4"	3' 8 1/4"	10' 7 3/4"
4'6	3' 8 3/4"	6' 10 3/4"	3' 5"	8' 5 3/4"
4'	3' 4 1/2"	5' 8 3/4"	3' 1 1/2"	6' 9 1/4"
3'9	3' 2 1/2"	5' 2 1/2"	2' 11 3/4"	6' 1/2"
3'6	3' 1/4"	4' 8 3/4"	2' 10"	5' 4 1/2"
3'3	2' 10 1/4"	4' 3"	2' 8"	4' 9 1/4"
3'	2' 8"	3' 9 3/4"	2' 6"	4' 2 3/4"
2'9	2' 5 1/2"	3' 4 3/4"	2' 4"	3' 8 1/2"
2'6	2' 3 1/4"	3' 1/4"	2' 2"	3' 3"
2'3	2' 3/4"	2' 7 3/4"	1' 11 3/4"	2' 9 3/4"
2'	1' 10 1/4"	2' 3 1/2"	1' 9 1/2"	2' 5"
23"	1' 9 1/2"	2' 2"	1' 8 3/4"	2' 3 1/2"
22"	1' 8 1/2"	2' 3/4"	1' 8"	2' 2"
21"	1' 7 3/4"	1' 11 1/2"	1' 7 1/4"	2' 1/2"
20"	1' 7"	1' 10 1/4"	1' 6 1/4"	1' 11"
19"	1' 6"	1' 8 3/4"	1' 5 1/2"	1' 9 1/2"
18"	1' 5 1/4"	1' 7 1/2"	1' 4 3/4"	1' 8 1/4"
17"	1' 4 1/4"	1' 6 1/2"	1' 4"	1' 7"
16"	1' 3 1/4"	1' 5 1/4"	1' 3"	1' 5 1/2"
15"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/4"
14"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3"
13"	1' 3/4"	1' 1 3/4"	1' 1/2"	1' 2"
12"	11 3/4"	1' 1/2"	11 1/2"	1' 3/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	227' 2 1/2"	INF	394' 6 1/2"	INF	702' 4"	INF
50'	41' 3/4"	63' 11 3/4"	44' 4 3/4"	97' 7 1/2"	46' 8"	259' 5 3/4"
30'	26' 6 1/2"	34' 6"	27' 10 3/4"	42' 3 1/2"	28' 9 1/4"	57' 9 1/2"
20'	18' 5"	21' 10 1/2"	19' 1/2"	24' 9"	19' 5 1/4"	29' 3 3/4"
15'	14' 1 1/4"	16' 1/4"	14' 5 1/2"	17' 6"	14' 8 1/4"	19' 7 1/2"
12'	11' 5"	12' 7 3/4"	11' 7 3/4"	13' 6 1/4"	11' 9 1/2"	14' 9"
10'	9' 7 1/4"	10' 5 1/4"	9' 9"	11' 1/4"	9' 10 1/4"	11' 10"
9'	8' 8"	9' 4 1/4"	8' 9 3/4"	9' 9 3/4"	8' 10 1/2"	10' 5 1/4"
8'	7' 9"	8' 3 1/4"	7' 10 1/4"	8' 7 3/4"	7' 11"	9' 1 1/4"
7'	6' 9 3/4"	7' 2 1/2"	6' 10 1/2"	7' 5 3/4"	6' 11 1/4"	7' 10"
6'6"	6' 4"	6' 8 1/4"	6' 4 3/4"	6' 11"	6' 5 1/4"	7' 2 1/2"
6'	5' 10 1/4"	6' 1 3/4"	5' 11"	6' 4"	5' 11 1/4"	6' 7"
5'6"	5' 4 1/2"	5' 7 1/2"	5' 5 1/4"	5' 9 1/2"	5' 5 1/2"	5' 11 3/4"
5'	4' 10 3/4"	5' 1 1/4"	4' 11 1/4"	5' 2 3/4"	4' 11 1/2"	5' 4 3/4"
4'9"	4' 8"	4' 10"	4' 8 1/4"	4' 11 1/2"	4' 8 1/2"	5' 1 1/4"
4'6"	4' 5"	4' 7"	4' 5 1/2"	4' 8 1/4"	4' 5 3/4"	4' 9 3/4"
4'3"	4' 2 1/4"	4' 3 3/4"	4' 2 1/2"	4' 5"	4' 2 3/4"	4' 6 1/4"
4'	3' 11 1/4"	4' 3/4"	3' 11 1/2"	4' 1 3/4"	3' 11 3/4"	4' 2 3/4"
3'9"	3' 8 1/4"	3' 9 3/4"	3' 8 1/2"	3' 10 1/2"	3' 8 3/4"	3' 11 1/2"
3'6"	3' 5 1/2"	3' 6 1/2"	3' 5 3/4"	3' 7 1/4"	3' 5 3/4"	3' 8 1/4"
3'3"	3' 2 1/2"	3' 3 1/2"	3' 2 3/4"	3' 4"	3' 2 3/4"	3' 4 3/4"
3'	2' 11 1/2"	3' 1/2"	2' 11 3/4"	3' 1"	2' 11 3/4"	3' 1 1/2"
2'9"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 3/4"	2' 8 3/4"	2' 10 1/4"
2'6"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"	2' 6"	2' 7"
2'3"	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/2"	2' 3"	2' 3 3/4"
2	1' 11 3/4"	2' 1/4"	2'	2' 1/4"	2'	2' 1/2"
23"	1' 10 3/4"	1' 11 1/4"	1' 11"	1' 11 1/4"	1' 11"	1' 11 1/2"
22"	1' 9 3/4"	1' 10 1/4"	1' 10"	1' 10 1/4"	1' 10"	1' 10 1/2"
21"	1' 9"	1' 9"	1' 9"	1' 9 1/4"	1' 9"	1' 9 1/2"
20"	1' 8"	1' 8"	1' 8"	1' 8 1/4"	1' 8"	1' 8 1/2"
19"	1' 7"	1' 7"	1' 7"	1' 7 1/4"	1' 7"	1' 7 1/4"
18"	1' 6"	1' 6"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	349' 3 1/2"	INF	146' 2 1/4"	INF	73' 4 1/2"	INF
50'	43' 9"	INF	37' 3 3/4"	INF	29' 10"	INF
30'	27' 7 1/2"	88' 2"	24' 11 1/4"	205' 11 3/4"	21' 4 1/2"	INF
20'	18' 11"	35' 5 1/4"	17' 7 1/2"	45' 11"	15' 9 1/4"	72' 2 1/2"
15'	14' 4 1/2"	22' 2 1/4"	13' 7 1/2"	25' 10"	12' 6"	32' 5"
12'	11' 7 1/4"	16' 1 3/4"	11' 1 1/4"	17' 11 3/4"	10' 4 1/4"	20' 11"
10'	9' 8 3/4"	12' 8 1/4"	9' 4 1/2"	13' 9 1/2"	8' 10"	15' 5"
9'	8' 9 1/4"	11' 1 1/4"	8' 6"	11' 11 1/4"	8' 3/4"	13' 1 1/2"
8'	7' 9 3/4"	9' 7 1/4"	7' 7 1/4"	10' 2 1/2"	7' 3"	11' 3/4"
7'	6' 10 1/4"	8' 2 1/4"	6' 8 1/4"	8' 7 1/2"	6' 5"	9' 2 1/2"
6'6"	6' 4 1/2"	7' 6"	6' 2 3/4"	7' 10 1/4"	6'	8' 4 1/4"
6'	5' 10 3/4"	6' 10"	5' 9 1/4"	7' 1 1/2"	5' 7"	7' 6 1/4"
5'6"	5' 5"	6' 2 1/4"	5' 3 3/4"	6' 5"	5' 1 3/4"	6' 9"
5'	4' 11 1/4"	5' 6 3/4"	4' 10 1/4"	5' 9"	4' 8 1/2"	6'
4'9"	4' 8 1/4"	5' 3"	4' 7 1/4"	5' 5"	4' 5 3/4"	5' 7 1/2"
4'6"	4' 5 1/4"	4' 11 1/4"	4' 4 1/2"	5' 1"	4' 3 1/4"	5' 3 1/4"
4'3"	4' 2 1/2"	4' 7 1/2"	4' 1 3/4"	4' 9 1/4"	4' 1/2"	4' 11 1/4"
4'	3' 11 1/2"	4' 4"	3' 10 3/4"	4' 5 1/4"	3' 9 3/4"	4' 7"
3'9"	3' 8 1/2"	4' 1/2"	3' 8"	4' 1 3/4"	3' 7"	4' 3"
3'6"	3' 5 1/2"	3' 9"	3' 5"	3' 10"	3' 4 1/4"	3' 11 1/4"
3'3"	3' 2 3/4"	3' 5 1/2"	3' 2 1/4"	3' 6 1/4"	3' 1 1/2"	3' 7 1/2"
3'	2' 11 3/4"	3' 2"	2' 11 1/4"	3' 2 3/4"	2' 10 3/4"	3' 3 3/4"
2'9"	2' 8 3/4"	2' 10 3/4"	2' 8 1/2"	2' 11 1/4"	2' 8"	3'
2'6"	2' 5 3/4"	2' 7 1/2"	2' 5 1/2"	2' 7 3/4"	2' 5 1/4"	2' 8 1/2"
2'3"	2' 2 3/4"	2' 4"	2' 2 3/4"	2' 4 1/2"	2' 2 1/4"	2' 4 3/4"
2	1' 11 3/4"	2' 3/4"	1' 11 3/4"	2' 1"	1' 11 1/2"	2' 1 1/2"
23"	1' 11"	1' 11 3/4"	1' 10 3/4"	2'	1' 10 1/2"	2' 1/4"
22"	1' 10"	1' 10 3/4"	1' 9 3/4"	1' 10 3/4"	1' 9 1/2"	1' 11 1/4"
21"	1' 9"	1' 9 1/2"	1' 8 3/4"	1' 9 3/4"	1' 8 1/2"	1' 10"
20"	1' 8"	1' 8 1/2"	1' 7 3/4"	1' 8 3/4"	1' 7 3/4"	1' 9"
19"	1' 7"	1' 7 1/2"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"
18"	1' 6"	1' 6 1/2"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 3/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	42' 3 3/4"	INF	26' 3 1/2"	INF
50'	23' 1/4"	INF	17' 4"	INF
30'	17' 8"	INF	14' 1 1/2"	INF
20'	13' 8"	329' 9"	11' 5 3/4"	INF
15'	11' 2"	49' 8 1/2"	9' 7 3/4"	192' 2 1/2"
12'	9' 5"	26' 10 1/2"	8' 4"	44' 7 1/2"
10'	8' 1 3/4"	18' 5"	7' 4"	25' 2 3/4"
9'	7' 5 3/4"	15' 2 3/4"	6' 9 1/2"	19' 6 3/4"
8'	6' 9 1/2"	12' 6 1/4"	6' 2 1/2"	15' 3 1/2"
7'	6' 3/4"	10' 2 1/4"	5' 7 1/4"	11' 11"
6'6"	5' 8 1/4"	9' 1 1/2"	5' 3 1/2"	10' 6"
6'	5' 3 1/2"	8' 1 3/4"	4' 11 1/2"	9' 2 3/4"
5'6"	4' 11"	7' 2 3/4"	4' 7 1/4"	8' 3/4"
5'	4' 6 1/4"	6' 4 1/2"	4' 3 1/4"	7'
4'9"	4' 3 3/4"	5' 11 1/2"	4' 1"	6' 6"
4'6"	4' 1 1/4"	5' 6 3/4"	3' 10 3/4"	6' 1/4"
4'3"	3' 10 3/4"	5' 2 1/4"	3' 8 1/2"	5' 7"
4'	3' 8 1/4"	4' 9 3/4"	3' 6 1/4"	5' 1 3/4"
3'9"	3' 5 3/4"	4' 5 1/4"	3' 4"	4' 8 3/4"
3'6"	3' 3 1/4"	4' 1"	3' 1 3/4"	4' 3 3/4"
3'3"	3' 1/2"	3' 9"	2' 11 1/4"	3' 11 1/4"
3'	2' 10"	3' 5"	2' 8 3/4"	3' 6 3/4"
2'9"	2' 7 1/4"	3' 1"	2' 6 1/4"	3' 2 1/2"
2'6"	2' 4 1/2"	2' 9 1/4"	2' 3 3/4"	2' 10 1/4"
2'3"	2' 2"	2' 5 1/2"	2' 1 1/4"	2' 6 1/4"
2'	1' 11 1/4"	2' 1 3/4"	1' 10 3/4"	2' 2 1/2"
23"	1' 10 1/4"	2' 3/4"	1' 9 3/4"	2' 1 1/4"
22"	1' 9 1/4"	1' 11 1/2"	1' 9"	2'
21"	1' 8 1/4"	1' 10 1/4"	1' 8"	1' 10 3/4"
20"	1' 7 1/2"	1' 9 1/4"	1' 7"	1' 9 1/2"
19"	1' 6 1/2"	1' 8"	1' 6 1/4"	1' 8 1/2"
18"	1' 5 1/2"	1' 7"	1' 5 1/4"	1' 7 1/4"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	598' 6 3/4"	INF	555' 1 3/4"	INF	461' 10"	INF
200'	150' 1/4"	300' 1 3/4"	147' 1 1/2"	INF	139' 7 3/4"	INF
100'	85' 9 1/4"	119' 11 1/2"	84' 9 3/4"	137' 4 1/2"	82' 3 1/4"	174' 4 1/2"
60'	54' 7"	66' 7 1/2"	54' 2 1/4"	71' 7 3/4"	53' 1 3/4"	80' 6"
40'	37' 6 1/4"	42' 9 3/4"	37' 4 1/4"	44' 10"	36' 10 1/4"	48' 1 1/2"
30'	28' 7 1/4"	31' 6 1/2"	28' 5 3/4"	32' 7 1/2"	28' 2 1/4"	34' 3 3/4"
25'	24' 1/4"	26' 3/4"	23' 11 1/4"	26' 9 1/2"	23' 8 3/4"	27' 11"
20'	19' 4 1/2"	20' 8"	19' 3 3/4"	21' 1 1/2"	19' 2 1/4"	21' 9 3/4"
17'	16' 6 1/2"	17' 5 3/4"	16' 6"	17' 9 1/2"	16' 5"	18' 3 1/4"
15'	14' 7 3/4"	15' 4 1/2"	14' 7 1/2"	15' 7 1/4"	14' 6 1/2"	15' 11 3/4"
14'	13' 8 1/4"	14' 3 3/4"	13' 8"	14' 6 1/4"	13' 7 1/4"	14' 10 1/4"
13'	12' 8 3/4"	13' 3 1/4"	12' 8 1/2"	13' 5 1/2"	12' 7 3/4"	13' 8 3/4"
12'	11' 9 1/4"	12' 2 3/4"	11' 9"	12' 4 1/2"	11' 8 1/2"	12' 7 1/4"
11'	10' 9 3/4"	11' 2 1/4"	10' 9 1/2"	11' 3 3/4"	10' 9"	11' 6"
10'	9' 10 1/4"	10' 2"	9' 10"	10' 3 1/4"	9' 9 1/2"	10' 5"
9'6"	9' 4 1/4"	9' 7 3/4"	9' 4 1/4"	9' 8 3/4"	9' 3 3/4"	9' 10 1/2"
9'	8' 10 1/2"	9' 1 1/2"	8' 10 1/2"	9' 2 1/2"	8' 10"	9' 4"
8'6"	8' 4 3/4"	8' 7 1/4"	8' 4 1/2"	8' 8 1/4"	8' 4 1/4"	8' 9 1/2"
8'	7' 10 3/4"	8' 1 1/4"	7' 10 3/4"	8' 2"	7' 10 1/2"	8' 3"
7'9"	7' 8"	7' 10"	7' 7 3/4"	7' 10 3/4"	7' 7 1/2"	8'
7'6"	7' 5"	7' 7"	7' 5"	7' 7 3/4"	7' 4 3/4"	7' 8 3/4"
7'3"	7' 2"	7' 4"	7' 2"	7' 4 1/2"	7' 1 3/4"	7' 5 1/2"
7'	6' 11"	7' 1"	6' 11"	7' 1 1/2"	6' 10 3/4"	7' 2 1/4"
6'9"	6' 8 1/4"	6' 9 3/4"	6' 8"	6' 10 1/4"	6' 8"	6' 11 1/4"
6'6"	6' 5 1/4"	6' 6 3/4"	6' 5 1/4"	6' 7 1/4"	6' 5"	6' 8"
6'3"	6' 2 1/4"	6' 3 3/4"	6' 2 1/4"	6' 4 1/4"	6' 2"	6' 4 3/4"
6'	5' 11 1/4"	6' 3/4"	5' 11 1/4"	6' 1"	5' 11 1/4"	6' 1 3/4"
5'9"	5' 8 1/2"	5' 9 1/2"	5' 8 1/4"	5' 10"	5' 8 1/4"	5' 10 1/2"
5'6"	5' 5 1/2"	5' 6 1/2"	5' 5 1/2"	5' 7"	5' 5 1/4"	5' 7 1/2"
5'3"	5' 2 1/2"	5' 3 1/2"	5' 2 1/2"	5' 3 3/4"	5' 2 1/4"	5' 4 1/4"
5'	4' 11 1/2"	5' 1/2"	4' 11 1/2"	5' 3/4"	4' 11 1/2"	5' 1"
4'9"	4' 8 1/2"	4' 9 1/2"	4' 8 1/2"	4' 9 3/4"	4' 8 1/2"	4' 10"
4'6"	4' 5 3/4"	4' 6 1/4"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 7"
4'3"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"
4'	8,00	4' 1/4"	11,00	4' 1/2"	16,00	4' 3/4"
3'9"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/2"	3' 8 3/4"	3' 9 1/2"
3'6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/2"
3'3"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/2"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	323' 9"	INF	211' 3 1/2"	INF	136' 6 1/2"	INF
200'	123' 8 3/4"	INF	102' 10 1/4"	INF	81' 3 1/4"	INF
100'	76' 5 3/4"	252' 2 3/4"	67' 11 3/4"	INF	57' 10 1/4"	INF
60'	50' 8 1/4"	93' 9 3/4"	46' 9 3/4"	117' 6 1/4"	41' 9 1/2"	174' 4"
40'	35' 7 3/4"	52' 6 1/2"	33' 8 1/2"	59' 2 1/2"	31' 1/4"	70' 9"
30'	27' 6"	36' 6"	26' 4"	39' 6 3/4"	24' 8"	44' 4 3/4"
25'	23' 2 3/4"	29' 4"	22' 4 3/4"	31' 3 1/4"	21' 2 1/2"	34' 2 1/4"
20'	18' 10 1/4"	22' 7 3/4"	18' 3 3/4"	23' 9 1/2"	17' 6"	25' 5 1/4"
17'	16' 2"	18' 10 1/2"	15' 9 1/4"	19' 7 3/4"	15' 2"	20' 9"
15'	14' 4 1/4"	16' 5"	14' 1/2"	17'	13' 6 3/4"	17' 9 3/4"
14'	13' 5 1/4"	15' 2 3/4"	13' 2"	15' 8 3/4"	12' 9"	16' 5"
13'	12' 6 1/4"	14' 1/2"	12' 3 1/4"	14' 5 1/2"	11' 11"	15' 1/2"
12'	11' 7"	12' 10 1/2"	11' 4 1/2"	13' 2 3/4"	11' 3/4"	13' 8 1/2"
11'	10' 7 3/4"	11' 8 3/4"	10' 5 3/4"	12' 1/4"	10' 2 1/2"	12' 5"
10'	9' 8 1/2"	10' 7 1/4"	9' 6 3/4"	10' 10"	9' 4 1/4"	11' 1 3/4"
9'6"	9' 3"	10' 1/2"	9' 1 1/4"	10' 3"	8' 11"	10' 6 1/4"
9'	8' 9 1/4"	9' 5 3/4"	8' 7 3/4"	9' 8"	8' 5 3/4"	9' 11"
8'6"	8' 3 1/2"	8' 11"	8' 2 1/4"	9' 1"	8' 1/2"	9' 3 3/4"
8'	7' 9 3/4"	8' 4 1/2"	7' 8 3/4"	8' 6 1/4"	7' 7"	8' 8 1/2"
7'9"	7' 7"	8' 1 1/4"	7' 6"	8' 2 3/4"	7' 4 1/4"	8' 4 3/4"
7'6"	7' 4"	7' 9 3/4"	7' 3"	7' 11 1/4"	7' 1 3/4"	8' 1 1/4"
7'3"	7' 1 1/4"	7' 6 1/2"	7' 1/4"	7' 8"	6' 11"	7' 9 3/4"
7'	6' 10 1/4"	7' 3 1/4"	6' 9 1/2"	7' 4 1/2"	6' 8 1/4"	7' 6 1/4"
6'9"	6' 7 1/2"	7'	6' 6 3/4"	7' 1 1/4"	6' 5 1/2"	7' 2 3/4"
6'6"	6' 4 1/2"	6' 8 3/4"	6' 3 3/4"	6' 10"	6' 2 3/4"	6' 11 1/4"
6'3"	6' 1 3/4"	6' 5 1/2"	6' 1"	6' 6 1/2"	6'	6' 8"
6'	5' 10 3/4"	6' 2 1/2"	5' 10 1/4"	6' 3 1/4"	5' 9 1/4"	6' 4 1/2"
5'9"	5' 8"	5' 11 1/4"	5' 7 1/4"	6'	5' 6 1/2"	6' 1"
5'6"	5' 5"	5' 8"	5' 4 1/2"	5' 8 3/4"	5' 3 3/4"	5' 9 3/4"
5'3"	5' 2"	5' 4 3/4"	5' 1 1/2"	5' 5 1/2"	5' 1"	5' 6 1/4"
5'	4' 11 1/4"	5' 1 1/2"	4' 10 3/4"	5' 2 1/4"	4' 10"	5' 3"
4'9"	4' 8 1/4"	4' 10 1/2"	4' 8"	4' 11"	4' 7 1/4"	4' 11 3/4"
4'6"	4' 5 1/4"	4' 7 1/4"	4' 5"	4' 7 3/4"	4' 4 1/2"	4' 8 1/4"
4'3"	4' 2 1/2"	4' 4"	4' 2"	4' 4 1/2"	4' 1 3/4"	4' 5"
4'	3' 11 1/2"	4' 1"	3' 11 1/4"	4' 1 1/4"	3' 10 3/4"	4' 1 3/4"
3'9"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10 1/4"	3' 8"	3' 10 1/2"
3'6"	3' 5 1/2"	3' 6 3/4"	3' 5 1/2"	3' 7"	3' 5"	3' 7 1/4"
3'3"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4 1/4"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	90' 5 3/4"	INF	60' 11 3/4"	INF
200'	62' 5"	INF	46' 10"	INF
100'	47' 7 3/4"	INF	38' 1/4"	INF
60'	36' 2 1/2"	INF	30' 4 3/4"	INF
40'	27' 10 1/4"	97' 1 1/4"	24' 3 1/2"	201' 11 3/4"
30'	22' 7 3/4"	53' 5 1/4"	20' 2 3/4"	74' 7 3/4"
25'	19' 8 1/4"	39' 3 1/2"	17' 10 1/4"	49' 7 1/2"
20'	16' 5 1/2"	28' 1 1/2"	15' 2"	33' 1/4"
17'	14' 4 3/4"	22' 6"	13' 4 3/4"	25' 6"
15'	12' 11 1/4"	19' 1"	12' 1 1/2"	21' 2 1/4"
14'	12' 2 1/4"	17' 5 3/4"	11' 5 3/4"	19' 2 3/4"
13'	11' 5 1/4"	15' 11 1/4"	10' 9 1/2"	17' 4 1/2"
12'	10' 7 3/4"	14' 5 1/4"	10' 1 1/4"	15' 7 1/4"
11'	9' 10 1/4"	13'	9' 4 3/4"	13' 11 1/4"
10'	9' 3/4"	11' 7 1/2"	8' 8"	12' 4 1/4"
9'6"	8' 7 3/4"	10' 11 1/4"	8' 3 1/2"	11' 7"
9'	8' 2 3/4"	10' 3 1/4"	7' 11"	10' 10"
8'6"	7' 9 3/4"	9' 7 1/2"	7' 6 1/4"	10' 1 1/2"
8'	7' 4 3/4"	8' 11 3/4"	7' 1 1/2"	9' 5"
7'9"	7' 2 1/4"	8' 8"	6' 11 1/4"	9' 3/4"
7'6"	6' 11 1/2"	8' 4 1/4"	6' 8 3/4"	8' 8 1/2"
7'3"	6' 9"	8' 1/2"	6' 6 1/2"	8' 4 1/2"
7'	6' 6 1/2"	7' 8 3/4"	6' 4"	8' 1/2"
6'9"	6' 3 3/4"	7' 5"	6' 1 1/2"	7' 8 1/2"
6'6"	6' 1 1/4"	7' 1 1/2"	5' 11"	7' 4 1/2"
6'3"	5' 10 1/2"	6' 9 3/4"	5' 8 3/4"	7' 3/4"
6'	5' 8"	6' 6 1/4"	5' 6 1/4"	6' 8 3/4"
5'9"	5' 5 1/4"	6' 2 3/4"	5' 3 3/4"	6' 5"
5'6"	5' 2 1/2"	5' 11 1/4"	5' 1"	6' 1 1/4"
5'3"	5'	5' 7 1/2"	4' 10 1/2"	5' 9 1/2"
5'	4' 9 1/4"	5' 4 1/4"	4' 8"	5' 5 3/4"
4'9"	4' 6 1/2"	5' 3/4"	4' 5 1/4"	5' 2 1/4"
4'6"	4' 3 3/4"	4' 9 1/4"	4' 2 3/4"	4' 10 1/2"
4'3"	4' 1"	4' 5 3/4"	4'	4' 7"
4'	3' 10 1/4"	4' 2 1/2"	3' 9 1/2"	4' 3 1/2"
3'9"	3' 7 1/2"	3' 11 1/4"	3' 6 3/4"	4'
3'6"	3' 4 3/4"	3' 7 3/4"	3' 4"	3' 8 1/2"
3'3"	3' 2"	3' 4 1/2"	3' 1 1/2"	3' 5 1/4"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	786' 5 1/4"	INF	778' 4 3/4"	INF	539' 11 1/4"	INF
300'	217' 4"	INF	216' 8 1/4"	INF	193' 1/4"	INF
250'	189' 10 1/4"	366' 2 1/4"	189' 4 1/4"	INF	171' 1/2"	INF
200'	159' 7"	267' 11 3/4"	159' 2 3/4"	346' 2 3/4"	146' 1"	INF
190'	153' 1 3/4"	250' 3 1/2"	152' 10"	317' 3"	140' 8 1/4"	INF
180'	146' 7 1/4"	233' 2 1/2"	146' 3 3/4"	290' 3 1/4"	135' 1 1/2"	INF
170'	139' 10 3/4"	216' 8 1/4"	139' 7 1/2"	265' 1"	129' 5"	346' 6 1/4"
160'	133' 3/4"	200' 8 1/4"	132' 9 3/4"	241' 6"	123' 6 3/4"	307' 3 1/4"
150'	126' 1"	185' 2 1/4"	125' 10 1/4"	219' 4 1/2"	117' 6 1/4"	272' 3 1/2"
140'	118' 11 1/4"	170' 2"	118' 9"	198' 7"	111' 3 1/2"	240' 11 1/2"
130'	111' 7 3/4"	155' 7 1/4"	111' 5 3/4"	179' 1/4"	104' 10 3/4"	212' 8 3/4"
120'	104' 2 1/2"	141' 5 3/4"	104' 3/4"	160' 6 3/4"	98' 3 1/2"	187' 1 1/2"
110'	96' 7"	127' 9 1/4"	96' 5 1/2"	143' 1 1/4"	91' 5 3/4"	163' 10"
100'	88' 9 1/2"	114' 5 1/2"	88' 8 1/4"	126' 7 1/4"	84' 5 3/4"	142' 6 1/2"
90'	80' 10"	101' 6 1/2"	80' 8 3/4"	110' 11 1/2"	77' 2 3/4"	123'
80'	72' 8 1/4"	88' 11 3/4"	72' 7 1/4"	96' 1 1/2"	69' 9"	105' 1/4"
70'	64' 4"	76' 9 1/4"	64' 3 1/4"	82' 1/4"	62' 1/2"	88' 4 3/4"
60'	55' 9 1/2"	64' 10 3/4"	55' 9"	68' 7 1/4"	54' 3/4"	72' 11 3/4"
50'	47' 3/4"	53' 4"	47' 1/4"	55' 9 3/4"	45' 9 3/4"	58' 8"
45'	42' 7 1/4"	47' 8 1/4"	42' 7"	49' 7 3/4"	41' 7"	51' 10 3/4"
40'	38' 1 1/4"	42' 1 1/4"	38' 1"	43' 7 1/4"	37' 3 1/2"	45' 4"
35'	33' 6 1/2"	36' 7 1/4"	33' 6 1/4"	37' 8 3/4"	32' 11"	39'
30'	28' 11"	31' 2"	28' 11"	31' 11 3/4"	28' 5 1/2"	32' 10 1/2"
29'	28'	30' 1"	27' 11 3/4"	30' 10"	27' 6 3/4"	31' 8 1/4"
28'	27' 3/4"	29'	27' 1/2"	29' 8 1/2"	26' 7 3/4"	30' 5 3/4"
27'	26' 1 1/2"	27' 11 1/4"	26' 1 1/2"	28' 7"	25' 9"	29' 3 1/2"
26'	25' 2 1/4"	26' 10 1/4"	25' 2 1/4"	27' 5 1/2"	24' 10"	28' 1 1/2"
25'	24' 3"	25' 9 1/2"	24' 3"	26' 4 1/4"	23' 11"	26' 11 1/2"
24'	23' 3 3/4"	24' 8 3/4"	23' 3 3/4"	25' 2 3/4"	23'	25' 9 1/2"
23'	22' 4 1/2"	23' 8"	22' 4 1/4"	24' 1 1/2"	22' 1"	24' 7 3/4"
22'	21' 5"	22' 7 1/4"	21' 5"	23' 1/4"	21' 2"	23' 6"
21'	20' 5 3/4"	21' 6 3/4"	20' 5 1/2"	21' 11 1/4"	20' 3"	22' 4 1/4"
20'	19' 6 1/4"	20' 6"	19' 6 1/4"	20' 10"	19' 3 3/4"	21' 2 1/2"
19'	18' 6 3/4"	19' 5 1/2"	18' 6 3/4"	19' 9"	18' 4 1/2"	20' 1"
18'	8,00	18' 4 3/4"	11,00	18' 8"	16,00	18' 11 3/4"
17'	16' 8"	17' 4 1/4"	16' 7 3/4"	17' 7 1/4"	16' 6"	17' 10 1/4"
16'	15' 8 1/4"	16' 3 3/4"	15' 8 1/4"	16' 6 1/4"	15' 6 3/4"	16' 9 1/4"
15'	14' 8 3/4"	15' 3 1/4"	14' 8 3/4"	15' 5 1/2"	14' 7 1/4"	15' 8"
14' 6"	14' 3"	14' 9"	14' 3"	14' 11 1/4"	14' 1 3/4"	15' 1 1/2"
14'	13' 9 1/4"	14' 3"	13' 9 1/4"	14' 4 3/4"	13' 8"	14' 7"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	368' 8 1/4"	INF	250' 8 1/2"	INF	169' 11"	INF
300'	165' 7"	INF	136' 9 1/4"	INF	108' 8"	INF
250'	149' 2"	INF	125' 4 1/2"	INF	101' 4 1/4"	INF
200'	129' 10"	INF	111' 5 1/4"	INF	92' 3/4"	INF
190'	125' 6 1/2"	INF	108' 3 1/4"	INF	89' 10 3/4"	INF
180'	121' 1 1/2"	INF	104' 11 1/2"	INF	87' 7 1/4"	INF
170'	116' 6 1/4"	INF	101' 6"	INF	85' 2 1/4"	INF
160'	111' 8 3/4"	INF	97' 10 1/4"	INF	82' 7 1/4"	INF
150'	106' 9 1/4"	INF	94' 1/4"	INF	79' 10 1/2"	INF
140'	101' 7 1/2"	336' 8 1/2"	90' 1/4"	INF	76' 11 1/2"	INF
130'	96' 3"	283' 11 1/2"	85' 9 1/2"	INF	73' 10 1/4"	INF
120'	90' 8"	240' 1"	81' 4"	INF	70' 6 1/4"	INF
110'	84' 10 1/4"	203' 1/4"	76' 7 1/2"	300' 5 3/4"	66' 11 1/2"	INF
100'	78' 9 1/2"	171' 3 1/2"	71' 7 3/4"	235' 8 3/4"	63' 1 3/4"	INF
90'	72' 5 1/2"	143' 9 3/4"	66' 4 1/2"	186' 7 1/4"	59' 1/4"	312' 5 3/4"
80'	65' 10 1/4"	119' 9 1/2"	60' 9 1/2"	148' 1/4"	54' 6 3/4"	217' 5"
70'	58' 11 1/4"	98' 7 1/4"	54' 10 1/4"	116' 11 1/4"	49' 9"	156' 3 1/2"
60'	51' 8 1/4"	79' 9 1/2"	48' 6 1/2"	91' 4 1/2"	44' 6"	113' 8 1/4"
50'	44' 1 1/4"	62' 11 3/4"	41' 9 1/2"	69' 11 1/2"	38' 9 1/4"	82' 3 1/4"
45'	40' 2 1/4"	55' 2 3/4"	38' 3"	60' 6"	35' 8 1/2"	69' 5 3/4"
40'	36' 1 3/4"	47' 10 1/4"	34' 7"	51' 9"	32' 6"	58' 2"
35'	32' 1/4"	40' 10 1/4"	30' 9 1/2"	43' 7 3/4"	29' 1 1/2"	48' 1 1/4"
30'	27' 9 1/2"	34' 2"	26' 10 1/2"	36' 1 1/4"	25' 7 1/4"	39' 1"
29'	26' 11 1/4"	32' 10 1/2"	26' 3/4"	34' 7 3/4"	24' 10 1/2"	37' 4 3/4"
28'	26' 3/4"	31' 7"	25' 3"	33' 2 3/4"	24' 1 1/2"	35' 8 3/4"
27'	25' 2 1/2"	30' 3 3/4"	24' 5 1/4"	31' 9 3/4"	23' 4 3/4"	34' 1 1/4"
26'	24' 4"	29' 3/4"	23' 7 1/2"	30' 5 1/4"	22' 7 3/4"	32' 6 1/4"
25'	23' 5 1/2"	27' 9 3/4"	22' 9 1/2"	29' 3/4"	21' 10 1/2"	30' 11 1/2"
24'	22' 7"	26' 7"	21' 11 1/2"	27' 8 1/2"	21' 1 1/2"	29' 5 1/4"
23'	21' 8 1/4"	25' 4 1/4"	21' 1 1/2"	26' 4 1/2"	20' 4"	27' 11 1/4"
22'	20' 9 1/2"	24' 1 3/4"	20' 3 1/2"	25' 3/4"	19' 6 3/4"	26' 5 1/2"
21'	19' 11"	22' 11 1/4"	19' 5 1/4"	23' 9 1/4"	18' 9 1/4"	25' 1/4"
20'	19'	21' 9"	18' 7"	22' 6"	17' 11 3/4"	23' 7 1/4"
19'	18' 1 1/4"	20' 6 3/4"	17' 8 1/2"	21' 2 3/4"	17' 2"	22' 2 1/2"
18'	17' 2 1/4"	19' 4 3/4"	16' 10"	19' 11 3/4"	16' 4 1/4"	20' 10 1/4"
17'	16' 3 1/2"	18' 2 3/4"	15' 11 1/2"	18' 9"	15' 6 1/4"	19' 6"
16'	15' 4 1/4"	17' 1"	15' 1"	17' 6 1/2"	14' 8 1/4"	18' 2 1/4"
15'	14' 5 1/4"	15' 11 1/4"	14' 2 1/4"	16' 4"	13' 10"	16' 10 3/4"
14' 6"	13' 11 3/4"	15' 4 1/2"	13' 9"	15' 9"	13' 5"	16' 3 1/4"
14'	13' 6 1/4"	14' 9 3/4"	13' 3 1/2"	15' 1 3/4"	13'	15' 7 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
13' 6"	13' 1/2"	14' 3"	12' 10 1/4"	14' 6 3/4"	12' 6 3/4"	15'
13'	12' 7"	13' 8 1/4"	12' 4 3/4"	13' 11 3/4"	12' 1 1/2"	14' 4 3/4"
12' 6"	12' 1 1/4"	13' 1 3/4"	11' 11 1/4"	13' 4 3/4"	11' 8 1/4"	13' 9 1/4"
12'	11' 7 3/4"	12' 7"	11' 5 3/4"	12' 10"	11' 3"	13' 2"
11' 6"	11' 2"	12' 1/2"	11' 1/4"	12' 3"	10' 9 3/4"	12' 6 3/4"
11'	10' 8 1/2"	11' 5 3/4"	10' 6 3/4"	11' 8 1/4"	10' 4 1/2"	11' 11 1/2"
10' 6"	10' 2 3/4"	10' 11 1/4"	10' 1 1/4"	11' 1 1/2"	9' 11 1/4"	11' 4 1/2"
10'	9' 9"	10' 4 3/4"	9' 7 3/4"	10' 6 3/4"	9' 5 3/4"	10' 9 1/2"
9' 9"	9' 6 1/4"	10' 1 1/2"	9' 5"	10' 3 1/4"	9' 3 1/4"	10' 6"
9' 6"	9' 3 1/4"	9' 10 1/4"	9' 2 1/4"	10'	9' 1/2"	10' 2 1/2"
9' 3"	9' 1/2"	9' 7"	8' 11 1/4"	9' 8 3/4"	8' 9 3/4"	9' 11"
9'	8' 9 3/4"	9' 3 3/4"	8' 8 1/2"	9' 5 1/4"	8' 7"	9' 7 1/2"
8' 9"	8' 6 3/4"	9' 1/2"	8' 5 3/4"	9' 2"	8' 4 1/4"	9' 4"
8' 6"	8' 4"	8' 9 1/4"	8' 3"	8' 10 3/4"	8' 1 1/2"	9' 1/2"
8' 3"	8' 1"	8' 6 1/4"	8' 1/4"	8' 7 1/2"	7' 10 3/4"	8' 9 1/4"
8'	7' 10 1/4"	8' 3"	7' 9 1/4"	8' 4"	7' 8"	8' 5 3/4"
7' 9"	7' 7 1/4"	7' 11 3/4"	7' 6 1/2"	8' 3/4"	7' 5 1/4"	8' 2 1/4"
7' 6"	7' 4 1/2"	7' 8 1/2"	7' 3 3/4"	7' 9 1/2"	7' 2 1/2"	7' 11"
7' 3"	7' 1 1/2"	7' 5 1/4"	7' 3/4"	7' 6 1/4"	6' 11 3/4"	7' 7 3/4"
7'	6' 10 1/2"	7' 2 1/4"	6' 10"	7' 3"	6' 9"	7' 4 1/4"
6' 9"	6' 7 3/4"	6' 11"	6' 7"	6' 11 3/4"	6' 6 1/4"	7' 1"
6' 6"	6' 4 3/4"	6' 7 3/4"	6' 4 1/4"	6' 8 1/2"	6' 3 1/2"	6' 9 3/4"
6' 3"	6' 2"	6' 4 3/4"	6' 1 1/2"	6' 5 1/2"	6' 3/4"	6' 6 1/4"
6'	5' 11"	6' 1 1/2"	5' 10 1/2"	6' 2 1/4"	5' 9 3/4"	6' 3"
5' 9"	5' 8"	5' 10 1/2"	5' 7 3/4"	5' 11"	5' 7"	5' 11 3/4"
5' 6"	5' 5 1/4"	5' 7 1/4"	5' 4 3/4"	5' 7 3/4"	5' 4 1/4"	5' 8 1/2"
5' 3"	5' 2 1/4"	5' 4 1/4"	5' 2"	5' 4 1/2"	5' 1 1/2"	5' 5 1/4"
5'	4' 11 1/4"	5' 1"	4' 11"	5' 1 1/2"	4' 10 1/2"	5' 2"
4' 9"	4' 8 1/2"	4' 10"	4' 8"	4' 10 1/4"	4' 7 3/4"	4' 10 3/4"
4' 6"	4' 5 1/2"	4' 6 3/4"	4' 5 1/4"	4' 7 1/4"	4' 4 3/4"	4' 7 1/2"
4' 3"	4' 2 1/2"	4' 3 3/4"	4' 2 1/4"	4' 4"	4' 2"	4' 4 1/2"
4'	3' 11 1/2"	4' 3/4"	3' 11 1/2"	4' 3/4"	3' 11"	4' 1 1/4"
3' 9"	3' 8 3/4"	3' 9 1/2"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10"
3' 6"	3' 5 3/4"	3' 6 1/2"	3' 5 1/2"	3' 6 3/4"	3' 5 1/4"	3' 7"
3' 3"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"
3'	2' 11 3/4"	3' 1/4"	2' 11 3/4"	3' 1/2"	2' 11 1/2"	3' 1/2"
2' 9"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/2"
2' 6"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	115' 3 1/2"	INF	79'	INF
300'	83' 5 1/4"	INF	62' 8"	INF
250'	79' 1"	INF	60' 2 1/4"	INF
200'	73' 3 3/4"	INF	56' 9 1/2"	INF
190'	71' 11 1/4"	INF	55' 11 3/4"	INF
180'	70' 5 3/4"	INF	55' 1"	INF
170'	68' 10 3/4"	INF	54' 1 1/4"	INF
160'	67' 2 1/2"	INF	53' 3/4"	INF
150'	65' 4 3/4"	INF	51' 11 1/4"	INF
140'	63' 5"	INF	50' 8 1/4"	INF
130'	61' 3 3/4"	INF	49' 4"	INF
120'	59'	INF	47' 10"	INF
110'	56' 6"	INF	46' 2 1/4"	INF
100'	53' 9"	INF	44' 4"	INF
90'	50' 9"	INF	42' 3 1/4"	INF
80'	47' 5"	INF	39' 11 1/2"	INF
70'	43' 9"	288' 9"	37' 3 3/4"	INF
60'	39' 7 3/4"	170' 5"	34' 3 3/4"	INF
50'	35' 1/2"	108' 3 1/2"	30' 9 3/4"	194' 3"
45'	32' 6 1/4"	87' 1 1/2"	28' 10 1/4"	135' 1 1/2"
40'	29' 10 1/4"	70'	26' 9"	97' 10 3/4"
35'	27'	55' 10 3/4"	24' 5 1/4"	72' 3 1/4"
30'	23' 11 1/4"	44' 1/2"	21' 11"	53' 7"
29'	23' 3 3/4"	41' 11"	21' 4 1/2"	50' 5 1/4"
28'	22' 8"	39' 10"	20' 10"	47' 5 1/2"
27'	22'	37' 9 3/4"	20' 3 1/4"	44' 7 1/4"
26'	21' 4"	35' 10 1/2"	19' 8 1/2"	41' 11"
25'	20' 8"	33' 11 3/4"	19' 1 3/4"	39' 4"
24'	19' 11 3/4"	32' 1 3/4"	18' 6 3/4"	36' 10 3/4"
23'	19' 3 1/2"	30' 4 1/4"	17' 11 1/2"	34' 6 1/2"
22'	18' 7"	28' 7 1/2"	17' 4 1/4"	32' 3 3/4"
21'	17' 10 1/2"	26' 11 1/4"	16' 8 3/4"	30' 2"
20'	17' 1 3/4"	25' 3 1/2"	16' 1 1/4"	28' 1 1/2"
19'	16' 5"	23' 8 1/2"	15' 5 1/4"	26' 2"
18'	15' 8"	22' 1 3/4"	14' 9 1/2"	24' 3 1/4"
17'	14' 11"	20' 7 3/4"	14' 1 1/4"	22' 5 3/4"
16'	14' 1 3/4"	19' 2"	13' 5"	20' 8 3/4"
15'	13' 4 1/4"	17' 9"	12' 8 1/2"	19' 3/4"
14' 6"	12' 11 1/2"	17' 1/2"	12' 4 1/4"	18' 3"
14'	12' 6 3/4"	16' 4 1/4"	12'	17' 5 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
13' 6"	12' 2"	15' 8"	11' 7 1/2"	16' 8 1/4"
13'	11' 9"	14' 11 3/4"	11' 3 1/4"	15' 11"
12' 6"	11' 4 1/4"	14' 3 3/4"	10' 10 3/4"	15' 2"
12'	10' 11 1/4"	13' 8"	10' 6 1/4"	14' 5"
11' 6"	10' 6 1/4"	13' 1/4"	10' 1 1/2"	13' 8 1/4"
11'	10' 1 1/4"	12' 4 1/2"	9' 9"	12' 11 3/4"
10' 6"	9' 8 1/4"	11' 8 3/4"	9' 4 1/4"	12' 3 1/2"
10'	9' 3 1/4"	11' 1 1/4"	8' 11 1/2"	11' 7 1/4"
9' 9"	9' 1/2"	10' 9 1/2"	8' 9 1/4"	11' 3"
9' 6"	8' 10"	10' 5 3/4"	8' 6 3/4"	10' 11"
9' 3"	8' 7 1/2"	10' 2 1/4"	8' 4 1/4"	10' 7"
9'	8' 4 3/4"	9' 10 1/2"	8' 2"	10' 3"
8' 9"	8' 2 1/4"	9' 7"	7' 11 1/2"	9' 11 1/4"
8' 6"	7' 11 3/4"	9' 3 1/4"	7' 9"	9' 7 1/4"
8' 3"	7' 9"	8' 11 3/4"	7' 6 1/2"	9' 3 1/2"
8'	7' 6 1/4"	8' 8"	7' 4"	8' 11 1/2"
7' 9"	7' 3 3/4"	8' 4 1/2"	7' 1 1/2"	8' 7 3/4"
7' 6"	7' 1"	8' 1"	6' 11"	8' 4"
7' 3"	6' 10 1/2"	7' 9 1/2"	6' 8 1/2"	8' 1/4"
7'	6' 7 3/4"	7' 6"	6' 6"	7' 8 1/2"
6' 9"	6' 5"	7' 2 1/2"	6' 3 1/4"	7' 4 3/4"
6' 6"	6' 2 1/4"	6' 11"	6' 3/4"	7' 1 1/4"
6' 3"	5' 11 3/4"	6' 7 3/4"	5' 10 1/4"	6' 9 1/2"
6'	5' 9"	6' 4 1/4"	5' 7 1/2"	6' 6"
5' 9"	5' 6 1/4"	6' 3/4"	5' 5"	6' 2 1/2"
5' 6"	5' 3 1/2"	5' 9 1/2"	5' 2 1/4"	5' 11"
5' 3"	5' 3/4"	5' 6 1/4"	4' 11 3/4"	5' 7 1/2"
5'	4' 10"	5' 2 3/4"	4' 9"	5' 4"
4' 9"	4' 7"	4' 11 1/2"	4' 6 1/4"	5' 1/2"
4' 6"	4' 4 1/4"	4' 8 1/4"	4' 3 1/2"	4' 9"
4' 3"	4' 1 1/2"	4' 5"	4' 1"	4' 5 3/4"
4'	3' 10 3/4"	4' 1 3/4"	3' 10 1/4"	4' 2 1/4"
3' 9"	3' 8"	3' 10 1/2"	3' 7 1/2"	3' 11"
3' 6"	3' 5"	3' 7 1/4"	3' 4 3/4"	3' 7 3/4"
3' 3"	3' 2 1/4"	3' 4"	3' 1 3/4"	3' 4 1/2"
3'	2' 11 1/4"	3' 3/4"	2' 11"	3' 1 1/4"
2' 9"	2' 8 1/2"	2' 9 3/4"	2' 8 1/4"	2' 10"
2' 6"	2' 5 1/2"	2' 6 1/2"	2' 5 1/2"	2' 6 3/4"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	1499' 3"	INF	1279' 5 3/4"	INF	876' 10"	INF
200'	176' 6 1/2"	235' 2 1/4"	173' 3/4"	255' 9"	163'	285' 5 1/2"
100'	93' 9 1/2"	108' 1/2"	92' 9 3/4"	112' 1 3/4"	89' 10 1/4"	117' 6"
60'	57' 8 3/4"	62' 9 1/2"	57' 4 1/4"	64' 1 3/4"	56' 2 1/2"	65' 10"
40'	38' 11 3/4"	41' 2 1/2"	38' 9 3/4"	41' 9 1/4"	38' 3 1/2"	42' 5 3/4"
30'	29' 5"	30' 8"	29' 4"	30' 11 3/4"	29' 1/2"	31' 4 1/4"
25'	24' 7 1/4"	25' 5 1/2"	24' 6 1/2"	25' 8"	24' 4"	25' 11 1/4"
20'	19' 9"	20' 3 1/2"	19' 8 1/2"	20' 5"	19' 7"	20' 7"
18'	17' 9 1/2"	18' 2 3/4"	17' 9 1/4"	18' 4"	17' 8"	18' 5 3/4"
16'	15' 10"	16' 2 1/4"	15' 9 3/4"	16' 3 1/4"	15' 8 3/4"	16' 4 1/2"
15'	14' 10 1/4"	15' 2"	14' 10"	15' 2 3/4"	14' 9 1/4"	15' 3 3/4"
14'	13' 10 1/2"	14' 1 3/4"	13' 10 1/4"	14' 2 1/2"	13' 9 1/2"	14' 3 1/4"
13'	12' 10 3/4"	13' 1 1/2"	12' 10 1/2"	13' 2"	12' 10"	13' 2 3/4"
12'	11' 11"	12' 1 1/4"	11' 10 3/4"	12' 1 3/4"	11' 10 1/4"	12' 2 1/2"
11'	10' 11"	11' 1"	10' 11"	11' 1 1/2"	10' 10 1/2"	11' 2"
10'	9' 11 1/4"	10' 3/4"	9' 11 1/4"	10' 1 1/4"	9' 10 3/4"	10' 1 3/4"
9' 6"	9' 5 1/4"	9' 6 3/4"	9' 5 1/4"	9' 7"	9' 5"	9' 7 1/2"
9'	8' 11 1/2"	9' 3/4"	8' 11 1/4"	9' 1"	8' 11"	9' 1 1/4"
8' 6"	8' 5 1/2"	8' 6 1/2"	8' 5 1/2"	8' 6 3/4"	8' 5 1/4"	8' 7 1/4"
8'	7' 11 1/2"	8' 1/2"	7' 11 1/2"	8' 3/4"	7' 11 1/4"	8' 1"
7' 6"	7' 5 1/2"	7' 6 1/2"	7' 5 1/2"	7' 6 3/4"	7' 5 1/4"	7' 6 3/4"
7'	6' 11 3/4"	7' 1/2"	6' 11 1/2"	7' 1/2"	6' 11 1/2"	7' 3/4"
6' 9"	6' 8 3/4"	6' 9 1/4"	6' 8 3/4"	6' 9 1/2"	6' 8 1/2"	6' 9 3/4"
6' 6"	6' 5 3/4"	6' 6 1/4"	6' 5 3/4"	6' 6 1/2"	6' 5 1/2"	6' 6 3/4"
6' 3"	6' 2 3/4"	6' 3 1/4"	6' 2 3/4"	6' 3 1/2"	6' 2 1/2"	6' 3 1/2"
6'	5' 11 3/4"	6' 1/4"	5' 11 3/4"	6' 1/2"	5' 11 1/2"	6' 1/2"
5' 9"	5' 8 3/4"	5' 9 1/4"	5' 8 3/4"	5' 9 1/4"	5' 8 3/4"	5' 9 1/2"
5' 6"	5' 5 3/4"	5' 6 1/4"	5' 5 3/4"	5' 6 1/4"	5' 5 3/4"	5' 6 1/2"
5' 3"	5' 2 3/4"	5' 3 1/4"	5' 2 3/4"	5' 3 1/4"	5' 2 3/4"	5' 3 1/2"
5'	4' 11 3/4"	5' 1/4"	4' 11 3/4"	5' 1/4"	4' 11 3/4"	5' 1/4"
4' 9"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/4"
4' 6"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/4"
4' 3"	4' 3"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"
4'	4'	4'	4'	4' 1/4"	3' 11 3/4"	4' 1/4"
3' 9"	8,00	3' 9"	11,00	3' 9 1/4"	16,00	3' 9 1/4"
3' 6"	3' 6"	3' 6"	3' 6"	3' 6"	3' 6"	3' 6 1/4"
3' 3"	3' 3"	3' 3"	3' 3"	3' 3"	3' 3"	3' 3"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	602' 4 3/4"	INF	414' 5 1/4"	INF	286' 5 1/4"	INF
200'	150' 4"	340' 6 3/4"	135' 1 1/2"	464' 11 3/4"	118' 1/4"	950' 10 1/2"
100'	85' 10 1/2"	125' 10"	80' 8 1/2"	139' 6 1/2"	74' 3 3/4"	164' 8"
60'	54' 7 3/4"	68' 4 1/4"	52' 6 1/4"	72' 2 1/4"	49' 9"	78' 3 3/4"
40'	37' 6 3/4"	43' 6 1/4"	36' 6 3/4"	45' 1/4"	35' 2 1/2"	47' 3 3/4"
30'	28' 7 1/2"	31' 11"	28' 1/2"	32' 8 1/2"	27' 3"	33' 10 3/4"
25'	24' 1/2"	26' 3 3/4"	23' 7 1/2"	26' 10"	23' 3/4"	27' 7 1/2"
20'	19' 4 3/4"	20' 9 3/4"	19' 1 1/2"	21' 1 3/4"	18' 9"	21' 7 1/2"
18'	17' 6"	18' 7 3/4"	17' 3 1/2"	18' 11"	17'	19' 3 1/2"
16'	15' 7 1/4"	16' 6 1/4"	15' 5 1/4"	16' 8 1/2"	15' 2 1/2"	17'
15'	14' 8"	15' 5 1/4"	14' 6"	15' 7 1/2"	14' 3 1/2"	15' 10 1/2"
14'	13' 8 1/2"	14' 4 1/2"	13' 7"	14' 6 1/2"	13' 4 3/4"	14' 9"
13'	12' 9"	13' 4"	12' 7 1/2"	13' 5 1/2"	12' 5 3/4"	13' 7 3/4"
12'	11' 9 1/2"	12' 3 1/4"	11' 8 1/4"	12' 4 3/4"	11' 6 3/4"	12' 6 1/2"
11'	10' 9 3/4"	11' 2 3/4"	10' 9"	11' 3 3/4"	10' 7 1/2"	11' 5 1/2"
10'	9' 10 1/4"	10' 2 1/4"	9' 9 1/2"	10' 3 1/4"	9' 8 1/4"	10' 4 1/2"
9' 6"	9' 4 1/2"	9' 8"	9' 3 3/4"	9' 8 3/4"	9' 2 3/4"	9' 10"
9'	8' 10 1/2"	9' 1 3/4"	8' 10"	9' 2 1/2"	8' 9"	9' 3 1/2"
8' 6"	8' 4 3/4"	8' 7 1/2"	8' 4 1/4"	8' 8 1/4"	8' 3 1/2"	8' 9"
8'	7' 11"	8' 1 1/2"	7' 10 1/2"	8' 2"	7' 9 3/4"	8' 2 3/4"
7' 6"	7' 5"	7' 7 1/4"	7' 4 1/2"	7' 7 3/4"	7' 4"	7' 8 1/4"
7'	6' 11 1/4"	7' 1"	6' 10 3/4"	7' 1 1/2"	6' 10 1/4"	7' 2"
6' 9"	6' 8 1/4"	6' 10"	6' 8"	6' 10 1/4"	6' 7 1/2"	6' 10 3/4"
6' 6"	6' 5 1/4"	6' 7"	6' 5"	6' 7 1/4"	6' 4 1/2"	6' 7 3/4"
6' 3"	6' 2 1/4"	6' 3 3/4"	6' 2"	6' 4"	6' 1 3/4"	6' 4 1/2"
6'	5' 11 1/2"	6' 3/4"	5' 11 1/4"	6' 1"	5' 10 3/4"	6' 1 1/2"
5' 9"	5' 8 1/2"	5' 9 3/4"	5' 8 1/4"	5' 10"	5' 8"	5' 10 1/4"
5' 6"	5' 5 1/2"	5' 6 1/2"	5' 5 1/4"	5' 6 3/4"	5' 5"	5' 7 1/4"
5' 3"	5' 2 1/2"	5' 3 1/2"	5' 2 1/4"	5' 3 3/4"	5' 2"	5' 4"
5'	4' 11 1/2"	5' 1/2"	4' 11 1/2"	5' 3/4"	4' 11 1/4"	5' 1"
4' 9"	4' 8 3/4"	4' 9 1/2"	4' 8 1/2"	4' 9 1/2"	4' 8 1/4"	4' 9 3/4"
4' 6"	4' 5 3/4"	4' 6 1/2"	4' 5 1/2"	4' 6 1/2"	4' 5 1/4"	4' 6 3/4"
4' 3"	4' 2 3/4"	4' 3 1/4"	4' 2 1/2"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"
4'	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/2"	3' 11 1/2"	4' 1/2"
3' 9"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/4"	3' 8 1/2"	3' 9 1/2"
3' 6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/2"
3' 3"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.020 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	199' 1 1/2"	INF	139' 2"	INF
200'	100' 1/2"	INF	82' 3 3/4"	INF
100'	66' 9 1/2"	220' 7 3/4"	58' 5 1/4"	425' 5"
60'	46' 3 1/2"	88' 11 3/4"	42' 1 3/4"	110' 2 3/4"
40'	33' 5 1/2"	50' 11 1/2"	31' 3"	57' 2 3/4"
30'	26' 2 1/4"	35' 8 1/2"	24' 10"	38' 7 3/4"
25'	22' 3 3/4"	28' 9 3/4"	21' 4"	30' 8 1/4"
20'	18' 3"	22' 4"	17' 7 1/4"	23' 5 1/4"
18'	16' 7"	19' 10 1/4"	16' 1/2"	20' 8 1/2"
16'	14' 10 1/2"	17' 5 1/4"	14' 5 1/4"	18' 1"
15'	14' 1/4"	16' 3"	13' 7 1/2"	16' 9 3/4"
14'	13' 1 3/4"	15' 1"	12' 9 3/4"	15' 6 3/4"
13'	12' 3 1/4"	13' 11"	11' 11 3/4"	14' 3 3/4"
12'	11' 4 1/2"	12' 9 1/4"	11' 1 1/2"	13' 1 1/4"
11'	10' 5 3/4"	11' 7 3/4"	10' 3 1/4"	11' 11"
10'	9' 6 3/4"	10' 6 1/4"	9' 4 3/4"	10' 9"
9' 6"	9' 1 1/4"	9' 11 1/2"	8' 11 1/2"	10' 2"
9'	8' 7 3/4"	9' 5"	8' 6 1/4"	9' 7"
8' 6"	8' 2 1/4"	8' 10 1/4"	8' 3/4"	9' 1/4"
8'	7' 8 3/4"	8' 3 3/4"	7' 7 1/2"	8' 5 1/2"
7' 6"	7' 3 1/4"	7' 9 1/4"	7' 2"	7' 10 3/4"
7'	6' 9 1/2"	7' 2 3/4"	6' 8 1/2"	7' 4"
6' 9"	6' 6 3/4"	6' 11 1/2"	6' 5 3/4"	7' 3/4"
6' 6"	6' 4"	6' 8 1/2"	6' 3"	6' 9 1/2"
6' 3"	6' 1"	6' 5 1/4"	6' 1/4"	6' 6"
6'	5' 10 1/4"	6' 2"	5' 9 1/2"	6' 2 3/4"
5' 9"	5' 7 1/2"	5' 10 3/4"	5' 6 3/4"	5' 11 1/2"
5' 6"	5' 4 1/2"	5' 7 3/4"	5' 4"	5' 8 1/4"
5' 3"	5' 1 3/4"	5' 4 1/2"	5' 1 1/4"	5' 5"
5'	4' 10 3/4"	5' 1 1/4"	4' 10 1/4"	5' 1 3/4"
4' 9"	4' 8"	4' 10 1/4"	4' 7 1/2"	4' 10 3/4"
4' 6"	4' 5"	4' 7"	4' 4 3/4"	4' 7 1/2"
4' 3"	4' 2 1/4"	4' 4"	4' 1 3/4"	4' 4 1/4"
4'	3' 11 1/4"	4' 3/4"	3' 11"	4' 1"
3' 9"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10"
3' 6"	3' 5 1/2"	3' 6 1/2"	3' 5 1/4"	3' 6 3/4"
3' 3"	3' 2 1/2"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	11' 3 1/2"	INF	8' 10 1/4"	INF	7' 7"	INF
30'	8' 4 1/4"	INF	6' 11 1/2"	INF	6' 2"	INF
15'	6' 7 1/2"	INF	5' 8 3/4"	INF	5' 2 1/4"	INF
10'	5' 5 3/4"	83' 4 3/4"	4' 10 1/2"	INF	4' 5 3/4"	INF
8'	4' 10 1/4"	25' 10 1/2"	4' 4 1/2"	94' 8 1/2"	4' 3/4"	INF
6'	4' 1"	12' 1/2"	3' 9"	17' 10 3/4"	3' 6 1/4"	INF
5'	3' 7 1/2"	8' 5 1/4"	3' 4 1/4"	10' 10 1/4"	3' 2 1/4"	55' 6"
4' 6"	3' 4 1/4"	7' 1/2"	3' 1 3/4"	8' 7 1/4"	3'	23'
4'	3' 1"	5' 9 3/4"	2' 11"	6' 10"	2' 9 1/4"	13' 3 1/4"
3' 6"	2' 9 1/2"	4' 9 1/4"	2' 7 3/4"	5' 4 3/4"	2' 6 1/2"	8' 7 1/4"
3'	2' 5 3/4"	3' 10"	2' 4 1/2"	4' 2 3/4"	2' 3 1/2"	5' 10 1/2"
2' 9"	2' 3 3/4"	3' 5"	2' 2 3/4"	3' 8 1/2"	2' 1 3/4"	4' 10 1/2"
2' 6"	2' 1 3/4"	3' 1/4"	2' 3/4"	3' 3"	2' 1/4"	4' 3/4"
2' 3"	1' 11 3/4"	2' 7 3/4"	1' 10 3/4"	2' 9 3/4"	1' 10 1/4"	3' 4 1/2"
2'	1' 9 1/2"	2' 3 1/2"	1' 8 3/4"	2' 4 3/4"	1' 8 1/4"	2' 9 1/2"
1' 11"	1' 8 3/4"	2' 2"	1' 8"	2' 3 1/4"	1' 7 3/4"	2' 7 1/4"
1' 10"	1' 8"	2' 3/4"	1' 7 1/2"	2' 1 3/4"	1' 7"	2' 5 1/4"
1' 9"	1' 7"	1' 11 1/2"	1' 6 3/4"	2' 1/4"	1' 6 1/4"	2' 3 1/4"
1' 8"	1' 6 1/4"	1' 10 1/4"	1' 6"	1' 11"	1' 5 1/2"	2' 1 1/2"
1' 7"	1' 5 1/2"	1' 8 3/4"	1' 5 1/4"	1' 9 1/2"	1' 5"	1' 11 3/4"
1' 6"	1' 4 3/4"	1' 7 1/2"	1' 4 1/2"	1' 8 1/4"	1' 4 1/4"	1' 10"
1' 5"	1' 4"	1' 6 1/4"	1' 3 1/2"	1' 6 3/4"	1' 3 1/2"	1' 8 1/4"
1' 4"	1' 3"	1' 5 1/4"	1' 2 3/4"	1' 5 1/2"	1' 2 1/2"	1' 6 3/4"
1' 3"	1' 2 1/4"	1' 4"	1' 2"	1' 4 1/4"	1' 1 3/4"	1' 5 1/4"
1' 2"	1' 1 1/4"	1' 2 3/4"	1' 1 1/4"	1' 3"	1' 1"	1' 3 3/4"
1' 1"	1' 1/2"	1' 1 1/2"	1' 1/4"	1' 1 3/4"	1' 1/4"	1' 2 1/2"
1'	11 1/2"	1' 1/2"	11 1/2"	1' 3/4"	11 1/2"	1' 1"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	5' 8 3/4"	INF	4' 1 1/2"	INF	2' 10"	INF
30'	4' 10 3/4"	INF	3' 7 1/2"	INF	2' 7 3/4"	INF
15'	4' 3 1/2"	INF	3' 3 1/2"	INF	2' 5 3/4"	INF
10'	3' 9 3/4"	INF	3' 1 1/4"	INF	2' 4"	INF
8'	3' 6 1/4"	INF	2' 10"	INF	2' 2 3/4"	INF
6'	3' 1 1/4"	INF	2' 7"	INF	2' 1"	INF
5'	2' 10 1/4"	INF	2' 5"	INF	1' 11 3/4"	INF
4' 6"	2' 8 1/4"	INF	2' 3 3/4"	INF	1' 11"	INF
4'	2' 6 1/4"	INF	2' 2 1/4"	INF	1' 10"	INF
3' 6"	2' 4"	33' 4 1/2"	2' 3/4"	INF	1' 9"	INF
3'	2' 1 1/2"	11' 4 3/4"	1' 10 3/4"	INF	1' 7 3/4"	INF
2' 9"	2' 1/4"	8' 1/4"	1' 9 3/4"	51' 9"	1' 7"	INF
2' 6"	1' 10 3/4"	5' 11 1/4"	1' 8 1/2"	14' 11 3/4"	1' 6"	INF
2' 3"	1' 9"	4' 6"	1' 7 1/4"	8' 1/4"	1' 5 1/4"	INF
2'	1' 7 1/2"	3' 5 1/2"	1' 6"	5' 1 1/4"	1' 4 1/4"	15' 11"
1' 11"	1' 6 3/4"	3' 2 1/4"	1' 5 1/2"	4' 5 1/2"	1' 3 3/4"	10' 8"
1' 10"	1' 6 1/4"	2' 11"	1' 5"	3' 11"	1' 3 1/2"	7' 10 1/4"
1' 9"	1' 5 1/2"	2' 8"	1' 4 1/2"	3' 5 3/4"	1' 3"	6' 1 1/4"
1' 8"	1' 5"	2' 5 1/2"	1' 4"	3' 1"	1' 2 1/2"	4' 10 3/4"
1' 7"	1' 4 1/4"	2' 3"	1' 3 1/4"	2' 9"	1' 2 1/4"	4' 1/4"
1' 6"	1' 3 1/2"	2' 3/4"	1' 2 3/4"	2' 5 1/4"	1' 1 3/4"	3' 4 1/2"
1' 5"	1' 3"	1' 10 1/2"	1' 2 1/4"	2' 2 1/4"	1' 1 1/4"	2' 10 1/4"
1' 4"	1' 2 1/4"	1' 8 1/2"	1' 1 1/2"	1' 11 1/4"	1' 3/4"	2' 5 1/4"
1' 3"	1' 1 1/2"	1' 6 3/4"	1' 1"	1' 8 3/4"	1' 1/4"	2' 1"
1' 2"	1' 3/4"	1' 5"	1' 1/4"	1' 6 1/2"	11 3/4"	1' 9 1/2"
1' 1"	1'	1' 3 1/4"	11 1/2"	1' 4 1/2"	11"	1' 6 1/2"
1'	11 1/4"	1' 1 3/4"	10 3/4"	1' 2 1/2"	10 1/2"	1' 4"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	2' 1/2"	INF
30'	1' 11 1/2"	INF
15'	1' 10 1/2"	INF
10'	1' 9 1/2"	INF
8'	1' 9"	INF
6'	1' 8"	INF
5'	1' 7 1/4"	INF
4' 6"	1' 6 3/4"	INF
4'	1' 6 1/4"	INF
3' 6"	1' 5 1/2"	INF
3'	1' 4 3/4"	INF
2' 9"	1' 4 1/4"	INF
2' 6"	1' 3 3/4"	INF
2' 3"	1' 3"	INF
2'	1' 2 1/4"	INF
1' 11"	1' 2"	INF
1' 10"	1' 1 3/4"	INF
1' 9"	1' 1 1/2"	INF
1' 8"	1' 1 1/4"	62' 7"
1' 7"	1' 3/4"	14' 11 3/4"
1' 6"	1' 1/2"	8' 1 3/4"
1' 5"	1' 1/4"	5' 5"
1' 4"	11 3/4"	3' 11 1/4"
1' 3"	11 1/4"	3' 1/4"
1' 2"	11"	2' 4 3/4"
1' 1"	10 1/2"	1' 11 1/4"
1'	10"	1' 7"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	16' 3 1/2"	INF	12' 1"	INF	9' 5 1/2"	INF
200'	15' 1 1/4"	INF	11' 5"	INF	9' 3/4"	INF
100'	14' 1"	INF	10' 10"	INF	8' 8 1/2"	INF
60'	12' 11 1/4"	INF	10' 1 3/4"	INF	8' 3"	INF
50'	12' 5"	INF	9' 10"	INF	8' 3/4"	INF
40'	11' 8 3/4"	INF	9' 4 3/4"	INF	7' 9 1/4"	INF
30'	10' 8 3/4"	INF	8' 9"	INF	7' 4"	INF
25'	10' 1/2"	INF	8' 3 1/2"	INF	7'	INF
20'	9' 1 3/4"	INF	7' 8 1/4"	INF	6' 7"	INF
19'	8' 11 1/4"	INF	7' 6 3/4"	INF	6' 5 3/4"	INF
18'	8' 8 3/4"	INF	7' 4 3/4"	INF	6' 4 1/4"	INF
17'	8' 6"	INF	7' 2 3/4"	INF	6' 3"	INF
16'	8' 3"	917' 9 1/4"	7' 3/4"	INF	6' 1 1/4"	INF
15'	7' 11 3/4"	183' 7 1/4"	6' 10 1/2"	INF	5' 11 3/4"	INF
14'	7' 8 1/2"	95' 11"	6' 8"	INF	5' 9 3/4"	INF
13'	7' 5"	61' 10"	6' 5 1/4"	INF	5' 7 3/4"	INF
12'	7' 1"	43' 8 3/4"	6' 2 1/2"	187' 8 3/4"	5' 5 1/2"	INF
11'	6' 8 3/4"	32' 5 3/4"	5' 11 1/4"	74' 11"	5' 3 1/4"	INF
10'	6' 4 1/2"	24' 9 3/4"	5' 7 3/4"	43' 6 1/2"	5' 1/2"	INF
9' 6"	6' 2"	21' 10"	5' 6"	35' 1/2"	4' 11"	INF
9'	5' 11 1/2"	19' 3 1/4"	5' 4"	28' 9 1/2"	4' 9 1/2"	INF
8' 6"	5' 9"	17' 1/4"	5' 2"	24' 1/4"	4' 8"	INF
8'	5' 6 1/4"	15' 3/4"	4' 11 3/4"	20' 2 3/4"	4' 6 1/4"	151' 5 1/2"
7' 9"	5' 5"	14' 2"	4' 10 3/4"	18' 7 1/2"	4' 5 1/4"	90' 10 1/2"
7' 6"	5' 3 1/2"	13' 3 3/4"	4' 9 1/2"	17' 2"	4' 4 1/4"	63' 8 1/2"
7' 3"	5' 2"	12' 6 1/4"	4' 8 1/2"	15' 10 1/4"	4' 3 1/2"	48' 3 1/4"
7'	5' 1/2"	11' 9"	4' 7 1/4"	14' 7 3/4"	4' 2 1/2"	38' 4"
6' 9"	4' 11"	11' 1/2"	4' 6"	13' 6 1/2"	4' 1 1/4"	31' 4 3/4"
6' 6"	4' 9 1/2"	10' 4 1/4"	4' 4 3/4"	12' 6 1/4"	4' 1/4"	26' 3 1/4"
6' 3"	4' 8"	9' 8 1/2"	4' 3 1/4"	11' 6 3/4"	3' 11 1/4"	22' 4"
6'	4' 6 1/4"	9' 1 1/4"	4' 2"	10' 8 1/2"	3' 10"	19' 2 1/2"
5' 9"	4' 4 3/4"	8' 6 1/4"	4' 1/2"	9' 10 3/4"	3' 9"	16' 8 1/4"
5' 6"	4' 3"	7' 11 1/2"	3' 11 1/4"	9' 1 1/2"	3' 7 3/4"	14' 7"
5' 3"	4' 1 1/4"	7' 5"	3' 9 3/4"	8' 5 1/4"	3' 6 1/2"	12' 9 3/4"
5'	8,00	6' 11"	11,00	7' 9 1/4"	16,00	11' 3 3/4"
4' 9"	3' 9 1/2"	6' 5"	3' 6 3/4"	7' 1 3/4"	3' 3 3/4"	10' 1/4"
4' 6"	3' 7 3/4"	5' 11 1/2"	3' 5"	6' 6 3/4"	3' 2 1/2"	8' 10 1/2"
4' 3"	3' 5 3/4"	5' 6"	3' 3 1/4"	6' 1/4"	3' 1"	7' 10 3/4"
4'	3' 3 3/4"	5' 1"	3' 1 3/4"	5' 6 1/4"	2' 11 1/2"	7'



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
3' 9"	3' 1 3/4"	4' 8"	2' 11 3/4"	5' 1/4"	2' 10"	6' 2 1/2"
3' 6"	2' 11 3/4"	4' 3 1/4"	2' 10"	4' 6 3/4"	2' 8 1/4"	5' 6"
3' 3"	2' 9 3/4"	3' 10 3/4"	2' 8 1/4"	4' 1 1/2"	2' 6 3/4"	4' 10 1/2"
3'	2' 7 1/2"	3' 6 1/4"	2' 6 1/4"	3' 8 1/2"	2' 5"	4' 3 1/2"
2' 9"	2' 5 1/4"	3' 2"	2' 4 1/4"	3' 3 3/4"	2' 3"	3' 9"
2' 6"	2' 3"	2' 10"	2' 2"	2' 11 1/4"	2' 1"	3' 3 1/4"
2' 3"	2' 1/2"	2' 6"	1' 11 3/4"	2' 7"	1' 11"	2' 10"
2'	1' 10 1/4"	2' 2 1/4"	1' 9 1/2"	2' 3"	1' 9"	2' 5"
1' 11"	1' 9 1/4"	2' 1"	1' 8 3/4"	2' 1 3/4"	1' 8 1/4"	2' 3 1/2"
1' 10"	1' 8 1/2"	1' 11 3/4"	1' 8"	2' 1/2"	1' 7 1/2"	2' 2"
1' 9"	1' 7 3/4"	1' 10 1/2"	1' 7 1/4"	1' 11"	1' 6 3/4"	2' 1/2"
1' 8"	1' 6 3/4"	1' 9 1/2"	1' 6 1/2"	1' 9 3/4"	1' 6"	1' 11"
1' 7"	1' 6"	1' 8 1/4"	1' 5 1/2"	1' 8 1/2"	1' 5 1/4"	1' 9 3/4"
1' 6"	1' 5"	1' 7"	1' 4 3/4"	1' 7 1/2"	1' 4 1/2"	1' 8 1/4"
1' 5"	1' 4 1/4"	1' 6"	1' 4"	1' 6 1/4"	1' 3 3/4"	1' 7"
1' 4"	1' 3 1/4"	1' 4 3/4"	1' 3"	1' 5"	1' 2 3/4"	1' 5 1/2"
1' 3"	1' 2 1/2"	1' 3 3/4"	1' 2 1/4"	1' 3 3/4"	1' 2"	1' 4 1/4"
1' 2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3"
1' 1"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 1/2"	1' 1/4"	1' 1 3/4"
1'	11 3/4"	1' 1/4"	11 1/2"	1' 1/2"	11 1/2"	1' 3/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	7' 1 1/2"	INF	5' 1 1/2"	INF	3' 8"	INF
200'	15' 1 1/4"	INF	11' 5"	INF	9' 3/4"	INF
100'	6' 8 1/4"	INF	4' 11"	INF	3' 6 3/4"	INF
60'	6' 5 1/4"	INF	4' 9 1/4"	INF	3' 6"	INF
50'	6' 3 3/4"	INF	4' 8 1/2"	INF	3' 5 1/2"	INF
40'	6' 1 3/4"	INF	4' 7 1/2"	INF	3' 5"	INF
30'	5' 10 1/2"	INF	4' 5 3/4"	INF	3' 4"	INF
25'	5' 8"	INF	4' 4 1/4"	INF	3' 3 1/4"	INF
20'	5' 4 3/4"	INF	4' 2 1/2"	INF	3' 2 1/4"	INF
19'	5' 4"	INF	4' 2"	INF	3' 2"	INF
18'	5' 3"	INF	4' 1 1/2"	INF	3' 1 3/4"	INF
17'	5' 2"	INF	4' 3/4"	INF	3' 1 1/2"	INF
16'	5' 1"	INF	4' 1/4"	INF	3' 1"	INF
15'	4' 11 3/4"	INF	3' 11 1/2"	INF	3' 3/4"	INF
14'	4' 10 1/2"	INF	3' 10 3/4"	INF	3' 1/4"	INF
13'	4' 9 1/4"	INF	3' 10"	INF	2' 11 3/4"	INF
12'	4' 7 3/4"	INF	3' 9"	INF	2' 11 1/4"	INF
11'	4' 6"	INF	3' 7 3/4"	INF	2' 10 1/2"	INF
10'	4' 4"	INF	3' 6 3/4"	INF	2' 9 3/4"	INF
9' 6"	4' 3"	INF	3' 6"	INF	2' 9 1/2"	INF
9'	4' 1 3/4"	INF	3' 5 1/4"	INF	2' 9"	INF
8' 6"	4' 3/4"	INF	3' 4 1/2"	INF	2' 8 1/2"	INF
8'	3' 11 1/2"	INF	3' 3 1/2"	INF	2' 8"	INF
7' 9"	3' 10 3/4"	INF	3' 3"	INF	2' 7 3/4"	INF
7' 6"	3' 10"	INF	3' 2 3/4"	INF	2' 7 1/2"	INF
7' 3"	3' 9 1/4"	INF	3' 2 1/4"	INF	2' 7"	INF
7'	3' 8 1/2"	INF	3' 1 3/4"	INF	2' 6 3/4"	INF
6' 9"	3' 7 3/4"	INF	3' 1"	INF	2' 6 1/2"	INF
6' 6"	3' 7"	INF	3' 1/2"	INF	2' 6"	INF
6' 3"	3' 6"	INF	3'	INF	2' 5 3/4"	INF
6'	3' 5 1/4"	INF	2' 11 1/4"	INF	2' 5 1/4"	INF
5' 9"	3' 4 1/4"	409' 8 3/4"	2' 10 3/4"	INF	2' 5"	INF
5' 6"	3' 3 1/4"	87' 6 1/2"	2' 10"	INF	2' 4 1/2"	INF
5' 3"	3' 2 1/2"	47' 1/2"	2' 9 1/4"	INF	2' 4"	INF
5'	3' 1 1/4"	31' 2 1/4"	2' 8 1/2"	INF	2' 3 1/2"	INF
4' 9"	3' 1/4"	22' 8 3/4"	2' 7 3/4"	INF	2' 3"	INF
4' 6"	2' 11 1/4"	17' 5 1/2"	2' 7"	INF	2' 2 1/2"	INF
4' 3"	2' 10"	13' 10 1/2"	2' 6"	INF	2' 1 3/4"	INF
4'	2' 8 3/4"	11' 3 1/4"	2' 5"	60' 11 1/4"	2' 1"	INF



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
3' 9"	2' 7 1/2"	9' 3 1/2"	2' 4"	27' 6 1/2"	2' 1/2"	INF
3' 6"	2' 6"	7' 9"	2' 3"	16' 11 1/2"	1' 11 3/4"	INF
3' 3"	2' 4 1/2"	6' 6"	2' 2"	11' 9"	1' 10 3/4"	INF
3'	2' 3"	5' 5 1/2"	2' 3/4"	8' 7 3/4"	1' 10"	50' 4 1/2"
2' 9"	2' 1 1/2"	4' 7 1/4"	1' 11 1/2"	6' 7 1/4"	1' 9"	17' 1 1/2"
2' 6"	1' 11 3/4"	3' 10 1/2"	1' 10"	5' 1 3/4"	1' 8"	9' 6 3/4"
2' 3"	1' 10"	3' 3"	1' 8 1/2"	4' 1/2"	1' 6 3/4"	6' 2 3/4"
2'	1' 8 1/4"	2' 8 1/2"	1' 7"	3' 2 1/2"	1' 5 1/2"	4' 4"
1' 11"	1' 7 1/2"	2' 6 1/2"	1' 6 1/2"	2' 11 1/2"	1' 5"	3' 10 1/2"
1' 10"	1' 6 3/4"	2' 4 1/2"	1' 5 3/4"	2' 8 3/4"	1' 4 1/2"	3' 5 3/4"
1' 9"	1' 6 1/4"	2' 2 3/4"	1' 5 1/4"	2' 6 1/4"	1' 4"	3' 1 1/2"
1' 8"	1' 5 1/2"	2' 1"	1' 4 3/4"	2' 4"	1' 3 1/2"	2' 9 3/4"
1' 7"	1' 4 3/4"	1' 11 1/4"	1' 4"	2' 1 3/4"	1' 3"	2' 6 1/2"
1' 6"	1' 4"	1' 9 1/2"	1' 3 1/4"	1' 11 3/4"	1' 2 1/2"	2' 3 1/2"
1' 5"	1' 3 1/4"	1' 8"	1' 2 3/4"	1' 9 3/4"	1' 2"	2' 3/4"
1' 4"	1' 2 1/2"	1' 6 1/2"	1' 2"	1' 8"	1' 1 1/4"	1' 10 1/4"
1' 3"	1' 1 3/4"	1' 5"	1' 1 1/4"	1' 6 1/4"	1' 3/4"	1' 8"
1' 2"	1' 1"	1' 3 3/4"	1' 1/2"	1' 4 1/2"	1'	1' 6"
1' 1"	1' 1/4"	1' 2 1/4"	11 3/4"	1' 3"	11 1/2"	1' 4"
1'	11 1/4"	1' 1"	11"	1' 1 1/2"	10 3/4"	1' 2 1/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	2' 7 3/4"	INF
200'	2' 7 1/2"	INF
100'	2' 7 1/4"	INF
60'	2' 6 3/4"	INF
50'	2' 6 1/2"	INF
40'	2' 6 1/4"	INF
30'	2' 5 3/4"	INF
25'	2' 5 1/2"	INF
20'	2' 5"	INF
19'	2' 4 3/4"	INF
18'	2' 4 1/2"	INF
17'	2' 4 1/2"	INF
16'	2' 4 1/4"	INF
15'	2' 4"	INF
14'	2' 3 3/4"	INF
13'	2' 3 1/2"	INF
12'	2' 3 1/4"	INF
11'	2' 3"	INF
10'	2' 2 1/2"	INF
9' 6"	2' 2 1/4"	INF
9'	2' 2"	INF
8' 6"	2' 1 3/4"	INF
8'	2' 1 1/2"	INF
7' 9"	2' 1 1/4"	INF
7' 6"	2' 1"	INF
7' 3"	2' 1"	INF
7'	2' 3/4"	INF
6' 9"	2' 1/2"	INF
6' 6"	2' 1/4"	INF
6' 3"	2'	INF
6'	1' 11 3/4"	INF
5' 9"	1' 11 1/2"	INF
5' 6"	1' 11 1/4"	INF
5' 3"	1' 11"	INF
5'	1' 10 3/4"	INF
4' 9"	1' 10 1/4"	INF
4' 6"	1' 10"	INF
4' 3"	1' 9 1/2"	INF
4'	1' 9 1/4"	INF



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop	
	22	
feet	from	to
3' 9"	1' 8 3/4"	INF
3' 6"	1' 8 1/4"	INF
3' 3"	1' 7 3/4"	INF
3'	1' 7"	INF
2' 9"	1' 6 1/4"	INF
2' 6"	1' 5 1/2"	INF
2' 3"	1' 4 3/4"	32' 2 1/2"
2'	1' 3 3/4"	9' 3 1/4"
1' 11"	1' 3 1/2"	7' 3 1/4"
1' 10"	1' 3"	5' 10 1/2"
1' 9"	1' 2 3/4"	4' 10 1/4"
1' 8"	1' 2 1/4"	4' 1"
1' 7"	1' 2"	3' 5 3/4"
1' 6"	1' 1 1/2"	3'
1' 5"	1' 1"	2' 7"
1' 4"	1' 1/2"	2' 3"
1' 3"	1'	1' 11 1/2"
1' 2"	11 1/2"	1' 8 1/2"
1' 1"	11"	1' 5 3/4"
1'	10 1/4"	1' 3 1/2"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	22' 1/4"	INF	18' 3 1/2"	INF	17' 3"	INF
30'	12' 10 1/2"	INF	11' 6 1/4"	INF	11' 1 1/4"	INF
15'	9' 1"	45' 9"	8' 5"	117' 11"	8' 2 1/4"	INF
10'	7' 1/4"	17' 9 1/4"	6' 7 1/2"	23' 1 3/4"	6' 5 3/4"	INF
8'	6'	12' 2 1/4"	5' 8 1/2"	14' 5 1/4"	5' 7 1/4"	37' 3"
6'	4' 10"	8'	4' 7 3/4"	8' 10 1/2"	4' 7"	13' 11 3/4"
5'	4' 2 1/4"	6' 3 1/4"	4' 1/2"	6' 9 1/2"	4'	9' 3 3/4"
4' 6"	3' 10"	5' 5 3/4"	3' 8 3/4"	5' 10 1/2"	3' 8 1/4"	7' 7 1/2"
4'	3' 5 3/4"	4' 9"	3' 4 1/2"	5' 1/4"	3' 4 1/4"	6' 2 1/2"
3' 6"	3' 1 1/4"	4' 1/2"	3' 1/4"	4' 2 3/4"	3'	5' 1/4"
2' 9"	2' 6 1/4"	3' 1/2"	2' 5 1/2"	3' 1 3/4"	2' 5 1/2"	3' 6 1/2"
2' 6"	2' 3 3/4"	2' 8 3/4"	2' 3 1/4"	2' 9 3/4"	2' 3"	3' 1 1/4"
2' 3"	2' 1 1/4"	2' 5 1/4"	2' 3/4"	2' 6"	2' 3/4"	2' 8 1/2"
1' 11"	1' 9 3/4"	2' 1/2"	1' 9 1/2"	2' 1"	1' 9 1/2"	2' 2 3/4"
1' 10"	1' 8 3/4"	1' 11 1/4"	1' 8 3/4"	1' 11 3/4"	1' 8 1/2"	2' 1 1/4"
1' 9"	1' 8"	1' 10 1/4"	1' 7 3/4"	1' 10 1/2"	1' 7 3/4"	1' 11 3/4"
1' 8"	1' 7"	1' 9"	1' 7"	1' 9 1/4"	1' 6 3/4"	1' 10 1/2"
1' 7"	1' 6 1/4"	1' 8"	1' 6"	1' 8 1/4"	1' 6"	1' 9 1/4"
1' 6"	1' 5 1/4"	1' 6 3/4"	1' 5 1/4"	1' 7"	1' 5"	1' 7 3/4"
1' 5"	1' 4 1/2"	1' 5 3/4"	1' 4 1/4"	1' 5 3/4"	1' 4 1/4"	1' 6 1/2"
1' 4"	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 4 3/4"	1' 3 1/4"	1' 5 1/4"
1' 3"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 4"
1' 2"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 3"
1' 1"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 3/4"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/2"
10"	9 3/4"	10 1/4"	9 3/4"	10 1/4"	9 3/4"	10 1/4"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	13' 7 3/4"	INF	9' 3 1/4"	INF	6' 1 1/4"	INF
30'	9' 6 1/4"	INF	7' 2 1/2"	INF	5' 2"	INF
15'	7' 3 3/4"	INF	5' 10 3/4"	INF	4' 5 3/4"	INF
10'	5' 11 1/4"	INF	4' 11 3/4"	INF	3' 11 1/2"	INF
8'	5' 2 1/2"	INF	4' 5 1/2"	INF	3' 7 1/2"	INF
6'	4' 3 3/4"	45' 7 1/4"	3' 9 3/4"	INF	3' 2 1/2"	INF
5'	3' 9 1/2"	16' 11 1/2"	3' 4 3/4"	INF	2' 11"	INF
4' 6"	3' 6 1/4"	11' 11 1/2"	3' 2 1/4"	36' 3"	2' 9"	INF
4'	3' 2 1/2"	8' 8 3/4"	2' 11 1/4"	16' 9 1/4"	2' 7"	INF
3' 6"	2' 10 3/4"	6' 6"	2' 8"	9' 11"	2' 4 1/2"	32' 3"
2' 9"	2' 4 1/2"	4' 2"	2' 2 3/4"	5' 3"	2' 1/2"	8'
2' 6"	2' 2 1/2"	3' 6 3/4"	2' 1"	4' 3 3/4"	1' 11"	5' 11"
2' 3"	2' 1/4"	3' 1/2"	1' 11"	3' 6 1/2"	1' 9 1/4"	4' 6"
1' 11"	1' 9"	2' 5"	1' 8 1/4"	2' 8 1/4"	1' 7"	3' 2 1/4"
1' 10"	1' 8 1/4"	2' 3 1/4"	1' 7 1/2"	2' 6 1/4"	1' 6 1/4"	2' 11"
1' 9"	1' 7 1/2"	2' 1 1/2"	1' 6 3/4"	2' 4"	1' 5 3/4"	2' 8 1/4"
1' 8"	1' 6 1/2"	2'	1' 6"	2' 2"	1' 5"	2' 5 1/2"
1' 7"	1' 5 3/4"	1' 10 1/2"	1' 5 1/4"	2' 1/4"	1' 4 1/2"	2' 3"
1' 6"	1' 5"	1' 9"	1' 4 1/2"	1' 10 1/2"	1' 3 3/4"	2' 3/4"
1' 5"	1' 4"	1' 7 1/2"	1' 3 1/2"	1' 8 3/4"	1' 3"	1' 10 1/2"
1' 4"	1' 3 1/4"	1' 6"	1' 2 3/4"	1' 7"	1' 2 1/4"	1' 8 1/2"
1' 3"	1' 2 1/4"	1' 4 3/4"	1' 2"	1' 5 1/2"	1' 1 1/2"	1' 6 3/4"
1' 2"	1' 1 1/2"	1' 3 1/2"	1' 1 1/4"	1' 4"	1' 3/4"	1' 5"
1' 1"	1' 1/2"	1' 2"	1' 1/4"	1' 2 1/2"	1'	1' 3 1/4"
1'	11 3/4"	1' 3/4"	11 1/2"	1' 1 1/4"	11 1/4"	1' 1 3/4"
11"	10 3/4"	11 3/4"	10 1/2"	1'	10 1/2"	1' 1/4"
10"	9 3/4"	10 1/2"	9 3/4"	10 3/4"	9 1/2"	11"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.025 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	4' 1 1/2"	INF
30'	3' 8 1/4"	INF
15'	3' 4 1/4"	INF
10'	3' 3/4"	INF
8'	2' 10 1/2"	INF
6'	2' 7 1/4"	INF
5'	2' 5 1/4"	INF
4' 6"	2' 4"	INF
4'	2' 2 1/2"	INF
3' 6"	2' 3/4"	INF
2' 9"	1' 9 3/4"	32' 5 1/2"
2' 6"	1' 8 3/4"	12' 10 3/4"
2' 3"	1' 7 1/4"	7' 5 1/4"
1' 11"	1' 5 1/2"	4' 3 1/2"
1' 10"	1' 5"	3' 9 3/4"
1' 9"	1' 4 1/2"	3' 4 1/2"
1' 8"	1' 4"	3' 1/4"
1' 7"	1' 3 1/4"	2' 8 1/4"
1' 6"	1' 2 3/4"	2' 5"
1' 5"	1' 2 1/4"	2' 2"
1' 4"	1' 1 1/2"	1' 11 1/4"
1' 3"	1' 1"	1' 8 3/4"
1' 2"	1' 1/4"	1' 6 1/2"
1' 1"	11 1/2"	1' 4 1/2"
1'	10 3/4"	1' 2 1/2"
11"	10"	1' 3/4"
10"	9 1/4"	11 1/4"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	44' 4 3/4"	INF	39' 2 3/4"	INF	28' 11 1/4"	INF
40'	21' 2 1/4"	561' 2 1/4"	19' 11 1/2"	INF	16' 11 1/4"	INF
20'	13' 11"	36' 10 1/4"	13' 4 1/2"	64' 10 1/2"	11' 11 3/4"	INF
13'	10' 2"	18' 4 1/2"	9' 10 1/2"	23' 3 3/4"	9' 1 1/4"	36' 9 1/2"
10'	8' 3"	12' 10 1/4"	8' 3/4"	15' 1/2"	7' 6 1/2"	19' 7 1/2"
8'	6' 10 1/4"	9' 8 1/4"	6' 8 3/4"	10' 10 1/2"	6' 4 1/2"	13' 1/4"
7'	6' 1 1/2"	8' 3"	6' 1/4"	9' 3/4"	5' 8 3/4"	10' 6"
6'	5' 4 1/4"	6' 10 1/2"	5' 3 1/4"	7' 5 1/4"	5' 3/4"	8' 4 1/4"
5'	4' 6 1/2"	5' 7"	4' 6"	5' 11 1/4"	4' 4"	6' 6"
4' 6"	4' 1 1/2"	4' 11 1/2"	4' 1"	5' 2 3/4"	3' 11 1/2"	5' 7 3/4"
4'	3' 8 1/2"	4' 4 1/4"	3' 8 1/4"	4' 6 3/4"	3' 7"	4' 10 1/2"
3' 6"	3' 3 1/2"	3' 9"	3' 3"	3' 10 3/4"	3' 2 1/4"	4' 1 1/2"
3' 3"	3' 3/4"	3' 5 3/4"	3' 1/2"	3' 7"	2' 11 3/4"	3' 9 1/4"
3'	2' 10"	3' 2 1/4"	2' 10"	3' 3 1/2"	2' 9 1/4"	3' 5 1/4"
2' 9"	2' 7 1/2"	2' 10 3/4"	2' 7 1/4"	2' 11 3/4"	2' 6 3/4"	3' 1 1/4"
2' 6"	2' 4 3/4"	2' 7 1/2"	2' 4 1/2"	2' 8 1/4"	2' 4"	2' 9 1/4"
2' 3"	2' 2"	2' 4"	2' 2"	2' 4 3/4"	2' 1 1/2"	2' 5 1/2"
2'	1' 11 1/4"	2' 3/4"	1' 11 1/4"	2' 1 1/4"	1' 10 3/4"	2' 2"
1' 11"	1' 10 1/4"	1' 11 3/4"	1' 10 1/4"	2' 1/4"	1' 10"	2' 3/4"
1' 10"	1' 9 1/2"	1' 10 3/4"	1' 9 1/4"	1' 11"	1' 9"	1' 11 1/2"
1' 9"	1' 8 1/2"	1' 9 1/2"	1' 8 1/2"	1' 10"	1' 8 1/4"	1' 10 1/2"
1' 8"	1' 7 1/2"	1' 8 1/2"	1' 7 1/2"	1' 8 3/4"	1' 7 1/4"	1' 9 1/4"
1' 7"	1' 6 1/2"	1' 7 1/2"	1' 6 1/2"	1' 7 3/4"	1' 6 1/4"	1' 8"
1' 6"	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"	1' 5 1/2"	1' 7"
1' 5"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"	1' 4 1/2"	1' 5 3/4"
1' 4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"	1' 3 1/2"	1' 4 3/4"
1' 3"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 3 1/2"
1' 2"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"
1' 1"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"
11"	11"	11"	11"	11 1/4"	10 3/4"	11 1/4"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	19' 11 3/4"	INF	13' 7 3/4"	INF	9' 4 3/4"	INF
40'	13' 5 1/2"	INF	10' 3 1/2"	INF	7' 8 1/2"	INF
20'	10' 1 3/4"	INF	8' 3"	INF	6' 6 1/4"	INF
13'	8' 1/4"	132' 3 1/2"	6' 9 3/4"	INF	5' 7 1/4"	INF
10'	6' 9 1/2"	31' 7 1/4"	5' 11"	184' 6 1/2"	5'	INF
8'	5' 10"	17' 4"	5' 2 1/4"	31' 4"	4' 5 3/4"	INF
7'	5' 3 1/2"	13' 1 1/4"	4' 9 1/4"	19' 8"	4' 2"	66' 3 3/4"
6'	4' 8 3/4"	9' 10 1/2"	4' 3 1/2"	13' 1 3/4"	3' 9 3/4"	24' 5 3/4"
5'	4' 1"	7' 4 1/4"	3' 9 1/4"	8' 11 3/4"	3' 4 3/4"	13'
4' 6"	3' 9 1/4"	6' 3 1/2"	3' 6"	7' 5"	3' 2"	9' 10 3/4"
4'	3' 5"	5' 3 3/4"	3' 2 1/4"	6' 1"	2' 11 1/4"	7' 7 3/4"
3' 6"	3' 3/4"	4' 5 1/4"	2' 10 1/2"	4' 11 1/2"	2' 8"	5' 10 3/4"
3' 3"	2' 10 1/2"	4' 1/4"	2' 8 1/2"	4' 5 1/4"	2' 6 1/4"	5' 2"
3'	2' 8"	3' 7 3/4"	2' 6 1/2"	3' 11 1/2"	2' 4 1/2"	4' 6 1/4"
2' 9"	2' 5 3/4"	3' 3 1/4"	2' 4 1/2"	3' 6 1/4"	2' 2 3/4"	3' 11 1/4"
2' 6"	2' 3 1/4"	2' 10 3/4"	2' 2 1/4"	3' 1 1/4"	2' 3/4"	3' 5"
2' 3"	2' 1"	2' 6 3/4"	2'	2' 8 1/2"	1' 11"	2' 11 1/4"
2'	1' 10 1/2"	2' 2 3/4"	1' 9 3/4"	2' 4"	1' 8 3/4"	2' 6"
1' 11"	1' 9 1/2"	2' 1 1/2"	1' 9"	2' 2 1/2"	1' 8"	2' 4 1/4"
1' 10"	1' 8 3/4"	2' 1/4"	1' 8"	2' 1 1/4"	1' 7 1/4"	2' 2 3/4"
1' 9"	1' 7 3/4"	1' 11"	1' 7 1/4"	1' 11 3/4"	1' 6 1/2"	2' 1 1/4"
1' 8"	1' 7"	1' 9 3/4"	1' 6 1/2"	1' 10 1/2"	1' 5 3/4"	1' 11 3/4"
1' 7"	1' 6"	1' 8 1/2"	1' 5 3/4"	1' 9 1/4"	1' 5"	1' 10 1/4"
1' 6"	1' 5 1/4"	1' 7 1/4"	1' 4 3/4"	1' 8"	1' 4 1/4"	1' 8 3/4"
1' 5"	1' 4 1/4"	1' 6 1/4"	1' 4"	1' 6 1/2"	1' 3 1/2"	1' 7 1/4"
1' 4"	1' 3 1/2"	1' 5"	1' 3"	1' 5 1/4"	1' 2 3/4"	1' 6"
1' 3"	1' 2 1/2"	1' 3 3/4"	1' 2 1/4"	1' 4 1/4"	1' 2"	1' 4 3/4"
1' 2"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3"	1' 1"	1' 3 1/4"
1' 1"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 3/4"	1' 1/4"	1' 2"
1'	11 3/4"	1' 1/2"	11 1/2"	1' 1/2"	11 1/2"	1' 3/4"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/2"	10 1/2"	11 3/4"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	6' 6 1/2"	INF	4' 7 1/2"	INF
40'	5' 8 1/2"	INF	4' 2 1/2"	INF
20'	5' 1/2"	INF	3' 10 1/4"	INF
13'	4' 6"	INF	3' 6 1/4"	INF
10'	4' 1 1/4"	INF	3' 3 1/2"	INF
8'	3' 9"	INF	3' 1"	INF
7'	3' 6 1/2"	INF	2' 11 1/4"	INF
6'	3' 3 1/2"	INF	2' 9 1/4"	INF
5'	2' 11 3/4"	36' 4 3/4"	2' 6 3/4"	INF
4' 6"	2' 9 3/4"	19' 1 3/4"	2' 5 1/4"	INF
4'	2' 7 1/2"	12' 1/4"	2' 3 1/2"	75' 9"
3' 6"	2' 5"	8' 1 3/4"	2' 1 3/4"	18' 3 1/2"
3' 3"	2' 3 3/4"	6' 9 1/2"	2' 3/4"	12' 5 3/4"
3'	2' 2 1/4"	5' 8 1/4"	1' 11 1/2"	9' 1 1/4"
2' 9"	2' 3/4"	4' 9 1/4"	1' 10 1/2"	6' 10 3/4"
2' 6"	1' 11 1/4"	4'	1' 9 1/4"	5' 4 1/4"
2' 3"	1' 9 1/2"	3' 4 1/4"	1' 7 3/4"	4' 2 1/2"
2'	1' 7 3/4"	2' 9 1/4"	1' 6 1/4"	3' 3 3/4"
1' 11"	1' 7"	2' 7 1/4"	1' 5 3/4"	3' 3/4"
1' 10"	1' 6 1/2"	2' 5 1/4"	1' 5 1/4"	2' 10"
1' 9"	1' 5 3/4"	2' 3 1/4"	1' 4 3/4"	2' 7 1/4"
1' 8"	1' 5"	2' 1 1/2"	1' 4"	2' 4 3/4"
1' 7"	1' 4 1/2"	1' 11 3/4"	1' 3 1/2"	2' 2 1/2"
1' 6"	1' 3 3/4"	1' 10"	1' 3"	2' 1/4"
1' 5"	1' 3"	1' 8 1/2"	1' 2 1/4"	1' 10 1/4"
1' 4"	1' 2 1/4"	1' 7"	1' 1 3/4"	1' 8 1/2"
1' 3"	1' 1 1/2"	1' 5 1/2"	1' 1"	1' 6 3/4"
1' 2"	1' 3/4"	1' 4"	1' 1/4"	1' 5"
1' 1"	1'	1' 2 1/2"	11 1/2"	1' 3 1/4"
1'	11 1/4"	1' 1 1/4"	10 3/4"	1' 1 3/4"
11"	10 1/4"	1'	10"	1' 1/4"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	54' 8 1/2"	INF	32' 7 1/2"	INF	35' 3"	INF
30'	19' 6 1/4"	65' 9 1/4"	15' 9 1/2"	60' 3 1/2"	16' 4 1/4"	INF
15'	11' 10 1/2"	20' 5 1/4"	10' 5"	19' 10 3/4"	10' 7 3/4"	34' 8"
10'	8' 6 1/2"	12' 1 1/4"	7' 9 1/4"	11' 11"	7' 10 3/4"	15' 10 1/2"
8'	7' 1/2"	9' 3 1/4"	6' 6 1/4"	9' 2"	6' 7 1/4"	11' 3 1/2"
6'	5' 5 1/2"	6' 8"	5' 1 3/4"	6' 7 1/4"	5' 2 1/2"	7' 7 1/2"
5'	4' 7 1/2"	5' 5 1/4"	4' 4 3/4"	5' 5"	4' 5 1/4"	6' 1/2"
4'6"	4' 2 1/2"	4' 10 1/4"	4' 1/4"	4' 10"	4' 1/2"	5' 3 3/4"
4'	3' 9 1/4"	4' 3 1/4"	3' 7 1/2"	4' 3"	3' 7 3/4"	4' 7 1/2"
3'6"	3' 3 3/4"	3' 8 1/2"	3' 2 1/2"	3' 8 1/4"	3' 2 3/4"	3' 11 1/2"
3'	2' 10 1/2"	3' 1 3/4"	2' 9 1/2"	3' 1 1/2"	2' 9 3/4"	3' 3 3/4"
2'9"	2' 7 3/4"	2' 10 1/2"	2' 7"	2' 10 1/4"	2' 7"	3'
2'6"	2' 5"	2' 7"	2' 4 1/4"	2' 7"	2' 4 1/2"	2' 8 1/2"
2'3"	2' 2 1/4"	2' 3 3/4"	2' 1 3/4"	2' 3 3/4"	2' 1 3/4"	2' 5"
2'	1' 11 1/2"	2' 3/4"	1' 11"	2' 1/2"	1' 11"	2' 1 1/2"
23"	1' 10 1/2"	1' 11 1/2"	1' 10"	1' 11 1/2"	1' 10 1/4"	2' 1/4"
22"	1' 9 1/2"	1' 10 1/2"	1' 9 1/4"	1' 10 1/2"	1' 9 1/4"	1' 11 1/4"
21"	1' 8 1/2"	1' 9 1/2"	1' 8 1/4"	1' 9 1/2"	1' 8 1/4"	1' 10"
20"	1' 7 1/2"	1' 8 1/2"	1' 7 1/4"	1' 8 1/2"	1' 7 1/2"	1' 9"
19"	1' 6 3/4"	1' 7 1/4"	1' 6 1/2"	1' 7 1/4"	1' 6 1/2"	1' 7 3/4"
18"	1' 5 3/4"	1' 6 1/4"	1' 5 1/2"	1' 6 1/4"	1' 5 1/2"	1' 6 3/4"
17"	1' 4 3/4"	1' 5 1/4"	1' 4 1/2"	1' 5 1/4"	1' 4 1/2"	1' 5 1/2"
16"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"
15"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"
14"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"
13"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1"	1' 3/4"	1' 1 1/4"
12"	1'	1'	11 3/4"	1'	11 3/4"	1' 1/4"
11"	11"	11"	10 3/4"	11"	11"	11 1/4"
10"	10"	10"	10"	10"	10"	10"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	4		5,6		11	
feet	from	to	from	to	from	to
INF	33' 11 1/4"	INF	24' 3"	INF	15' 6 1/2"	INF
30'	16' 3/4"	INF	13' 6 3/4"	INF	10' 4 1/2"	INF
15'	10' 6 1/4"	INF	9' 4 3/4"	INF	7' 9 1/4"	INF
10'	7' 10"	27' 3/4"	7' 2 1/2"	102' 5 1/2"	6' 2 3/4"	INF
8'	6' 6 3/4"	15' 10 1/2"	6' 1 1/2"	27' 7 1/4"	5' 5"	224' 3 1/2"
6'	5' 2"	9' 4 3/4"	4' 10 3/4"	12' 5 1/2"	4' 5 1/4"	20' 2 3/4"
5'	4' 5"	7' 1"	4' 2 3/4"	8' 7 3/4"	3' 10 3/4"	11' 8 1/2"
4'6	4' 1/2"	6' 1"	3' 10 1/2"	7' 2 1/4"	3' 7"	9' 1 3/4"
4'	3' 7 1/2"	5' 2 1/4"	3' 6"	5' 11 1/4"	3' 3 1/4"	7' 2 1/4"
3'6	3' 2 3/4"	4' 4 1/4"	3' 1 1/2"	4' 10 1/4"	2' 11 1/4"	5' 7 1/2"
3'	2' 9 1/2"	3' 7"	2' 8 3/4"	3' 10 3/4"	2' 7"	4' 4 1/2"
2'9	2' 7"	3' 2 1/2"	2' 6 1/4"	3' 5 1/2"	2' 5"	3' 10"
2'6	2' 4 1/2"	2' 10 1/2"	2' 3 3/4"	3' 3/4"	2' 2 3/4"	3' 4"
2'3	2' 1 3/4"	2' 6 1/2"	2' 1 1/4"	2' 8"	2' 1/4"	2' 10 1/2"
2'	1' 11"	2' 2 1/2"	1' 10 3/4"	2' 3 3/4"	1' 10"	2' 5 1/2"
23"	1' 10"	2' 1 1/4"	1' 9 3/4"	2' 2 1/2"	1' 9 1/4"	2' 3 3/4"
22"	1' 9 1/4"	2'	1' 9"	2' 1"	1' 8 1/4"	2' 2 1/4"
21"	1' 8 1/4"	1' 10 3/4"	1' 8"	1' 11 3/4"	1' 7 1/2"	2' 3/4"
20"	1' 7 1/4"	1' 9 1/2"	1' 7"	1' 10 1/4"	1' 6 3/4"	1' 11 1/4"
19"	1' 6 1/2"	1' 8 1/2"	1' 6 1/4"	1' 9"	1' 5 3/4"	1' 10"
18"	1' 5 1/2"	1' 7 1/4"	1' 5 1/4"	1' 7 3/4"	1' 5"	1' 8 1/2"
17"	1' 4 1/2"	1' 6"	1' 4 1/2"	1' 6 1/2"	1' 4"	1' 7"
16"	1' 3 3/4"	1' 4 3/4"	1' 3 1/2"	1' 5 1/4"	1' 3 1/4"	1' 5 3/4"
15"	1' 2 3/4"	1' 3 3/4"	1' 2 1/2"	1' 4"	1' 2 1/4"	1' 4 1/2"
14"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 3/4"	1' 1 1/2"	1' 3 1/4"
13"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 3/4"	1' 1/2"	1' 2"
12"	11 3/4"	1' 1/2"	11 3/4"	1' 1/2"	11 3/4"	1' 3/4"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/2"	10 3/4"	11 1/2"
10"	10"	10 1/4"	9 3/4"	10 1/4"	9 3/4"	10 1/2"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	10'	INF	6' 7 1/2"	INF
30'	7' 7 1/4"	INF	5' 6 1/4"	INF
15'	6' 1 3/4"	INF	4' 8 3/4"	INF
10'	5' 1 3/4"	INF	4' 1 1/2"	INF
8'	4' 7"	INF	3' 9 1/4"	INF
6'	3' 10 3/4"	117' 11"	3' 3 1/2"	INF
5'	3' 5 1/2"	22' 1/2"	3'	INF
4'6	3' 2 3/4"	14' 3 3/4"	2' 10"	70' 7 1/4"
4'	2' 11 3/4"	9' 11 1/4"	2' 7 3/4"	21' 9 1/4"
3'6	2' 8 1/2"	7' 1 3/4"	2' 5 1/4"	11' 6 1/4"
3'	2' 5"	5' 2 1/4"	2' 2 1/4"	7' 1"
2'9	2' 3"	4' 5 1/4"	2' 3/4"	5' 8 1/4"
2'6	2' 1 1/4"	3' 9 1/4"	1' 11 1/4"	4' 7 1/4"
2'3	1' 11"	3' 2 1/4"	1' 9 1/2"	3' 9"
2'	1' 9"	2' 8"	1' 7 3/4"	3' 1/4"
23"	1' 8 1/4"	2' 6"	1' 7"	2' 9 3/4"
22"	1' 7 1/2"	2' 4 1/4"	1' 6 1/2"	2' 7 1/2"
21"	1' 6 3/4"	2' 2 1/2"	1' 5 3/4"	2' 5 1/4"
20"	1' 6"	2' 3/4"	1' 5"	2' 3"
19"	1' 5 1/4"	1' 11"	1' 4 1/2"	2' 1"
18"	1' 4 1/2"	1' 9 1/2"	1' 3 3/4"	1' 11 1/4"
17"	1' 3 3/4"	1' 8"	1' 3"	1' 9 1/4"
16"	1' 2 3/4"	1' 6 1/2"	1' 2 1/4"	1' 7 1/2"
15"	1' 2"	1' 5"	1' 1 1/2"	1' 6"
14"	1' 1 1/4"	1' 3 3/4"	1' 3/4"	1' 4 1/2"
13"	1' 1/4"	1' 2 1/4"	1'	1' 3"
12"	11 1/2"	1' 1"	11 1/4"	1' 1 1/2"
11"	10 1/2"	11 3/4"	10 1/4"	1'
10"	9 3/4"	10 1/2"	9 1/2"	10 3/4"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	86'	INF	94' 9"	INF	79' 11 3/4"	INF
50'	31' 9"	118' 9"	32' 10 1/4"	INF	30' 10 3/4"	INF
25'	19' 5 3/4"	35' 1/4"	19' 10 1/2"	50' 3 1/4"	19' 1 3/4"	110' 3"
15'	12' 10 1/4"	18' 1/2"	13' 1/4"	21' 4"	12' 8 1/2"	27' 7"
10'	9' 1/4"	11' 2 3/4"	9' 1 1/4"	12' 4 3/4"	8' 11 1/4"	14' 2 3/4"
8'	7' 4 1/2"	8' 9 1/4"	7' 5"	9' 5 1/4"	7' 3 3/4"	10' 5 1/4"
7'	6' 6 1/4"	7' 6 3/4"	6' 6 3/4"	8' 3/4"	6' 5 3/4"	8' 9 1/4"
6'	5' 7 3/4"	6' 4 3/4"	5' 8"	6' 9"	5' 7 1/2"	7' 2 3/4"
5'	4' 9"	5' 3 1/4"	4' 9 1/4"	5' 6"	4' 8 3/4"	5' 9 3/4"
4'6	4' 3 3/4"	4' 8 1/2"	4' 3 3/4"	4' 10 3/4"	4' 3 1/2"	5' 1 1/2"
4'	3' 10 1/4"	4' 2"	3' 10 1/4"	4' 3 1/2"	3' 10"	4' 5 3/4"
3'9	3' 7 1/2"	3' 10 3/4"	3' 7 1/2"	4'	3' 7 1/4"	4' 2"
3'6	3' 4 1/2"	3' 7 1/2"	3' 4 3/4"	3' 8 3/4"	3' 4 1/2"	3' 10 1/4"
3'3	3' 1 3/4"	3' 4 1/4"	3' 2"	3' 5 1/4"	3' 1 3/4"	3' 6 1/2"
3'	2' 11"	3' 1"	2' 11"	3' 2"	2' 11"	3' 3"
2'9	2' 8 1/4"	2' 9 3/4"	2' 8 1/4"	2' 10 1/2"	2' 8"	2' 11 1/2"
2'6	2' 5 1/4"	2' 6 3/4"	2' 5 1/2"	2' 7 1/4"	2' 5 1/4"	2' 8"
2'3	2' 2 1/2"	2' 3 1/2"	2' 2 1/2"	2' 4"	2' 2 1/2"	2' 4 1/2"
2'	1' 11 1/2"	2' 1/2"	1' 11 3/4"	2' 3/4"	1' 11 1/2"	2' 1"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 3/4"	1' 10 1/2"	2'
22"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"	1' 9 3/4"	1' 11"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"	1' 8 3/4"	1' 9 3/4"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 3/4"
19"	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 1/2"
18"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"
17"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"
16"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"
15"	1' 3"	1' 3 1/4"	1' 3"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"
14"	1' 2"	1' 2"	1' 2"	1' 2 1/4"	1' 2"	1' 2 1/4"
13"	1' 1"	1' 1"	1' 1"	1' 1 1/4"	1' 1"	1' 1 1/4"
12"	1'	1'	1'	1'	1'	1' 1/4"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	54' 9"	INF	34' 7 3/4"	INF	21' 10 1/2"	INF
50'	26' 3 1/4"	INF	20' 7 1/4"	INF	15' 4"	INF
25'	17' 3 1/2"	INF	14' 8"	INF	11' 9 3/4"	INF
15'	11' 10 1/2"	41' 6 3/4"	10' 7"	109' 3 1/4"	9' 1/2"	INF
10'	8' 6 1/4"	17' 1 3/4"	7' 10 1/4"	22' 10 1/2"	7'	40' 2 3/4"
8'	7' 1/2"	11' 10 3/4"	6' 7"	14' 4 1/4"	5' 11 3/4"	19' 7"
7'	6' 3 1/4"	9' 9 1/4"	5' 10 3/4"	11' 4 1/4"	5' 5"	14' 4"
6'	5' 5 1/2"	7' 10 3/4"	5' 2 1/4"	8' 10 1/4"	4' 9 3/4"	10' 6 1/2"
5'	4' 7 1/2"	6' 2 1/2"	4' 5 1/4"	6' 9 1/2"	4' 2"	7' 8 1/2"
4'6	4' 2 1/4"	5' 5 1/4"	4' 1/2"	5' 10 1/2"	3' 9 3/4"	6' 6 1/2"
4'	3' 9 1/4"	4' 8 1/2"	3' 7 3/4"	5' 1/4"	3' 5 1/2"	5' 6"
3'9	3' 6 1/2"	4' 4 1/4"	3' 5 1/4"	4' 7 1/2"	3' 3 1/4"	5' 1/4"
3'6	3' 3 3/4"	4' 1/4"	3' 2 3/4"	4' 2 3/4"	3' 1"	4' 6 3/4"
3'3	3' 1 1/4"	3' 8 1/4"	3' 1/4"	3' 10 1/4"	2' 10 3/4"	4' 1 1/2"
3'	2' 10 1/2"	3' 4 1/4"	2' 9 3/4"	3' 6"	2' 8 1/2"	3' 8 1/2"
2'9	2' 7 3/4"	3' 1/2"	2' 7"	3' 2"	2' 6"	3' 3 3/4"
2'6	2' 5"	2' 8 3/4"	2' 4 1/2"	2' 9 3/4"	2' 3 1/2"	2' 11 1/2"
2'3	2' 2 1/4"	2' 5 1/4"	2' 1 3/4"	2' 6"	2' 1"	2' 7 1/4"
2'	1' 11 1/2"	2' 1 1/2"	1' 11"	2' 2 1/4"	1' 10 1/2"	2' 3"
23"	1' 10 1/2"	2' 1/2"	1' 10"	2' 1"	1' 9 3/4"	2' 1 3/4"
22"	1' 9 1/2"	1' 11 1/4"	1' 9 1/4"	1' 11 3/4"	1' 8 3/4"	2' 1/2"
21"	1' 8 1/2"	1' 10 1/4"	1' 8 1/4"	1' 10 1/2"	1' 8"	1' 11 1/4"
20"	1' 7 1/2"	1' 9"	1' 7 1/4"	1' 9 1/2"	1' 7"	1' 10"
19"	1' 6 3/4"	1' 8"	1' 6 1/2"	1' 8 1/4"	1' 6 1/4"	1' 8 3/4"
18"	1' 5 3/4"	1' 6 3/4"	1' 5 1/2"	1' 7"	1' 5 1/4"	1' 7 1/2"
17"	1' 4 3/4"	1' 5 3/4"	1' 4 1/2"	1' 6"	1' 4 1/4"	1' 6 1/4"
16"	1' 3 3/4"	1' 4 1/2"	1' 3 3/4"	1' 4 3/4"	1' 3 1/2"	1' 5"
15"	1' 2 3/4"	1' 3 1/2"	1' 2 3/4"	1' 3 3/4"	1' 2 1/2"	1' 3 3/4"
14"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"
13"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"	1' 3/4"	1' 1 1/2"
12"	1'	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	14' 3 1/2"	INF	9' 7 1/4"	INF
50'	11' 2 1/2"	INF	8' 1 3/4"	INF
25'	9' 2 3/4"	INF	7' 3/4"	INF
15'	7' 5 1/2"	INF	6'	INF
10'	6' 1/4"	INF	5' 1/2"	INF
8'	5' 3 1/4"	39' 7"	4' 6 1/4"	INF
7'	4' 10"	22' 7"	4' 2 1/4"	127' 4 3/4"
6'	4' 4 1/4"	14' 4 1/4"	3' 10"	29' 7 1/4"
5'	3' 9 3/4"	9' 6"	3' 5"	14' 3 1/4"
4'6	3' 6 1/4"	7' 9 1/4"	3' 2 1/4"	10' 7 1/4"
4'	3' 2 3/4"	6' 3 3/4"	2' 11 1/2"	8' 1/2"
3'9	3' 3/4"	5' 8 1/4"	2' 9 3/4"	7' 1/4"
3'6	2' 10 3/4"	5' 1"	2' 8 1/4"	6' 1 1/2"
3'3	2' 8 3/4"	4' 6 1/2"	2' 6 1/2"	5' 4"
3'	2' 6 3/4"	4' 1/2"	2' 4 3/4"	4' 7 3/4"
2'9	2' 4 3/4"	3' 7"	2' 3"	4' 1/2"
2'6	2' 2 1/2"	3' 1 3/4"	2' 1"	3' 5 3/4"
2'3	2' 1/4"	2' 9"	1' 11"	2' 11 3/4"
2'	1' 9 3/4"	2' 4 1/4"	1' 8 3/4"	2' 6 1/4"
23"	1' 9"	2' 2 3/4"	1' 8 1/4"	2' 4 3/4"
22"	1' 8 1/4"	2' 1 1/2"	1' 7 1/2"	2' 3"
21"	1' 7 1/2"	2'	1' 6 3/4"	2' 1 1/2"
20"	1' 6 1/2"	1' 10 3/4"	1' 6"	1' 11 3/4"
19"	1' 5 3/4"	1' 9 1/4"	1' 5 1/4"	1' 10 1/4"
18"	1' 5"	1' 8"	1' 4 1/2"	1' 8 3/4"
17"	1' 4"	1' 6 3/4"	1' 3 1/2"	1' 7 1/2"
16"	1' 3 1/4"	1' 5 1/2"	1' 2 3/4"	1' 6"
15"	1' 2 1/4"	1' 4 1/4"	1' 2"	1' 4 3/4"
14"	1' 1 1/2"	1' 3"	1' 1 1/4"	1' 3 1/4"
13"	1' 1/2"	1' 1 3/4"	1' 1/4"	1' 2"
12"	11 1/2"	1' 1/2"	11 1/2"	1' 3/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	144' 10 1/4"	INF	196' 1 1/2"	INF	213' 3/4"	INF
50'	37' 3 1/4"	62' 2 1/2"	39' 11"	105' 4"	40' 6 1/2"	INF
30'	24' 11"	33' 11 3/4"	26' 3/4"	43' 8"	26' 4"	63' 1"
20'	17' 7 1/2"	21' 8 1/4"	18' 2 1/4"	25' 2 1/2"	18' 3 3/4"	30' 7 1/4"
15'	13' 7 3/4"	15' 11"	13' 11 1/2"	17' 8 3/4"	14' 1/2"	20' 2 1/2"
12'	11' 1 1/2"	12' 7"	11' 4"	13' 8"	11' 4 1/2"	15' 1"
10'	9' 4 1/2"	10' 4 3/4"	9' 6 1/2"	11' 1 1/2"	9' 6 3/4"	12' 1/4"
9'	8' 6"	9' 3 3/4"	8' 7 1/2"	9' 10 3/4"	8' 7 3/4"	10' 7 1/4"
8'	7' 7 1/4"	8' 3"	7' 8 1/2"	8' 8 1/4"	7' 8 3/4"	9' 2 3/4"
7'	6' 8 1/2"	7' 2 1/4"	6' 9 1/4"	7' 6 1/4"	6' 9 1/2"	7' 11"
6'6"	6' 3"	6' 8"	6' 3 3/4"	6' 11 1/4"	6' 3 3/4"	7' 3 1/4"
6'	5' 9 1/4"	6' 1 1/2"	5' 10"	6' 4 1/2"	5' 10 1/4"	6' 7 3/4"
5'6"	5' 3 3/4"	5' 7 1/4"	5' 4 1/4"	5' 9 3/4"	5' 4 1/2"	6' 1/2"
5'	4' 10 1/4"	5' 1"	4' 10 3/4"	5' 3"	4' 10 3/4"	5' 5 1/4"
4'9"	4' 7 1/2"	4' 10"	4' 7 3/4"	4' 11 3/4"	4' 7 3/4"	5' 1 1/2"
4'6"	4' 4 1/2"	4' 7"	4' 5"	4' 8 1/2"	4' 5"	4' 10"
4'3"	4' 1 3/4"	4' 3 3/4"	4' 2"	4' 5"	4' 2"	4' 6 1/2"
4'	3' 10 3/4"	4' 3/4"	3' 11 1/4"	4' 1 3/4"	3' 11 1/4"	4' 3 1/4"
3'9"	3' 8"	3' 9 1/2"	3' 8 1/4"	3' 10 1/2"	3' 8 1/4"	3' 11 3/4"
3'6"	3' 5 1/4"	3' 6 1/2"	3' 5 1/4"	3' 7 1/4"	3' 5 1/2"	3' 8 1/4"
3'3"	3' 2 1/4"	3' 3 1/2"	3' 2 1/2"	3' 4 1/4"	3' 2 1/2"	3' 5"
3'	2' 11 1/2"	3' 1/4"	2' 11 1/2"	3' 1"	2' 11 1/2"	3' 1 3/4"
2'9"	2' 8 1/2"	2' 9 1/4"	2' 8 1/2"	2' 9 3/4"	2' 8 3/4"	2' 10 1/4"
2'6"	2' 5 1/2"	2' 6 1/4"	2' 5 3/4"	2' 6 3/4"	2' 5 3/4"	2' 7"
2'3"	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/2"	2' 2 3/4"	2' 3 3/4"
2	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/2"	1' 11 3/4"	2' 3/4"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/2"
22"	1' 9 3/4"	1' 10"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"
21"	1' 8 3/4"	1' 9"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"
20"	1' 7 3/4"	1' 8"	1' 8"	1' 8 1/4"	1' 8"	1' 8 1/2"
19"	1' 6 3/4"	1' 7"	1' 7"	1' 7 1/4"	1' 7"	1' 7 1/4"
18"	1' 6"	1' 6"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	142' 8 3/4"	INF	80' 10 1/4"	INF	47' 5"	INF
50'	37' 1"	INF	30' 11 3/4"	INF	24' 5 1/4"	INF
30'	24' 10"	114'	21' 11 1/2"	INF	18' 5 3/4"	INF
20'	17' 7"	38' 11 1/2"	16' 1 1/4"	56' 1 1/4"	14' 1 3/4"	126' 9 3/4"
15'	13' 7 1/4"	23' 6"	12' 8 1/2"	28' 9"	11' 5 3/4"	40' 1 1/4"
12'	11' 1"	16' 9 3/4"	10' 6"	19' 4"	9' 7 3/4"	23' 10"
10'	9' 4 1/2"	13' 1 1/4"	8' 11 1/4"	14' 6 3/4"	8' 3 3/4"	16' 11 1/4"
9'	8' 5 3/4"	11' 5"	8' 1 1/2"	12' 6"	7' 7 1/2"	14' 2 1/2"
8'	7' 7"	9' 10"	7' 3 3/4"	10' 7 1/2"	6' 10 3/4"	11' 9 3/4"
7'	6' 8 1/4"	8' 4 1/4"	6' 5 3/4"	8' 10 3/4"	6' 1 3/4"	9' 8 3/4"
6'6"	6' 2 3/4"	7' 7 3/4"	6' 1/2"	8' 1 1/4"	5' 9 1/4"	8' 9 1/4"
6'	5' 9 1/4"	6' 11 1/2"	5' 7 1/4"	7' 4"	5' 4 1/2"	7' 10 1/4"
5'6"	5' 3 3/4"	6' 3 1/4"	5' 2"	6' 7"	4' 11 1/2"	7'
5'	4' 10"	5' 7 1/2"	4' 8 3/4"	5' 10 1/2"	4' 6 3/4"	6' 2 1/2"
4'9"	4' 7 1/4"	5' 3 3/4"	4' 6"	5' 6 1/4"	4' 4 1/4"	5' 9 3/4"
4'6"	4' 4 1/2"	5'	4' 3 1/2"	5' 2 1/4"	4' 1 3/4"	5' 5 1/4"
4'3"	4' 1 3/4"	4' 8 1/4"	4' 3/4"	4' 10 1/4"	3' 11 1/4"	5' 3/4"
4'	3' 10 3/4"	4' 4 1/2"	3' 10"	4' 6 1/4"	3' 8 3/4"	4' 8 1/2"
3'9"	3' 8"	4' 1"	3' 7 1/4"	4' 2 1/4"	3' 6"	4' 4 1/4"
3'6"	3' 5"	3' 9 1/4"	3' 4 1/2"	3' 10 1/2"	3' 3 1/2"	4' 1/4"
3'3"	3' 2 1/4"	3' 5 3/4"	3' 1 3/4"	3' 6 3/4"	3' 3/4"	3' 8 1/4"
3'	2' 11 1/4"	3' 2 1/4"	2' 11"	3' 3 1/4"	2' 10 1/4"	3' 4 1/4"
2'9"	2' 8 1/2"	2' 11"	2' 8"	2' 11 1/2"	2' 7 1/2"	3' 1/2"
2'6"	2' 5 1/2"	2' 7 1/2"	2' 5 1/4"	2' 8"	2' 4 3/4"	2' 8 3/4"
2'3"	2' 2 3/4"	2' 4 1/4"	2' 2 1/2"	2' 4 3/4"	2' 2"	2' 5 1/4"
2	1' 11 3/4"	2' 1"	1' 11 1/2"	2' 1 1/4"	1' 11 1/4"	2' 1 3/4"
23"	1' 10 3/4"	1' 11 3/4"	1' 10 1/2"	2'	1' 10 1/4"	2' 1/2"
22"	1' 9 3/4"	1' 10 3/4"	1' 9 1/2"	1' 11"	1' 9 1/4"	1' 11 1/4"
21"	1' 8 3/4"	1' 9 3/4"	1' 8 3/4"	1' 10"	1' 8 1/2"	1' 10 1/4"
20"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 3/4"	1' 7 1/2"	1' 9"
19"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"	1' 6 1/2"	1' 8"
18"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	29' 7 1/4"	INF	19' 3"	INF
50'	18' 8 1/4"	INF	14'	INF
30'	15' 1/4"	INF	11' 10"	INF
20'	12' 1/2"	INF	9' 11 1/4"	INF
15'	10' 3/4"	88'	8' 6 1/2"	INF
12'	8' 7 1/2"	35' 3/4"	7' 6"	103' 3 1/2"
10'	7' 6 3/4"	21' 10 3/4"	6' 8 1/4"	37' 1/2"
9'	6' 11 3/4"	17' 6"	6' 2 3/4"	25' 11 1/4"
8'	6' 4 1/2"	14'	5' 9"	18' 10 1/2"
7'	5' 8 3/4"	11' 1 1/2"	5' 2 3/4"	13' 11 3/4"
6'6	5' 4 3/4"	9' 10 3/4"	4' 11 1/2"	12' 3/4"
6'	5' 3/4"	8' 9"	4' 8"	10' 4 1/2"
5'6	4' 8 1/2"	7' 8 1/4"	4' 4 1/4"	8' 11"
5'	4' 4"	6' 8 3/4"	4' 1/2"	7' 7 3/4"
4'9	4' 1 3/4"	6' 3 1/4"	3' 10 1/2"	7' 1/2"
4'6	3' 11 1/2"	5' 10"	3' 8 3/4"	6' 6"
4'3	3' 9 1/4"	5' 4 3/4"	3' 6 1/2"	5' 11 1/2"
4'	3' 6 3/4"	5'	3' 4 1/2"	5' 5 1/2"
3'9	3' 4 1/2"	4' 7 1/4"	3' 2 1/2"	5'
3'6	3' 2"	4' 2 3/4"	3' 1/4"	4' 6 1/2"
3'3	2' 11 3/4"	3' 10 1/4"	2' 10"	4' 1 1/2"
3'	2' 9 1/4"	3' 6"	2' 7 3/4"	3' 8 1/2"
2'9	2' 6 1/2"	3' 1 3/4"	2' 5 1/2"	3' 3 3/4"
2'6	2' 4"	2' 9 3/4"	2' 3 1/4"	2' 11 1/2"
2'3	2' 1 1/2"	2' 6"	2' 3/4"	2' 7 1/4"
2	1' 10 3/4"	2' 2 1/4"	1' 10 1/4"	2' 3"
23"	1' 10"	2' 1"	1' 9 1/2"	2' 1 3/4"
22"	1' 9"	1' 11 3/4"	1' 8 1/2"	2' 1/2"
21"	1' 8"	1' 10 1/2"	1' 7 3/4"	1' 11 1/4"
20"	1' 7 1/4"	1' 9 1/2"	1' 6 3/4"	1' 10"
19"	1' 6 1/4"	1' 8 1/4"	1' 6"	1' 8 3/4"
18"	1' 5 1/2"	1' 7"	1' 5"	1' 7 1/2"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	331' 4"	INF	290' 10 3/4"	INF	250' 10 3/4"	INF
200'	124' 10 3/4"	244' 1"	118' 8 1/4"	353' 2 1/2"	111' 5 1/4"	989' 3 1/2"
100'	76' 11 1/2"	109' 11"	74' 6 1/2"	127' 7 1/4"	71' 7 1/2"	166' 1/4"
60'	50' 10 3/4"	63' 5 1/4"	49' 10"	68' 11"	48' 6 1/4"	78' 8 1/2"
40'	35' 9 1/4"	41' 6"	35' 2 3/4"	43' 9"	34' 7"	47' 5 3/4"
30'	27' 6 3/4"	30' 10"	27' 3"	32' 3/4"	26' 10 1/4"	34'
25'	23' 3 1/2"	25' 7"	23' 3/4"	26' 4 3/4"	22' 9 1/2"	27' 8 1/2"
20'	18' 10 3/4"	20' 4 1/4"	18' 9"	20' 10 1/2"	18' 6 3/4"	21' 8 1/4"
17'	16' 2 1/2"	17' 3 1/4"	16' 1 1/4"	17' 7 1/2"	15' 11 1/2"	18' 2 1/4"
15'	14' 4 1/2"	15' 2 1/2"	14' 3 1/2"	15' 5 3/4"	14' 2 1/4"	15' 11"
14'	13' 5 1/2"	14' 2"	13' 4 3/4"	14' 5"	13' 3 1/2"	14' 9 1/2"
13'	12' 6 1/2"	13' 1 3/4"	12' 5 3/4"	13' 4 1/4"	12' 4 3/4"	13' 8 1/4"
12'	11' 7 1/4"	12' 1 1/2"	11' 6 1/2"	12' 3 3/4"	11' 5 3/4"	12' 6 3/4"
11'	10' 8"	11' 1 1/4"	10' 7 1/2"	11' 3"	10' 6 3/4"	11' 5 3/4"
10'	9' 8 3/4"	10' 1"	9' 8 1/4"	10' 2 1/2"	9' 7 3/4"	10' 4 3/4"
9'6"	9' 3"	9' 7"	9' 2 3/4"	9' 8 1/4"	9' 2"	9' 10 1/4"
9'	8' 9 1/2"	9' 3/4"	8' 9"	9' 2"	8' 8 1/2"	9' 3 3/4"
8'6"	8' 3 3/4"	8' 6 3/4"	8' 3 1/4"	8' 7 3/4"	8' 3"	8' 9 1/4"
8'	7' 10"	8' 3/4"	7' 9 3/4"	8' 1 1/2"	7' 9 1/4"	8' 3"
7'9"	7' 7"	7' 9 3/4"	7' 6 3/4"	7' 10 1/2"	7' 6 1/2"	7' 11 3/4"
7'6"	7' 4 1/4"	7' 6 1/2"	7' 4"	7' 7 1/2"	7' 3 1/2"	7' 8 1/2"
7'3"	7' 1 1/4"	7' 3 1/2"	7' 1"	7' 4 1/4"	7' 3/4"	7' 5 1/4"
7'	6' 10 1/2"	7' 1/2"	6' 10 1/4"	7' 1 1/4"	6' 10"	7' 2 1/4"
6'9"	6' 7 1/2"	6' 9 1/2"	6' 7 1/4"	6' 10"	6' 7"	6' 11"
6'6"	6' 4 3/4"	6' 6 1/2"	6' 4 1/2"	6' 7"	6' 4 1/4"	6' 7 3/4"
6'3"	6' 1 3/4"	6' 3 1/2"	6' 1 1/2"	6' 4"	6' 1 1/4"	6' 4 3/4"
6'	5' 11"	6' 1/2"	5' 10 3/4"	6' 3/4"	5' 10 1/2"	6' 1 1/2"
5'9"	5' 8"	5' 9 1/4"	5' 7 3/4"	5' 9 3/4"	5' 7 1/2"	5' 10 1/2"
5'6"	5' 5"	5' 6 1/4"	5' 5"	5' 6 3/4"	5' 4 3/4"	5' 7 1/4"
5'3"	5' 2 1/4"	5' 3 1/4"	5' 2"	5' 3 3/4"	5' 1 3/4"	5' 4 1/4"
5'	4' 11 1/4"	5' 1/4"	4' 11 1/4"	5' 1/2"	4' 11"	5' 1"
4'9"	4' 8 1/4"	4' 9 1/4"	4' 8 1/4"	4' 9 1/2"	4' 8"	4' 10"
4'6"	4' 5 1/2"	4' 6 1/4"	4' 5 1/4"	4' 6 1/2"	4' 5 1/4"	4' 6 3/4"
4'3"	4' 2 1/2"	4' 3 1/4"	4' 2 1/2"	4' 3 1/2"	4' 2 1/4"	4' 3 3/4"
4'	8,00	4' 1/4"	11,00	4' 1/4"	16,00	4' 3/4"
3'9"	3' 8 1/2"	3' 9 1/4"	3' 8 1/2"	3' 9 1/4"	3' 8 1/2"	3' 9 1/2"
3'6"	3' 5 3/4"	3' 6"	3' 5 1/2"	3' 6 1/4"	3' 5 1/2"	3' 6 1/2"
3'3"	3' 2 3/4"	3' 3"	3' 2 3/4"	3' 3 1/4"	3' 2 1/2"	3' 3 1/2"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	191' 3 3/4"	INF	136' 8"	INF	94' 11"	INF
200'	97' 11 1/4"	INF	81' 4"	INF	64' 6"	INF
100'	65' 9 3/4"	254' 3 1/4"	57' 10 3/4"	INF	48' 10 1/4"	INF
60'	45' 9 1/2"	94' 1 1/4"	41' 9 3/4"	124' 7 3/4"	36' 10 3/4"	217'
40'	33' 2"	52' 7 3/4"	31' 1/2"	60' 11 1/2"	28' 3 1/4"	76' 10 1/2"
30'	26'	36' 6 1/2"	24' 8 1/4"	40' 4 1/4"	22' 10 3/4"	46' 8 1/2"
25'	22' 2"	29' 4 1/2"	21' 2 1/2"	31' 9"	19' 10 3/4"	35' 6 3/4"
20'	18' 2"	22' 8 1/4"	17' 6 1/4"	24' 3/4"	16' 7 1/4"	26' 2"
17'	15' 8"	18' 10 3/4"	15' 2 1/4"	19' 10"	14' 6"	21' 2 3/4"
15'	13' 11 1/2"	16' 5 1/4"	13' 6 3/4"	17' 1 3/4"	13' 1/4"	18' 2 1/4"
14'	13' 1"	15' 3"	12' 9"	15' 10 1/4"	12' 3 1/4"	16' 8 3/4"
13'	12' 2 1/2"	14' 3/4"	11' 11"	14' 6 3/4"	11' 6"	15' 3 3/4"
12'	11' 4"	12' 10 3/4"	11' 1"	13' 3 3/4"	10' 8 1/2"	13' 11"
11'	10' 5 1/4"	11' 9"	10' 2 3/4"	12' 1"	9' 11"	12' 7"
10'	9' 6 1/2"	10' 7 1/4"	9' 4 1/4"	10' 10 3/4"	9' 1 1/4"	11' 3 1/2"
9'6	9' 1"	10' 1/2"	8' 11"	10' 3 1/2"	8' 8 1/4"	10' 7 3/4"
9'	8' 7 1/2"	9' 5 3/4"	8' 5 3/4"	9' 8 1/2"	8' 3 1/4"	10' 1/4"
8'6	8' 2"	8' 11 1/4"	8' 1/2"	9' 1 1/2"	7' 10 1/4"	9' 4 3/4"
8'	7' 8 1/2"	8' 4 1/2"	7' 7"	8' 6 1/2"	7' 5"	8' 9 1/2"
7'9	7' 5 3/4"	8' 1 1/4"	7' 4 1/2"	8' 3 1/4"	7' 2 1/2"	8' 5 3/4"
7'6	7' 2 3/4"	7' 10"	7' 1 3/4"	7' 11 3/4"	7'	8' 2 1/4"
7'3	7'	7' 6 3/4"	6' 11"	7' 8 1/4"	6' 9 1/4"	7' 10 1/2"
7'	6' 9 1/4"	7' 3 1/2"	6' 8 1/4"	7' 5"	6' 6 3/4"	7' 7"
6'9	6' 6 1/2"	7' 1/4"	6' 5 1/2"	7' 1 1/2"	6' 4"	7' 3 1/2"
6'6	6' 3 3/4"	6' 9"	6' 2 3/4"	6' 10 1/4"	6' 1 1/2"	7'
6'3	6' 3/4"	6' 5 3/4"	6'	6' 6 3/4"	5' 10 3/4"	6' 8 1/2"
6'	5' 10"	6' 2 1/2"	5' 9 1/4"	6' 3 1/2"	5' 8 1/4"	6' 5"
5'9	5' 7 1/4"	5' 11 1/4"	5' 6 1/2"	6' 1/4"	5' 5 1/2"	6' 1 1/2"
5'6	5' 4 1/4"	5' 8"	5' 3 3/4"	5' 9"	5' 2 3/4"	5' 10 1/4"
5'3	5' 1 1/2"	5' 4 3/4"	5' 1"	5' 5 3/4"	5'	5' 6 3/4"
5'	4' 10 3/4"	5' 1 3/4"	4' 10 1/4"	5' 2 1/4"	4' 9 1/4"	5' 3 1/4"
4'9	4' 7 3/4"	4' 10 1/2"	4' 7 1/4"	4' 11"	4' 6 1/2"	5'
4'6	4' 5"	4' 7 1/4"	4' 4 1/2"	4' 7 3/4"	4' 4"	4' 8 3/4"
4'3	4' 2"	4' 4 1/4"	4' 1 3/4"	4' 4 3/4"	4' 1"	4' 5 1/4"
4'	3' 11 1/4"	4' 1"	3' 10 3/4"	4' 1 1/2"	3' 10 1/4"	4' 2"
3'9	3' 8 1/4"	3' 9 3/4"	3' 8"	3' 10 1/4"	3' 7 1/2"	3' 10 3/4"
3'6	3' 5 1/2"	3' 6 3/4"	3' 5 1/4"	3' 7"	3' 4 3/4"	3' 7 1/2"
3'3	3' 2 1/2"	3' 3 1/2"	3' 2 1/4"	3' 4"	3' 2"	3' 4 1/4"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	66' 1/2"	INF	46' 1 1/2"	INF
200'	49' 9"	INF	37' 7"	INF
100'	39' 11"	INF	31' 8 1/2"	INF
60'	31' 7"	INF	26' 2 3/4"	INF
40'	25' 3/4"	121' 1/4"	21' 7"	INF
30'	20' 9"	59' 11 1/4"	18' 4"	99' 7 3/4"
25'	18' 3"	42' 8 1/4"	16' 4 1/4"	59' 6 1/4"
20'	15' 5 1/2"	29' 9 3/4"	14' 1"	37' 1 1/4"
17'	13' 7 1/2"	23' 6 3/4"	12' 6 1/2"	27' 10 1/4"
15'	12' 3 3/4"	19' 10 1/4"	11' 5 1/4"	22' 9 1/2"
14'	11' 7 3/4"	18' 1 1/2"	10' 10 1/4"	20' 6 1/4"
13'	10' 11 1/4"	16' 5 1/2"	10' 3"	18' 5"
12'	10' 2 3/4"	14' 10 1/2"	9' 7 1/2"	16' 5 1/4"
11'	9' 6"	13' 4 1/4"	8' 11 3/4"	14' 7 1/4"
10'	8' 9"	11' 10 3/4"	8' 3 3/4"	12' 10 1/2"
9'6"	8' 4 1/2"	11' 2 1/4"	7' 11 1/2"	12' 1/2"
9'	7' 11 3/4"	10' 6"	7' 7 1/2"	11' 2 3/4"
8'6"	7' 7"	9' 9 3/4"	7' 3"	10' 5 1/2"
8'	7' 2 1/4"	9' 1 3/4"	6' 10 3/4"	9' 8 1/2"
7'9"	7'	8' 9 3/4"	6' 8 1/2"	9' 4"
7'6"	6' 9 1/2"	8' 5 3/4"	6' 6 1/4"	8' 11 1/2"
7'3"	6' 7"	8' 2"	6' 4"	8' 7 1/4"
7'	6' 4 1/2"	7' 10 1/4"	6' 1 3/4"	8' 3"
6'9"	6' 2"	7' 6 1/2"	5' 11 1/2"	7' 10 3/4"
6'6"	5' 11 1/2"	7' 2 1/2"	5' 9 1/4"	7' 6 3/4"
6'3"	5' 9"	6' 11"	5' 6 3/4"	7' 2 1/2"
6'	5' 6 1/2"	6' 7 1/4"	5' 4 1/2"	6' 10 1/2"
5'9"	5' 4"	6' 3 1/2"	5' 2"	6' 6 1/2"
5'6"	5' 1 1/2"	6'	4' 11 3/4"	6' 2 1/2"
5'3"	4' 10 3/4"	5' 8 1/4"	4' 9 1/4"	5' 10 3/4"
5'	4' 8 1/4"	5' 4 3/4"	4' 6 3/4"	5' 7"
4'9"	4' 5 3/4"	5' 1 1/4"	4' 4 1/4"	5' 3 1/4"
4'6"	4' 3"	4' 9 3/4"	4' 1 3/4"	4' 11 1/2"
4'3"	4' 1/4"	4' 6 1/4"	3' 11 1/4"	4' 7 3/4"
4'	3' 9 3/4"	4' 3"	3' 8 3/4"	4' 4 1/4"
3'9"	3' 7"	3' 11 1/2"	3' 6 1/4"	4' 1/2"
3'6"	3' 4 1/4"	3' 8 1/4"	3' 3 1/2"	3' 9"
3'3"	3' 1 1/2"	3' 4 3/4"	3' 1"	3' 5 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	629' 3 1/4"	INF	584' 11 1/4"	INF	406' 9 1/4"	INF
300'	203' 4"	INF	198' 5 1/2"	INF	172' 10 1/4"	INF
250'	179' 1"	INF	175' 3 1/2"	INF	155' 1/4"	INF
200'	151' 11"	292' 10 1/2"	149' 2 1/4"	INF	134' 3"	INF
190'	146' 1"	271' 10 3/4"	143' 6 3/4"	366' 8"	129' 8"	INF
180'	140' 1 1/4"	251' 10 1/4"	137' 9 1/4"	331' 1"	124' 11 1/4"	INF
170'	133' 11 3/4"	232' 8"	131' 10 1/4"	298' 8 1/4"	120' 1/2"	INF
160'	127' 8 1/4"	214' 3 3/4"	125' 9 1/4"	269' 1"	114' 11 3/4"	377' 8"
150'	121' 3"	196' 8 3/4"	119' 6"	241' 10 3/4"	109' 8 3/4"	326' 2"
140'	114' 7 3/4"	179' 10 1/4"	113' 1"	216' 10 1/4"	104' 3 1/2"	282' 2 1/4"
130'	107' 10 1/4"	163' 8"	106' 5 3/4"	193' 8 3/4"	98' 7 3/4"	244' 2 1/2"
120'	100' 10 3/4"	148' 1 1/4"	99' 8 1/4"	172' 3 1/4"	92' 9 1/2"	211' 3/4"
110'	93' 8 3/4"	133' 1 3/4"	92' 8 1/4"	152' 4 1/4"	86' 8 1/2"	181' 10 1/2"
100'	86' 4 1/2"	118' 9"	85' 6"	133' 9 1/4"	80' 4 3/4"	156'
90'	78' 10"	104' 10 3/4"	78' 1"	116' 5 1/4"	73' 9 3/4"	132' 10 1/2"
80'	71' 3/4"	91' 6 1/2"	70' 5 1/2"	100' 2 1/4"	66' 11 1/2"	112' 1 1/2"
70'	63' 3/4"	78' 8"	62' 7"	84' 11 1/2"	59' 9 3/4"	93' 4 1/2"
60'	54' 10"	66' 3"	54' 5 3/4"	70' 7 1/2"	52' 4 1/2"	76' 4"
50'	46' 4 1/2"	54' 3"	46' 1 1/2"	57' 1 3/4"	44' 7 1/4"	60' 9 3/4"
45'	42' 1/2"	48' 5"	41' 10"	50' 8 1/4"	40' 7"	53' 6 1/2"
40'	37' 7 3/4"	42' 8"	37' 5 3/4"	44' 5"	36' 5 3/4"	46' 7 1/4"
35'	33' 2 1/4"	37' 1/4"	33' 3/4"	38' 4"	32' 3 1/2"	39' 11 1/4"
30'	28' 8"	31' 5 1/2"	28' 6 3/4"	32' 4 3/4"	27' 11 3/4"	33' 6 1/2"
29'	27' 9"	30' 4 1/4"	27' 8"	31' 2 3/4"	27' 1 1/2"	32' 3 1/2"
28'	26' 10"	29' 3 1/4"	26' 9"	30' 1"	26' 3"	31' 1/2"
27'	25' 11"	28' 2"	25' 10"	28' 11"	25' 4 1/4"	29' 9 3/4"
26'	25'	27' 1"	24' 11"	27' 9 1/4"	24' 5 3/4"	28' 7 1/4"
25'	24' 1"	26'	24'	26' 7 1/2"	23' 7 1/4"	27' 4 3/4"
24'	23' 1 3/4"	24' 11"	23' 1"	25' 6"	22' 8 1/2"	26' 2 1/4"
23'	22' 2 1/2"	23' 10"	22' 2"	24' 4 1/2"	21' 9 3/4"	25'
22'	21' 3 1/2"	22' 9 1/4"	21' 2 3/4"	23' 3"	20' 11"	23' 9 3/4"
21'	20' 4 1/4"	21' 8 1/2"	20' 3 1/2"	22' 1 1/2"	20'	22' 7 3/4"
20'	19' 5"	20' 7 1/2"	19' 4 1/4"	21' 1/4"	19' 1 1/4"	21' 5 3/4"
19'	18' 5 1/2"	19' 6 3/4"	18' 5"	19' 11"	18' 2 1/4"	20' 4"
18'	8,00	18' 6"	11,00	18' 9 3/4"	16,00	19' 2 1/4"
17'	16' 6 3/4"	17' 5 1/2"	16' 6 1/2"	17' 8 3/4"	16' 4 1/4"	18' 1/2"
16'	15' 7 1/2"	16' 4 3/4"	15' 7"	16' 7 3/4"	15' 5"	16' 11"
15'	14' 8"	15' 4 1/4"	14' 7 3/4"	15' 6 3/4"	14' 6"	15' 9 3/4"
14' 6"	14' 2 1/4"	14' 10"	14' 2"	15' 1/4"	14' 1/4"	15' 3"
14'	13' 8 1/2"	14' 3 1/2"	13' 8 1/4"	14' 5 3/4"	13' 6 3/4"	14' 8 1/4"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	279' 10 3/4"	INF	192' 1"	INF	131' 6"	INF
300'	145'	INF	117' 3 1/2"	INF	91' 7 1/4"	INF
250'	132' 3"	INF	108' 9 3/4"	INF	86' 4 1/4"	INF
200'	116' 10"	INF	98' 2 1/4"	INF	79' 6 1/4"	INF
190'	113' 4 1/4"	INF	95' 8 1/2"	INF	77' 11"	INF
180'	109' 8 3/4"	INF	93' 1 1/2"	INF	76' 2 1/4"	INF
170'	105' 11 1/4"	INF	90' 4 1/2"	INF	74' 4 1/4"	INF
160'	101' 11 3/4"	INF	87' 5 3/4"	INF	72' 4 1/2"	INF
150'	97' 10"	INF	84' 5"	INF	70' 3 1/4"	INF
140'	93' 6"	INF	81' 2"	INF	68' 1/4"	INF
130'	88' 11 1/4"	376' 1/2"	77' 8 3/4"	INF	65' 7"	INF
120'	84' 1 3/4"	302' 8 3/4"	74' 1/2"	INF	62' 11 1/4"	INF
110'	79' 1 1/2"	246' 1/2"	70' 1 1/2"	INF	60' 1 1/4"	INF
100'	73' 10"	200' 10 3/4"	65' 11 1/4"	331' 1 1/2"	57'	INF
90'	68' 3"	164' 1"	61' 5 1/2"	241' 7 3/4"	53' 7 1/2"	INF
80'	62' 4 1/4"	133' 6 1/4"	56' 7 3/4"	180' 7 1/2"	49' 11 1/4"	348' 8"
70'	56' 1 1/2"	107' 8 1/2"	51' 5 1/2"	136' 4 1/4"	45' 10 1/2"	214' 1 3/4"
60'	49' 6 1/4"	85' 7 3/4"	45' 10 1/4"	102' 9 1/4"	41' 4 1/2"	141' 5"
50'	42' 6 1/4"	66' 6 3/4"	39' 9 3/4"	76' 5"	36' 4 3/4"	95' 10"
45'	38' 10 1/4"	57' 11 1/4"	36' 7"	65' 3 1/4"	33' 8 1/4"	78' 10 3/4"
40'	35' 1"	49' 10 1/2"	33' 2 3/4"	55' 2 1/4"	30' 9 3/4"	64' 7 1/4"
35'	31' 2 1/4"	42' 3 3/4"	29' 8 1/2"	46' 3/4"	27' 9 1/4"	52' 4 3/4"
30'	27' 2"	35' 2 1/4"	26' 1/2"	37' 8 3/4"	24' 6 1/2"	41' 10 1/2"
29'	26' 4"	33' 9 3/4"	25' 3 1/2"	36' 1 3/4"	23' 10 1/2"	39' 11"
28'	25' 6 1/4"	32' 5 1/2"	24' 6 1/4"	34' 7 1/4"	23' 2 1/2"	38' 1/2"
27'	24' 8 1/4"	31' 1 1/4"	23' 9"	33' 1"	22' 6 1/4"	36' 2 1/2"
26'	23' 10 1/4"	29' 9 1/2"	22' 11 3/4"	31' 7"	21' 9 3/4"	34' 5"
25'	23'	28' 5 3/4"	22' 2 1/2"	30' 1 1/4"	21' 1 1/2"	32' 8"
24'	22' 2"	27' 2 1/4"	21' 5"	28' 8"	20' 4 3/4"	30' 11 1/2"
23'	21' 3 3/4"	25' 10 3/4"	20' 7 1/2"	27' 2 3/4"	19' 8 1/4"	29' 3 3/4"
22'	20' 5 1/2"	24' 7 1/2"	19' 9 3/4"	25' 10"	18' 11 1/4"	27' 8 1/4"
21'	19' 7"	23' 4 1/2"	19'	24' 5 1/2"	18' 2 1/2"	26' 1 1/4"
20'	18' 8 1/2"	22' 1 3/4"	18' 2 1/4"	23' 1 1/4"	17' 5 1/2"	24' 6 3/4"
19'	17' 10"	20' 11"	17' 4 1/4"	21' 9 1/4"	16' 8 1/4"	23' 3/4"
18'	16' 11 1/2"	19' 8 1/2"	16' 6 1/4"	20' 5 1/2"	15' 11"	21' 7 1/4"
17'	16' 3/4"	18' 6"	15' 8 1/4"	19' 2"	15' 1 3/4"	20' 2"
16'	15' 2"	17' 4"	14' 10"	17' 10 3/4"	14' 4"	18' 9"
15'	14' 3 1/4"	16' 1 3/4"	13' 11 1/2"	16' 7 3/4"	13' 6 1/2"	17' 4 3/4"
14' 6"	13' 9 3/4"	15' 6 3/4"	13' 6 1/2"	16' 1/2"	13' 1 1/2"	16' 8 1/2"
14'	13' 4 1/2"	15'	13' 1 1/4"	15' 5"	12' 8 3/4"	16' 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
13' 6"	12' 11"	14' 5"	12' 8"	14' 9 3/4"	12' 3 3/4"	15' 4 3/4"
13'	12' 5 1/2"	13' 10 1/4"	12' 2 3/4"	14' 2 1/2"	11' 10 3/4"	14' 8 3/4"
12' 6"	12'	13' 3 1/4"	11' 9 1/2"	13' 7 1/4"	11' 5 3/4"	14' 1"
12'	11' 6 1/2"	12' 8 1/2"	11' 4"	13' 1/4"	11' 3/4"	13' 5 1/2"
11' 6"	11' 1"	12' 1 3/4"	10' 10 3/4"	12' 5"	10' 7 3/4"	12' 10"
11'	10' 7 1/4"	11' 7"	10' 5 1/4"	11' 10"	10' 2 1/2"	12' 2 1/2"
10' 6"	10' 1 3/4"	11' 1/2"	10'	11' 3"	9' 9 1/4"	11' 7"
10'	9' 8 1/4"	10' 5 3/4"	9' 6 1/2"	10' 8 1/4"	9' 4 1/4"	10' 11 3/4"
9' 9"	9' 5 1/4"	10' 2 1/2"	9' 3 3/4"	10' 4 3/4"	9' 1 1/2"	10' 8"
9' 6"	9' 2 1/2"	9' 11 1/4"	9' 1"	10' 1 1/4"	8' 11"	10' 4 1/2"
9' 3"	8' 11 3/4"	9' 8"	8' 10 1/4"	9' 10"	8' 8 1/4"	10' 3/4"
9'	8' 9"	9' 4 1/2"	8' 7 1/2"	9' 6 1/2"	8' 5 3/4"	9' 9 1/4"
8' 9"	8' 6"	9' 1 1/4"	8' 4 3/4"	9' 3 1/4"	8' 3"	9' 5 3/4"
8' 6"	8' 3 1/4"	8' 10"	8' 2"	8' 11 3/4"	8' 1/4"	9' 2 1/4"
8' 3"	8' 1/2"	8' 6 3/4"	7' 11 1/4"	8' 8 1/2"	7' 9 3/4"	8' 10 3/4"
8'	7' 9 1/2"	8' 3 1/2"	7' 8 1/2"	8' 5"	7' 7"	8' 7"
7' 9"	7' 6 3/4"	8' 1/4"	7' 5 3/4"	8' 1 3/4"	7' 4 1/4"	8' 3 3/4"
7' 6"	7' 4"	7' 9"	7' 3"	7' 10 1/2"	7' 1 3/4"	8' 1/4"
7' 3"	7' 1"	7' 6"	7' 1/4"	7' 7"	6' 11"	7' 8 3/4"
7'	6' 10 1/4"	7' 2 3/4"	6' 9 1/4"	7' 3 3/4"	6' 8 1/4"	7' 5 1/4"
6' 9"	6' 7 1/4"	6' 11 1/2"	6' 6 1/2"	7' 1/2"	6' 5 1/2"	7' 2"
6' 6"	6' 4 1/2"	6' 8 1/4"	6' 3 3/4"	6' 9 1/4"	6' 2 3/4"	6' 10 1/2"
6' 3"	6' 1 1/2"	6' 5"	6' 1"	6' 6"	6'	6' 7"
6'	5' 10 3/4"	6' 2"	5' 10"	6' 2 3/4"	5' 9 1/4"	6' 3 3/4"
5' 9"	5' 7 3/4"	5' 10 3/4"	5' 7 1/4"	5' 11 1/2"	5' 6 1/2"	6' 1/2"
5' 6"	5' 5"	5' 7 1/2"	5' 4 1/2"	5' 8 1/4"	5' 3 3/4"	5' 9"
5' 3"	5' 2"	5' 4 1/2"	5' 1 1/2"	5' 5"	5' 1"	5' 5 3/4"
5'	4' 11"	5' 1 1/4"	4' 10 3/4"	5' 1 3/4"	4' 10 1/4"	5' 2 1/2"
4' 9"	4' 8 1/4"	4' 10 1/4"	4' 7 3/4"	4' 10 1/2"	4' 7 1/4"	4' 11 1/4"
4' 6"	4' 5 1/4"	4' 7"	4' 5"	4' 7 1/2"	4' 4 1/2"	4' 8"
4' 3"	4' 2 1/2"	4' 3 3/4"	4' 2"	4' 4 1/4"	4' 1 3/4"	4' 4 3/4"
4'	3' 11 1/2"	4' 3/4"	3' 11 1/4"	4' 1"	3' 10 3/4"	4' 1 1/2"
3' 9"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10"	3' 8"	3' 10 1/4"
3' 6"	3' 5 1/2"	3' 6 1/2"	3' 5 1/2"	3' 6 3/4"	3' 5 1/4"	3' 7"
3' 3"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4"
3'	2' 11 3/4"	3' 1/2"	2' 11 1/2"	3' 1/2"	2' 11 1/2"	3' 3/4"
2' 9"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/2"	2' 8 1/2"	2' 9 1/2"
2' 6"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	90' 1 1/4"	INF	62' 2 3/4"	INF
300'	69' 5 1/4"	INF	51' 7 3/4"	INF
250'	66' 4 3/4"	INF	49' 11 1/2"	INF
200'	62' 3 1/2"	INF	47' 7 1/4"	INF
190'	61' 3 1/2"	INF	47' 1/4"	INF
180'	60' 2 3/4"	INF	46' 4 3/4"	INF
170'	59' 1"	INF	45' 8 1/2"	INF
160'	57' 10"	INF	44' 11 3/4"	INF
150'	56' 5 3/4"	INF	44' 1 3/4"	INF
140'	55' 1/4"	INF	43' 3"	INF
130'	53' 5"	INF	42' 3 1/4"	INF
120'	51' 8"	INF	41' 2"	INF
110'	49' 8 3/4"	INF	39' 11 1/4"	INF
100'	47' 7 1/4"	INF	38' 6 3/4"	INF
90'	45' 2 3/4"	INF	37'	INF
80'	42' 7"	INF	35' 2 1/2"	INF
70'	39' 7 1/4"	INF	33' 1 3/4"	INF
60'	36' 2 1/2"	292' 7"	30' 9"	INF
50'	32' 4 1/4"	147' 3"	27' 11 1/4"	INF
45'	30' 2 1/4"	110' 7 1/4"	26' 3 3/4"	254' 3"
40'	27' 10 1/2"	84' 4 1/2"	24' 6 1/2"	148'
35'	25' 4 1/2"	64' 7 3/4"	22' 7 1/4"	96' 3 1/4"
30'	22' 8"	49' 3 1/2"	20' 5"	65' 8"
29'	22' 1"	46' 7 1/2"	19' 11 1/2"	60' 11 3/4"
28'	21' 6 1/4"	44' 3/4"	19' 6"	56' 8"
27'	20' 11"	41' 7 1/4"	19'	52' 7 3/4"
26'	20' 3 3/4"	39' 3"	18' 6 1/4"	48' 11"
25'	19' 8 1/2"	37'	18'	45' 5 1/4"
24'	19' 1"	34' 9 3/4"	17' 5 3/4"	42' 2 1/4"
23'	18' 5 1/2"	32' 8 3/4"	16' 11 1/2"	39' 1 3/4"
22'	17' 9 3/4"	30' 8 1/2"	16' 5"	36' 3 1/2"
21'	17' 2"	28' 9 1/4"	15' 10 1/4"	33' 7 1/4"
20'	16' 6"	26' 11"	15' 3 1/2"	31' 1"
19'	15' 9 3/4"	25' 1 1/4"	14' 8 1/2"	28' 8 1/4"
18'	15' 1 1/2"	23' 4 1/2"	14' 1 1/4"	26' 5 1/4"
17'	14' 5"	21' 8 1/2"	13' 6"	24' 3 3/4"
16'	13' 8 1/4"	20' 1"	12' 10 1/2"	22' 3 1/4"
15'	12' 11 1/2"	18' 6 1/4"	12' 2 1/2"	20' 4 1/4"
14' 6"	12' 7"	17' 9"	11' 10 3/4"	19' 5 1/4"
14'	12' 2 1/2"	17'	11' 6 3/4"	18' 6 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
13' 6"	11' 10"	16' 3"	11' 2 1/2"	17' 7 3/4"
13'	11' 5 1/2"	15' 6 1/4"	10' 10 1/2"	16' 9 1/2"
12' 6"	11' 3/4"	14' 9 3/4"	10' 6 1/4"	15' 11 1/2"
12'	10' 8"	14' 1 1/4"	10' 2"	15' 1 3/4"
11' 6"	10' 3 1/2"	13' 5"	9' 9 3/4"	14' 4"
11'	9' 10 1/2"	12' 8 3/4"	9' 5 1/2"	13' 6 3/4"
10' 6"	9' 5 3/4"	12' 3/4"	9' 1"	12' 9 1/2"
10'	9' 1"	11' 4 3/4"	8' 8 1/2"	12' 1/2"
9' 9"	8' 10 1/2"	11' 3/4"	8' 6 1/4"	11' 8 1/4"
9' 6"	8' 8"	10' 9"	8' 4"	11' 3 3/4"
9' 3"	8' 5 1/2"	10' 5"	8' 1 3/4"	10' 11 1/2"
9'	8' 3"	10' 1 1/4"	7' 11 1/2"	10' 7 1/4"
8' 9"	8' 1/2"	9' 9 1/2"	7' 9 1/4"	10' 3"
8' 6"	7' 10"	9' 5 1/2"	7' 6 3/4"	9' 10 3/4"
8' 3"	7' 7 1/2"	9' 1 3/4"	7' 4 1/2"	9' 6 3/4"
8'	7' 5"	8' 10 1/4"	7' 2"	9' 2 3/4"
7' 9"	7' 2 1/4"	8' 6 1/2"	6' 11 3/4"	8' 10 3/4"
7' 6"	6' 11 3/4"	8' 2 3/4"	6' 9 1/4"	8' 6 3/4"
7' 3"	6' 9 1/4"	7' 11"	6' 6 3/4"	8' 2 3/4"
7'	6' 6 1/2"	7' 7 1/2"	6' 4 1/2"	7' 10 3/4"
6' 9"	6' 4"	7' 4"	6' 2"	7' 7"
6' 6"	6' 1 1/2"	7' 1/4"	5' 11 1/2"	7' 3"
6' 3"	5' 10 3/4"	6' 8 3/4"	5' 9"	6' 11 1/4"
6'	5' 8"	6' 5 1/4"	5' 6 1/2"	6' 7 1/2"
5' 9"	5' 5 1/2"	6' 1 3/4"	5' 4"	6' 4"
5' 6"	5' 2 3/4"	5' 10 1/4"	5' 1 1/2"	6' 1/4"
5' 3"	5'	5' 7"	4' 10 3/4"	5' 8 1/2"
5'	4' 9 1/4"	5' 3 1/2"	4' 8 1/4"	5' 5"
4' 9"	4' 6 3/4"	5'	4' 5 3/4"	5' 1 1/2"
4' 6"	4' 4"	4' 8 3/4"	4' 3"	4' 10"
4' 3"	4' 1 1/4"	4' 5 1/2"	4' 1/4"	4' 6 1/2"
4'	3' 10 1/4"	4' 2"	3' 9 3/4"	4' 3"
3' 9"	3' 7 1/2"	3' 10 3/4"	3' 7"	3' 11 1/2"
3' 6"	3' 4 3/4"	3' 7 1/2"	3' 4 1/4"	3' 8 1/4"
3' 3"	3' 2"	3' 4 1/4"	3' 1 1/2"	3' 4 3/4"
3'	2' 11 1/4"	3' 1"	2' 10 3/4"	3' 1 1/2"
2' 9"	2' 8 1/4"	2' 9 3/4"	2' 8"	2' 10 1/4"
2' 6"	2' 5 1/2"	2' 6 3/4"	2' 5 1/4"	2' 7"

circle of confusion: 0.025 mm

	T-Stop					
Engraving	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	1184' 8"	INF	984' 4 1/2"	INF	680' 1"	INF
200'	171' 2 3/4"	245' 4 3/4"	166' 4 1/4"	272' 1/4"	154' 8 3/4"	315' 1 1/2"
100'	92' 3 1/4"	110' 1 3/4"	90' 10 1/4"	115' 2"	87' 3 1/2"	122' 2 1/2"
60'	57' 1 3/4"	63' 6"	56' 7 1/4"	65' 1 1/4"	55' 2 1/2"	67' 3 1/4"
40'	38' 8 1/2"	41' 6 1/4"	38' 5 3/4"	42' 2 1/4"	37' 10"	43' 1"
30'	29' 3 1/4"	30' 10"	29' 1 3/4"	31' 2 1/2"	28' 9 1/4"	31' 8 1/4"
25'	24' 6"	25' 7"	24' 4 3/4"	25' 9 3/4"	24' 1 3/4"	26' 1 3/4"
20'	19' 8 1/4"	20' 4 1/4"	19' 7 1/2"	20' 6 1/4"	19' 5 1/2"	20' 8 3/4"
18'	17' 9"	18' 3 1/2"	17' 8 1/4"	18' 5"	17' 6 3/4"	18' 7"
16'	15' 9 1/2"	16' 2 3/4"	15' 9"	16' 4"	15' 7 3/4"	16' 5 1/2"
15'	14' 9 3/4"	15' 2 1/2"	14' 9 1/2"	15' 3 1/2"	14' 8 1/4"	15' 4 3/4"
14'	13' 10 1/4"	14' 2"	13' 9 3/4"	14' 3"	13' 8 3/4"	14' 4"
13'	12' 10 1/2"	13' 1 3/4"	12' 10"	13' 2 1/2"	12' 9 1/4"	13' 3 1/2"
12'	11' 10 3/4"	12' 1 1/2"	11' 10 1/2"	12' 2"	11' 9 3/4"	12' 3"
11'	10' 10 3/4"	11' 1 1/4"	10' 10 3/4"	11' 1 3/4"	10' 10"	11' 2 1/2"
10'	9' 11"	10' 1"	9' 11"	10' 1 1/2"	9' 10 1/2"	10' 2"
9' 6"	9' 5 1/4"	9' 7"	9' 5"	9' 7 1/4"	9' 4 1/2"	9' 7 3/4"
9'	8' 11 1/4"	9' 3/4"	8' 11 1/4"	9' 1 1/4"	8' 10 3/4"	9' 1 1/2"
8' 6"	8' 5 1/4"	8' 6 3/4"	8' 5 1/4"	8' 7"	8' 5"	8' 7 1/2"
8'	7' 11 1/2"	8' 3/4"	7' 11 1/4"	8' 1"	7' 11"	8' 1 1/4"
7' 6"	7' 5 1/2"	7' 6 1/2"	7' 5 1/2"	7' 6 3/4"	7' 5 1/4"	7' 7"
7'	6' 11 1/2"	7' 1/2"	6' 11 1/2"	7' 3/4"	6' 11 1/4"	7' 1"
6' 9"	6' 8 1/2"	6' 9 1/2"	6' 8 1/2"	6' 9 1/2"	6' 8 1/4"	6' 9 3/4"
6' 6"	6' 5 3/4"	6' 6 1/2"	6' 5 1/2"	6' 6 1/2"	6' 5 1/4"	6' 6 3/4"
6' 3"	6' 2 3/4"	6' 3 1/2"	6' 2 1/2"	6' 3 1/2"	6' 2 1/2"	6' 3 3/4"
6'	5' 11 3/4"	6' 1/4"	5' 11 3/4"	6' 1/2"	5' 11 1/2"	6' 3/4"
5' 9"	5' 8 3/4"	5' 9 1/4"	5' 8 3/4"	5' 9 1/2"	5' 8 1/2"	5' 9 1/2"
5' 6"	5' 5 3/4"	5' 6 1/4"	5' 5 3/4"	5' 6 1/2"	5' 5 1/2"	5' 6 1/2"
5' 3"	5' 2 3/4"	5' 3 1/4"	5' 2 3/4"	5' 3 1/4"	5' 2 1/2"	5' 3 1/2"
5'	4' 11 3/4"	5' 1/4"	4' 11 3/4"	5' 1/4"	4' 11 3/4"	5' 1/2"
4' 9"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/2"
4' 6"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/4"
4' 3"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"
4'	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/4"
3' 9"	8,00	3' 9"	11,00	3' 9 1/4"	16,00	3' 9 1/4"
3' 6"	3' 6"	3' 6"	3' 6"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"
3' 3"	3' 3"	3' 3"	3' 3"	3' 3"	3' 2 3/4"	3' 3 1/4"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	470' 6"	INF	325' 9 1/2"	INF	226' 4 1/2"	INF
200'	140' 6 1/2"	404' 9 3/4"	124' 2"	670' 6 3/4"	106' 5 1/4"	8485' 9 3/4"
100'	82' 7 1/4"	133' 7 1/2"	76' 8 1/4"	153' 7 1/4"	69' 7"	194' 4 3/4"
60'	53' 3 3/4"	70' 7"	50' 9 1/2"	75' 9"	47' 7 1/4"	84' 5"
40'	36' 11 1/4"	44' 4 3/4"	35' 8 3/4"	46' 4 1/2"	34' 1 1/2"	49' 5 1/2"
30'	28' 3"	32' 4 1/2"	27' 6 1/2"	33' 5"	26' 7 1/4"	34' 11 1/2"
25'	23' 9 1/2"	26' 7 1/2"	23' 3 1/2"	27' 3 3/4"	22' 7 1/4"	28' 4"
20'	19' 2 3/4"	21' 1/4"	18' 10 3/4"	21' 5 1/4"	18' 5 1/2"	22' 1/2"
18'	17' 4 1/2"	18' 9 3/4"	17' 1 1/4"	19' 1 3/4"	16' 9"	19' 7 1/2"
16'	15' 6"	16' 7 1/2"	15' 3 1/2"	16' 10 3/4"	15'	17' 3 1/4"
15'	14' 6 3/4"	15' 6 1/2"	14' 4 1/2"	15' 9 1/4"	14' 1 1/2"	16' 1 1/4"
14'	13' 7 1/2"	14' 5 3/4"	13' 5 1/2"	14' 8"	13' 3"	14' 11 1/2"
13'	12' 8"	13' 4 3/4"	12' 6 1/2"	13' 6 3/4"	12' 4 1/4"	13' 9 3/4"
12'	11' 8 3/4"	12' 4"	11' 7 1/4"	12' 5 3/4"	11' 5 1/4"	12' 8 1/4"
11'	10' 9 1/4"	11' 3 1/2"	10' 8"	11' 4 3/4"	10' 6 1/2"	11' 6 3/4"
10'	9' 9 3/4"	10' 2 3/4"	9' 8 3/4"	10' 4"	9' 7 1/2"	10' 5 1/2"
9' 6"	9' 4"	9' 8 1/2"	9' 3"	9' 9 1/2"	9' 2"	9' 11"
9'	8' 10 1/4"	9' 2 1/4"	8' 9 1/2"	9' 3"	8' 8 1/4"	9' 4 1/4"
8' 6"	8' 4 1/2"	8' 8"	8' 3 3/4"	8' 8 3/4"	8' 2 3/4"	8' 9 3/4"
8'	7' 10 1/2"	8' 1 3/4"	7' 10"	8' 2 1/2"	7' 9 1/4"	8' 3 1/4"
7' 6"	7' 4 3/4"	7' 7 1/2"	7' 4 1/4"	7' 8"	7' 3 1/2"	7' 9"
7'	6' 11"	7' 1 1/4"	6' 10 1/2"	7' 1 3/4"	6' 9 3/4"	7' 2 1/2"
6' 9"	6' 8"	6' 10 1/4"	6' 7 1/2"	6' 10 3/4"	6' 7"	6' 11 1/4"
6' 6"	6' 5"	6' 7"	6' 4 3/4"	6' 7 1/2"	6' 4 1/4"	6' 8 1/4"
6' 3"	6' 2 1/4"	6' 4"	6' 1 3/4"	6' 4 1/2"	6' 1 1/4"	6' 5"
6'	5' 11 1/4"	6' 1"	5' 11"	6' 1 1/4"	5' 10 1/2"	6' 1 3/4"
5' 9"	5' 8 1/4"	5' 9 3/4"	5' 8"	5' 10 1/4"	5' 7 1/2"	5' 10 1/2"
5' 6"	5' 5 1/2"	5' 6 3/4"	5' 5"	5' 7"	5' 4 3/4"	5' 7 1/2"
5' 3"	5' 2 1/2"	5' 3 3/4"	5' 2 1/4"	5' 4"	5' 1 3/4"	5' 4 1/4"
5'	4' 11 1/2"	5' 1/2"	4' 11 1/4"	5' 3/4"	4' 11"	5' 1 1/4"
4' 9"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/2"
4' 6"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 3/4"	4' 5 1/4"	4' 7"
4' 3"	4' 2 3/4"	4' 3 1/2"	4' 2 1/2"	4' 3 1/2"	4' 2 1/4"	4' 3 3/4"
4'	3' 11 3/4"	4' 1/4"	3' 11 1/2"	4' 1/2"	3' 11 1/2"	4' 3/4"
3' 9"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/2"	3' 8 1/2"	3' 9 1/2"
3' 6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 1/2"	3' 6 1/2"
3' 3"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/2"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.025 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	158' 1/4"	INF	110' 9 1/2"	INF
200'	88' 6 1/4"	INF	71' 6 1/4"	INF
100'	61' 5 3/4"	311' 1/2"	52' 9 3/4"	2077' 11 3/4"
60'	43' 8 1/4"	100' 8 1/2"	39' 1 3/4"	138' 7"
40'	32' 1"	54' 6 3/4"	29' 7"	63' 11 1/2"
30'	25' 4 1/4"	37' 5 1/4"	23' 9 1/4"	41' 7"
25'	21' 8 1/2"	29' 11"	20' 6 3/4"	32' 5 3/4"
20'	17' 10 1/4"	22' 11 3/4"	17' 1"	24' 5 1/2"
18'	16' 3"	20' 4 1/2"	15' 7 1/4"	21' 6"
16'	14' 7 1/2"	17' 10"	14' 1 1/4"	18' 8 1/4"
15'	13' 9 1/2"	16' 7"	13' 3 3/4"	17' 3 3/4"
14'	12' 11 1/4"	15' 4 1/4"	12' 6 1/2"	16'
13'	12' 1"	14' 2"	11' 8 3/4"	14' 8 1/4"
12'	11' 2 3/4"	12' 11 3/4"	10' 11"	13' 5"
11'	10' 4 1/4"	11' 9 3/4"	10' 1"	12' 2"
10'	9' 5 1/2"	10' 7 3/4"	9' 3"	10' 11 1/4"
9' 6"	9' 1/4"	10' 1"	8' 10"	10' 4"
9'	8' 6 3/4"	9' 6 1/4"	8' 4 3/4"	9' 9"
8' 6"	8' 1 1/2"	8' 11 1/2"	7' 11 1/2"	9' 1 3/4"
8'	7' 8"	8' 4 3/4"	7' 6 1/4"	8' 6 3/4"
7' 6"	7' 2 1/2"	7' 10 1/4"	7' 1"	8'
7'	6' 9"	7' 3 1/2"	6' 7 3/4"	7' 5"
6' 9"	6' 6 1/4"	7' 1/4"	6' 5"	7' 1 3/4"
6' 6"	6' 3 1/2"	6' 9"	6' 2 1/4"	6' 10 1/4"
6' 3"	6' 1/2"	6' 5 3/4"	5' 11 3/4"	6' 7"
6'	5' 9 3/4"	6' 2 1/2"	5' 9"	6' 3 1/2"
5' 9"	5' 7"	5' 11 1/4"	5' 6 1/4"	6' 1/4"
5' 6"	5' 4 1/4"	5' 8"	5' 3 1/2"	5' 9"
5' 3"	5' 1 1/4"	5' 4 3/4"	5' 3/4"	5' 5 3/4"
5'	4' 10 1/2"	5' 1 3/4"	4' 10"	5' 2 1/4"
4' 9"	4' 7 3/4"	4' 10 1/2"	4' 7 1/4"	4' 11"
4' 6"	4' 4 3/4"	4' 7 1/4"	4' 4 1/2"	4' 7 3/4"
4' 3"	4' 2"	4' 4 1/4"	4' 1 1/2"	4' 4 1/2"
4'	3' 11 1/4"	4' 1"	3' 10 3/4"	4' 1 1/2"
3' 9"	3' 8 1/4"	3' 9 3/4"	3' 8"	3' 10 1/4"
3' 6"	3' 5 1/4"	3' 6 3/4"	3' 5"	3' 7"
3' 3"	3' 2 1/2"	3' 3 1/2"	3' 2 1/4"	3' 3 3/4"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	9' 5 3/4"	INF	7' 5"	INF	6' 2"	INF
30'	7' 4"	INF	6' 3/4"	INF	5' 2 3/4"	INF
15'	5' 11 3/4"	INF	5' 1 1/2"	INF	4' 6 1/4"	INF
10'	5' 1/2"	INF	4' 5 1/4"	INF	3' 11 3/4"	INF
8'	4' 6 1/4"	48' 4 1/4"	4' 1/4"	INF	3' 8"	INF
6'	3' 10 1/4"	15' 2 3/4"	3' 6"	30' 6 3/4"	3' 2 3/4"	INF
5'	3' 5 1/4"	9' 10"	3' 2"	14' 4 1/2"	2' 11 1/4"	INF
4' 6"	3' 2 1/2"	7' 11 1/2"	2' 11 3/4"	10' 7 1/2"	2' 9 1/4"	96' 6 1/2"
4'	2' 11 1/2"	6' 5 1/4"	2' 9 1/4"	8' 1/4"	2' 7 1/4"	23' 3 1/2"
3' 6"	2' 8 1/4"	5' 2"	2' 6 1/2"	6' 1 1/4"	2' 4 3/4"	11' 9 1/2"
3'	2' 5"	4' 1"	2' 3 1/2"	4' 7 1/2"	2' 2"	7' 1 1/2"
2' 9"	2' 3"	3' 7 1/4"	2' 1 3/4"	4'	2' 3/4"	5' 8 1/4"
2' 6"	2' 1"	3' 2"	2'	3' 5 1/2"	1' 11"	4' 7"
2' 3"	1' 11"	2' 9"	1' 10 1/4"	2' 11 1/2"	1' 9 1/2"	3' 8 1/2"
2'	1' 9"	2' 4 1/4"	1' 8 1/4"	2' 6"	1' 7 3/4"	3'
1' 11"	1' 8 1/4"	2' 2 3/4"	1' 7 3/4"	2' 4 1/2"	1' 7"	2' 9 1/2"
1' 10"	1' 7 1/2"	2' 1 1/2"	1' 7"	2' 2 3/4"	1' 6 1/2"	2' 7"
1' 9"	1' 6 3/4"	2'	1' 6 1/4"	2' 1 1/4"	1' 5 3/4"	2' 4 3/4"
1' 8"	1' 6"	1' 10 3/4"	1' 5 1/2"	1' 11 3/4"	1' 5 1/4"	2' 2 3/4"
1' 7"	1' 5 1/4"	1' 9 1/4"	1' 4 3/4"	1' 10 1/4"	1' 4 1/2"	2' 3/4"
1' 6"	1' 4 1/2"	1' 8"	1' 4"	1' 8 3/4"	1' 3 3/4"	1' 10 3/4"
1' 5"	1' 3 3/4"	1' 6 3/4"	1' 3 1/4"	1' 7 1/4"	1' 3"	1' 9"
1' 4"	1' 3"	1' 5 1/2"	1' 2 1/2"	1' 6"	1' 2 1/4"	1' 7 1/4"
1' 3"	1' 2"	1' 4 1/4"	1' 1 3/4"	1' 4 1/2"	1' 1 1/2"	1' 5 3/4"
1' 2"	1' 1 1/4"	1' 3"	1' 1"	1' 3 1/4"	1' 3/4"	1' 4 1/4"
1' 1"	1' 1/4"	1' 1 3/4"	1' 1/4"	1' 2"	1'	1' 2 3/4"
1'	11 1/2"	1' 1/2"	11 1/4"	1' 3/4"	11 1/4"	1' 1 1/4"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	4' 7 3/4"	INF	3' 3 3/4"	INF	2' 4 1/2"	INF
30'	4' 1 1/4"	INF	3' 1/2"	INF	2' 3"	INF
15'	3' 8"	INF	2' 9 3/4"	INF	2' 1 1/2"	INF
10'	3' 4"	INF	2' 7 1/2"	INF	2' 1/4"	INF
8'	3' 1 1/4"	INF	2' 6"	INF	1' 11 1/2"	INF
6'	2' 9 1/2"	INF	2' 3 1/2"	INF	1' 10 1/4"	INF
5'	2' 7"	INF	2' 2"	INF	1' 9 1/4"	INF
4' 6"	2' 5 1/2"	INF	2' 1"	INF	1' 8 1/2"	INF
4'	2' 4"	INF	2'	INF	1' 8"	INF
3' 6"	2' 2"	INF	1' 10 1/2"	INF	1' 7"	INF
3'	2'	23' 8 1/2"	1' 9"	INF	1' 6"	INF
2' 9"	1' 10 3/4"	12' 5 3/4"	1' 8 1/4"	INF	1' 5 1/2"	INF
2' 6"	1' 9 1/2"	7' 11 1/2"	1' 7 1/4"	1801' 4"	1' 4 3/4"	INF
2' 3"	1' 8"	5' 6 1/4"	1' 6 1/4"	16' 4 1/4"	1' 4"	INF
2'	1' 6 1/2"	4'	1' 5"	7' 4"	1' 3 1/4"	INF
1' 11"	1' 6"	3' 7 1/2"	1' 4 1/2"	6' 1/2"	1' 2 3/4"	1658' 7 1/2"
1' 10"	1' 5 1/2"	3' 3 1/4"	1' 4"	5' 3/4"	1' 2 1/2"	27' 4"
1' 9"	1' 5"	2' 11 1/2"	1' 3 3/4"	4' 3 3/4"	1' 2 1/4"	13' 2 1/4"
1' 8"	1' 4 1/4"	2' 8 1/4"	1' 3 1/4"	3' 8 1/2"	1' 1 3/4"	8' 5 1/4"
1' 7"	1' 3 3/4"	2' 5 1/4"	1' 2 3/4"	3' 2 1/2"	1' 1 1/2"	6' 1/2"
1' 6"	1' 3 1/4"	2' 2 1/2"	1' 2 1/4"	2' 9 1/2"	1' 1"	4' 7"
1' 5"	1' 2 1/2"	2'	1' 1 3/4"	2' 5 1/4"	1' 3/4"	3' 7 1/2"
1' 4"	1' 1 3/4"	1' 9 3/4"	1' 1"	2' 1 3/4"	1' 1/4"	2' 11 1/4"
1' 3"	1' 1 1/4"	1' 7 1/2"	1' 1/2"	1' 10 1/2"	11 3/4"	2' 5 1/4"
1' 2"	1' 1/2"	1' 5 1/2"	1'	1' 7 3/4"	11 1/4"	2' 1/4"
1' 1"	11 3/4"	1' 3 3/4"	11 1/4"	1' 5 1/2"	10 3/4"	1' 8 1/2"
1'	11"	1' 2"	10 3/4"	1' 3 1/4"	10 1/4"	1' 5 1/4"



COMPACT PRIME CP.3 15mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	1' 9"	INF
30'	1' 8 1/4"	INF
15'	1' 7 1/2"	INF
10'	1' 6 3/4"	INF
8'	1' 6 1/2"	INF
6'	1' 5 3/4"	INF
5'	1' 5"	INF
4' 6"	1' 4 3/4"	INF
4'	1' 4 1/4"	INF
3' 6"	1' 3 3/4"	INF
3'	1' 3 1/4"	INF
2' 9"	1' 2 3/4"	INF
2' 6"	1' 2 1/2"	INF
2' 3"	1' 2"	INF
2'	1' 1 1/4"	INF
1' 11"	1' 1"	INF
1' 10"	1' 1"	INF
1' 9"	1' 3/4"	INF
1' 8"	1' 1/2"	INF
1' 7"	1'	INF
1' 6"	11 3/4"	INF
1' 5"	11 1/2"	16' 9 3/4"
1' 4"	11 1/4"	7' 4 3/4"
1' 3"	10 3/4"	4' 6 1/2"
1' 2"	10 1/2"	3' 2"
1' 1"	10"	2' 4 1/4"
1'	9 1/2"	1' 10"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	13' 7 1/2"	INF	10' 2"	INF	7' 10 1/2"	INF
200'	12' 9 3/4"	INF	9' 8 1/2"	INF	7' 7 1/4"	INF
100'	12' 3/4"	INF	9' 3 1/2"	INF	7' 4"	INF
60'	11' 2 1/2"	INF	8' 9 1/2"	INF	7' 1/4"	INF
50'	10' 10"	INF	8' 6 1/2"	INF	6' 10 1/2"	INF
40'	10' 3 3/4"	INF	8' 2 3/4"	INF	6' 8"	INF
30'	9' 6 1/4"	INF	7' 8 3/4"	INF	6' 4 1/4"	INF
25'	8' 11 3/4"	INF	7' 4 1/2"	INF	6' 1 1/4"	INF
20'	8' 3 1/4"	INF	6' 10 3/4"	INF	5' 9 1/2"	INF
19'	8' 1 1/4"	INF	6' 9 1/2"	INF	5' 8 1/2"	INF
18'	7' 11 1/4"	INF	6' 8"	INF	5' 7 1/2"	INF
17'	7' 9"	INF	6' 6 1/2"	INF	5' 6 1/2"	INF
16'	7' 6 1/2"	INF	6' 4 3/4"	INF	5' 5 1/4"	INF
15'	7' 3 3/4"	INF	6' 2 3/4"	INF	5' 3 3/4"	INF
14'	7' 1"	INF	6' 3/4"	INF	5' 2 1/2"	INF
13'	6' 10"	271' 5 1/4"	5' 10 1/2"	INF	5' 3/4"	INF
12'	6' 6 3/4"	95' 8 3/4"	5' 8 1/4"	INF	4' 11"	INF
11'	6' 3 1/4"	54' 3"	5' 5 1/2"	INF	4' 9 1/4"	INF
10'	5' 11 1/4"	35' 8 1/4"	5' 2 3/4"	153' 1 1/4"	4' 7"	INF
9' 6"	5' 9 1/4"	29' 9 1/2"	5' 1"	82' 2 1/4"	4' 5 3/4"	INF
9'	5' 7"	25' 2"	4' 11 1/2"	54' 3"	4' 4 1/2"	INF
8' 6"	5' 4 3/4"	21' 5 1/4"	4' 9 3/4"	39' 4"	4' 3 1/4"	INF
8'	5' 2 1/2"	18' 4 3/4"	4' 7 3/4"	30' 1/2"	4' 1 3/4"	INF
7' 9"	5' 1 1/4"	17' 3/4"	4' 7"	26' 7"	4' 1"	INF
7' 6"	5'	15' 10"	4' 6"	23' 8 1/4"	4' 1/4"	INF
7' 3"	4' 10 3/4"	14' 8 1/2"	4' 5"	21' 2 1/2"	3' 11 1/2"	INF
7'	4' 9 1/2"	13' 8"	4' 3 3/4"	19' 1"	3' 10 1/2"	347' 4"
6' 9"	4' 8"	12' 8 1/4"	4' 2 3/4"	17' 2 3/4"	3' 9 3/4"	114' 3 3/4"
6' 6"	4' 6 3/4"	11' 9 1/2"	4' 1 3/4"	15' 7"	3' 8 3/4"	66' 4 1/2"
6' 3"	4' 5 1/4"	10' 11 1/2"	4' 1/2"	14' 1 3/4"	3' 8"	45' 8 1/4"
6'	4' 3 3/4"	10' 2"	3' 11 1/4"	12' 10"	3' 7"	34' 1 3/4"
5' 9"	4' 2 1/4"	9' 5 1/4"	3' 10"	11' 8 1/4"	3' 6"	26' 9 3/4"
5' 6"	4' 3/4"	8' 9"	3' 8 3/4"	10' 7 1/2"	3' 5"	21' 8 1/2"
5' 3"	3' 11 1/4"	8' 1 1/4"	3' 7 1/2"	9' 8 1/4"	3' 3 3/4"	17' 11 1/2"
5'	8,00	7' 6"	11,00	8' 9 3/4"	16,00	15' 1 1/4"
4' 9"	3' 8"	6' 11"	3' 4 3/4"	8' 1/4"	3' 1 1/2"	12' 10 1/4"
4' 6"	3' 6 1/4"	6' 4 1/2"	3' 3 1/4"	7' 3 1/2"	3' 1/4"	11' 1/4"
4' 3"	3' 4 1/2"	5' 10 1/2"	3' 1 3/4"	6' 7 1/4"	2' 11"	9' 6"
4'	3' 2 1/2"	5' 4 1/2"	3' 1/4"	6'	2' 9 3/4"	8' 2 3/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
3' 9"	3' 3/4"	4' 11"	2' 10 1/2"	5' 5"	2' 8 1/4"	7' 1 3/4"
3' 6"	2' 10 3/4"	4' 5 3/4"	2' 8 3/4"	4' 10 1/2"	2' 7"	6' 2 1/2"
3' 3"	2' 8 3/4"	4' 3/4"	2' 7"	4' 4 1/2"	2' 5 1/4"	5' 4 3/4"
3'	2' 6 3/4"	3' 8"	2' 5 1/4"	3' 11"	2' 3 3/4"	4' 8 1/4"
2' 9"	2' 4 1/2"	3' 3 1/4"	2' 3 1/2"	3' 5 3/4"	2' 2"	4' 3/4"
2' 6"	2' 2 1/2"	2' 11"	2' 1 1/2"	3' 3/4"	2' 1/4"	3' 5 3/4"
2' 3"	2' 1/4"	2' 6 3/4"	1' 11 1/4"	2' 8"	1' 10 1/2"	2' 11 3/4"
2'	1' 9 3/4"	2' 2 3/4"	1' 9 1/4"	2' 3 3/4"	1' 8 1/2"	2' 6 1/4"
1' 11"	1' 9"	2' 1 1/2"	1' 8 1/2"	2' 2 1/4"	1' 7 3/4"	2' 4 1/2"
1' 10"	1' 8 1/4"	2' 1/4"	1' 7 3/4"	2' 1"	1' 7"	2' 3"
1' 9"	1' 7 1/2"	1' 11"	1' 7"	1' 11 1/2"	1' 6 1/2"	2' 1 1/4"
1' 8"	1' 6 1/2"	1' 9 3/4"	1' 6 1/4"	1' 10 1/4"	1' 5 3/4"	1' 11 3/4"
1' 7"	1' 5 3/4"	1' 8 1/2"	1' 5 1/4"	1' 9"	1' 5"	1' 10 1/4"
1' 6"	1' 5"	1' 7 1/4"	1' 4 1/2"	1' 7 3/4"	1' 4 1/4"	1' 8 3/4"
1' 5"	1' 4"	1' 6"	1' 3 3/4"	1' 6 1/2"	1' 3 1/2"	1' 7 1/4"
1' 4"	1' 3 1/4"	1' 5"	1' 3"	1' 5 1/4"	1' 2 3/4"	1' 6"
1' 3"	1' 2 1/4"	1' 3 3/4"	1' 2"	1' 4"	1' 1 3/4"	1' 4 1/2"
1' 2"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 2 3/4"	1' 1"	1' 3 1/4"
1' 1"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 3/4"	1' 1/4"	1' 2"
1'	11 3/4"	1' 1/2"	11 1/2"	1' 1/2"	11 1/2"	1' 3/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	5' 10 3/4"	INF	4' 3 1/4"	INF	3' 1"	INF
200'	5' 9"	INF	4' 2 1/4"	INF	3' 1/2"	INF
100'	5' 7 1/4"	INF	4' 1 1/2"	INF	3'	INF
60'	5' 5"	INF	4' 1/4"	INF	2' 11 1/2"	INF
50'	5' 4"	INF	3' 11 3/4"	INF	2' 11 1/4"	INF
40'	5' 2 1/2"	INF	3' 11"	INF	2' 10 3/4"	INF
30'	5' 1/4"	INF	3' 9 3/4"	INF	2' 10 1/4"	INF
25'	4' 10 1/2"	INF	3' 8 3/4"	INF	2' 9 3/4"	INF
20'	4' 8"	INF	3' 7 1/2"	INF	2' 9"	INF
19'	4' 7 1/2"	INF	3' 7"	INF	2' 8 3/4"	INF
18'	4' 6 3/4"	INF	3' 6 3/4"	INF	2' 8 1/2"	INF
17'	4' 6 1/4"	INF	3' 6 1/4"	INF	2' 8 1/4"	INF
16'	4' 5 1/4"	INF	3' 5 3/4"	INF	2' 8"	INF
15'	4' 4 1/2"	INF	3' 5 1/4"	INF	2' 7 3/4"	INF
14'	4' 3 1/2"	INF	3' 4 3/4"	INF	2' 7 1/2"	INF
13'	4' 2 1/2"	INF	3' 4"	INF	2' 7 1/4"	INF
12'	4' 1 1/4"	INF	3' 3 1/2"	INF	2' 6 3/4"	INF
11'	4'	INF	3' 2 1/2"	INF	2' 6 1/4"	INF
10'	3' 10 1/2"	INF	3' 1 3/4"	INF	2' 5 3/4"	INF
9' 6"	3' 9 3/4"	INF	3' 1 1/4"	INF	2' 5 1/2"	INF
9'	3' 8 3/4"	INF	3' 1/2"	INF	2' 5"	INF
8' 6"	3' 7 3/4"	INF	3'	INF	2' 4 3/4"	INF
8'	3' 6 3/4"	INF	2' 11 1/4"	INF	2' 4 1/4"	INF
7' 9"	3' 6 1/4"	INF	2' 11"	INF	2' 4 1/4"	INF
7' 6"	3' 5 3/4"	INF	2' 10 1/2"	INF	2' 4"	INF
7' 3"	3' 5 1/4"	INF	2' 10 1/4"	INF	2' 3 3/4"	INF
7'	3' 4 1/2"	INF	2' 9 3/4"	INF	2' 3 1/2"	INF
6' 9"	3' 4"	INF	2' 9 1/2"	INF	2' 3 1/4"	INF
6' 6"	3' 3 1/4"	INF	2' 9"	INF	2' 3"	INF
6' 3"	3' 2 1/2"	INF	2' 8 1/2"	INF	2' 2 1/2"	INF
6'	3' 1 3/4"	INF	2' 8"	INF	2' 2 1/4"	INF
5' 9"	3' 1"	INF	2' 7 1/2"	INF	2' 2"	INF
5' 6"	3' 1/4"	INF	2' 7"	INF	2' 1 3/4"	INF
5' 3"	2' 11 1/2"	INF	2' 6 1/4"	INF	2' 1 1/4"	INF
5'	2' 10 1/2"	INF	2' 5 3/4"	INF	2' 3/4"	INF
4' 9"	2' 9 3/4"	86' 10 1/2"	2' 5"	INF	2' 1/2"	INF
4' 6"	2' 8 3/4"	39' 10 1/4"	2' 4 1/2"	INF	2'	INF
4' 3"	2' 7 3/4"	24' 10"	2' 3 3/4"	INF	1' 11 1/2"	INF
4'	2' 6 3/4"	17' 5 1/2"	2' 3"	INF	1' 11"	INF



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
3' 9"	2' 5 1/2"	13' 3/4"	2' 2"	INF	1' 10 1/2"	INF
3' 6"	2' 4 1/4"	10' 1 3/4"	2' 1 1/4"	75' 3 1/4"	1' 9 3/4"	INF
3' 3"	2' 3"	8' 3/4"	2' 1/4"	24' 9 1/2"	1' 9"	INF
3'	2' 1 3/4"	6' 6"	1' 11 1/4"	13' 11"	1' 8 1/2"	INF
2' 9"	2' 1/4"	5' 3 3/4"	1' 10"	9' 2 1/4"	1' 7 1/2"	INF
2' 6"	1' 10 3/4"	4' 4"	1' 9"	6' 6 1/4"	1' 6 3/4"	24' 1"
2' 3"	1' 9 1/4"	3' 6 3/4"	1' 7 1/2"	4' 9 3/4"	1' 5 3/4"	9' 11 3/4"
2'	1' 7 1/2"	2' 10 3/4"	1' 6 1/4"	3' 7 3/4"	1' 4 1/2"	5' 9 1/4"
1' 11"	1' 7"	2' 8 1/2"	1' 5 3/4"	3' 3 3/4"	1' 4 1/4"	4' 11 1/2"
1' 10"	1' 6 1/4"	2' 6 1/4"	1' 5 1/4"	3' 1/2"	1' 3 3/4"	4' 3 1/2"
1' 9"	1' 5 3/4"	2' 4 1/4"	1' 4 1/2"	2' 9 1/4"	1' 3 1/4"	3' 9"
1' 8"	1' 5"	2' 2 1/4"	1' 4"	2' 6 1/4"	1' 3"	3' 3 1/2"
1' 7"	1' 4 1/4"	2' 1/4"	1' 3 1/2"	2' 3 3/4"	1' 2 1/2"	2' 10 3/4"
1' 6"	1' 3 3/4"	1' 10 1/2"	1' 3"	2' 1 1/4"	1' 2"	2' 6 3/4"
1' 5"	1' 3"	1' 8 3/4"	1' 2 1/4"	1' 11"	1' 1 1/2"	2' 3 1/4"
1' 4"	1' 2 1/4"	1' 7"	1' 1 3/4"	1' 9"	1' 1"	2' 1/4"
1' 3"	1' 1 1/2"	1' 5 1/2"	1' 1"	1' 7"	1' 1/4"	1' 9 1/2"
1' 2"	1' 3/4"	1' 4"	1' 1/4"	1' 5 1/4"	11 3/4"	1' 7"
1' 1"	1'	1' 2 1/2"	11 3/4"	1' 3 1/2"	11 1/4"	1' 4 3/4"
1'	11 1/4"	1' 1 1/4"	11"	1' 1 3/4"	10 1/2"	1' 2 3/4"



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	2' 3"	INF
200'	2' 2 3/4"	INF
100'	2' 2 1/2"	INF
60'	2' 2 1/4"	INF
50'	2' 2"	INF
40'	2' 2"	INF
30'	2' 1 1/2"	INF
25'	2' 1 1/4"	INF
20'	2' 1"	INF
19'	2' 3/4"	INF
18'	2' 3/4"	INF
17'	2' 3/4"	INF
16'	2' 1/2"	INF
15'	2' 1/4"	INF
14'	2' 1/4"	INF
13'	2'	INF
12'	1' 11 3/4"	INF
11'	1' 11 1/2"	INF
10'	1' 11 1/4"	INF
9' 6"	1' 11"	INF
9'	1' 11"	INF
8' 6"	1' 10 3/4"	INF
8'	1' 10 1/2"	INF
7' 9"	1' 10 1/4"	INF
7' 6"	1' 10 1/4"	INF
7' 3"	1' 10"	INF
7'	1' 10"	INF
6' 9"	1' 9 3/4"	INF
6' 6"	1' 9 3/4"	INF
6' 3"	1' 9 1/2"	INF
6'	1' 9 1/4"	INF
5' 9"	1' 9"	INF
5' 6"	1' 8 3/4"	INF
5' 3"	1' 8 3/4"	INF
5'	1' 8 1/2"	INF
4' 9"	1' 8 1/4"	INF
4' 6"	1' 7 3/4"	INF
4' 3"	1' 7 1/2"	INF
4'	1' 7 1/4"	INF



COMPACT PRIME CP.3 18mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop	
	22	
feet	from	to
3' 9"	1' 6 3/4"	INF
3' 6"	1' 6 1/2"	INF
3' 3"	1' 6"	INF
3'	1' 5 1/2"	INF
2' 9"	1' 5"	INF
2' 6"	1' 4 1/4"	INF
2' 3"	1' 3 3/4"	INF
2'	1' 2 3/4"	55' 9 3/4"
1' 11"	1' 2 1/2"	20' 1"
1' 10"	1' 2 1/4"	11' 10"
1' 9"	1' 2"	8' 2 1/4"
1' 8"	1' 1 1/2"	6' 1 1/4"
1' 7"	1' 1 1/4"	4' 9 1/2"
1' 6"	1' 3/4"	3' 10 1/4"
1' 5"	1' 1/2"	3' 2"
1' 4"	1'	2' 7 3/4"
1' 3"	11 1/2"	2' 2 3/4"
1' 2"	11"	1' 10 3/4"
1' 1"	10 1/2"	1' 7 1/2"
1'	10"	1' 4 3/4"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,9		4		5,6	
feet	from	to	from	to	from	to
INF	18' 5"	INF	15' 2 3/4"	INF	13' 7 1/4"	INF
30'	11' 7"	INF	10' 3"	INF	9' 6"	INF
15'	8' 5 1/4"	78' 7 3/4"	7' 8 3/4"	INF	7' 3 3/4"	INF
10'	6' 7 3/4"	21' 1 1/2"	6' 2 1/2"	31' 3 3/4"	5' 11 1/4"	INF
8'	5' 8 3/4"	13' 7 3/4"	5' 4 3/4"	17' 2 1/4"	5' 2 1/2"	93' 4 1/4"
6'	4' 7 3/4"	8' 7"	4' 5 1/4"	9' 9 3/4"	4' 3 3/4"	17' 10 1/2"
5'	4' 1/2"	6' 7 1/2"	3' 10 3/4"	7' 3 3/4"	3' 9 1/2"	10' 10 1/4"
4' 6"	3' 8 3/4"	5' 9"	3' 7 1/4"	6' 3"	3' 6"	8' 7 1/4"
4'	3' 4 3/4"	4' 11 1/4"	3' 3 1/4"	5' 3 1/2"	3' 2 1/2"	6' 10"
3' 6"	3' 1/2"	4' 2"	2' 11 1/2"	4' 5"	2' 10 3/4"	5' 5"
2' 9"	2' 5 1/2"	3' 1 1/2"	2' 5"	3' 3"	2' 4 1/2"	3' 8 1/2"
2' 6"	2' 3 1/4"	2' 9 1/2"	2' 2 3/4"	2' 10 3/4"	2' 2 1/2"	3' 3"
2' 3"	2' 3/4"	2' 5 3/4"	2' 1/2"	2' 6 1/2"	2' 1/4"	2' 9 3/4"
1' 11"	1' 9 1/2"	2' 3/4"	1' 9 1/4"	2' 1 1/4"	1' 9"	2' 3 1/4"
1' 10"	1' 8 3/4"	1' 11 1/2"	1' 8 1/2"	2'	1' 8 1/4"	2' 1 3/4"
1' 9"	1' 7 3/4"	1' 10 1/2"	1' 7 1/2"	1' 10 3/4"	1' 7 1/2"	2' 1/4"
1' 8"	1' 7"	1' 9 1/4"	1' 6 3/4"	1' 9 3/4"	1' 6 1/2"	1' 11"
1' 7"	1' 6"	1' 8"	1' 5 3/4"	1' 8 1/2"	1' 5 3/4"	1' 9 1/2"
1' 6"	1' 5 1/4"	1' 7"	1' 5"	1' 7 1/4"	1' 5"	1' 8 1/4"
1' 5"	1' 4 1/4"	1' 5 3/4"	1' 4 1/4"	1' 6"	1' 4"	1' 6 3/4"
1' 4"	1' 3 1/2"	1' 4 3/4"	1' 3 1/4"	1' 5"	1' 3 1/4"	1' 5 1/2"
1' 3"	1' 2 1/2"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"	1' 2 1/4"	1' 4 1/4"
1' 2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 2 1/2"	1' 1 1/2"	1' 3"
1' 1"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 1/2"	1' 1/2"	1' 1 3/4"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"	11 3/4"	1' 3/4"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/2"
10"	9 3/4"	10 1/4"	9 3/4"	10 1/4"	9 3/4"	10 1/4"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	8		11		16	
feet	from	to	from	to	from	to
INF	10' 6 1/2"	INF	7' 3 1/4"	INF	4' 10 3/4"	INF
30'	7' 11 1/4"	INF	5' 11 1/2"	INF	4' 3 1/2"	INF
15'	6' 4 1/4"	INF	5' 1/2"	INF	3' 10"	INF
10'	5' 3 3/4"	INF	4' 4 1/2"	INF	3' 5 1/4"	INF
8'	4' 8 1/2"	INF	3' 11 3/4"	INF	3' 2 1/2"	INF
6'	3' 11 3/4"	INF	3' 5 1/2"	INF	2' 10 1/2"	INF
5'	3' 6 1/2"	27' 4"	3' 1 1/2"	INF	2' 7 3/4"	INF
4' 6"	3' 3 1/2"	16' 2 3/4"	2' 11 1/4"	INF	2' 6 1/4"	INF
4'	3' 1/2"	10' 9"	2' 8 3/4"	35' 10 3/4"	2' 4 1/2"	INF
3' 6"	2' 9"	7' 6 1/4"	2' 6 1/4"	14' 3 1/2"	2' 2 1/2"	INF
2' 9"	2' 3 1/2"	4' 6 1/2"	2' 1 1/2"	6' 2 1/4"	1' 11"	12' 2 1/2"
2' 6"	2' 1 1/2"	3' 10"	1' 11 3/4"	4' 10 3/4"	1' 9 3/4"	7' 10 1/2"
2' 3"	1' 11 1/2"	3' 2 1/2"	1' 10"	3' 11"	1' 8 1/4"	5' 6"
1' 11"	1' 8 1/2"	2' 6 1/4"	1' 7 1/2"	2' 10 3/4"	1' 6 1/4"	3' 7 1/4"
1' 10"	1' 7 3/4"	2' 4 1/4"	1' 6 3/4"	2' 8 1/4"	1' 5 1/2"	3' 3 1/4"
1' 9"	1' 7"	2' 2 1/2"	1' 6 1/4"	2' 5 3/4"	1' 5"	2' 11 1/2"
1' 8"	1' 6 1/4"	2' 3/4"	1' 5 1/2"	2' 3 1/2"	1' 4 1/2"	2' 8 1/4"
1' 7"	1' 5 1/2"	1' 11 1/4"	1' 4 3/4"	2' 1 1/2"	1' 3 3/4"	2' 5 1/4"
1' 6"	1' 4 1/2"	1' 9 1/2"	1' 4"	1' 11 1/2"	1' 3 1/4"	2' 2 1/2"
1' 5"	1' 3 3/4"	1' 8"	1' 3 1/4"	1' 9 1/2"	1' 2 1/2"	2'
1' 4"	1' 3"	1' 6 1/2"	1' 2 1/2"	1' 7 3/4"	1' 2"	1' 9 3/4"
1' 3"	1' 2"	1' 5"	1' 1 3/4"	1' 6"	1' 1 1/4"	1' 7 1/2"
1' 2"	1' 1 1/4"	1' 3 3/4"	1' 1"	1' 4 1/2"	1' 1/2"	1' 5 1/2"
1' 1"	1' 1/2"	1' 2 1/4"	1' 1/4"	1' 3"	11 3/4"	1' 3 3/4"
1'	11 1/2"	1' 1"	11 1/4"	1' 1 1/2"	11"	1' 2"
11"	10 3/4"	11 3/4"	10 1/2"	1'	10 1/4"	1' 1/2"
10"	9 3/4"	10 1/2"	9 1/2"	10 3/4"	9 1/2"	11"



COMPACT PRIME CP.3 21mm/T2.9 T*

circle of confusion: 0.030 mm

Engraving	T-Stop	
	22	
feet	from	to
INF	3' 4 3/4"	INF
30'	3' 1 1/4"	INF
15'	2' 10 1/2"	INF
10'	2' 8"	INF
8'	2' 6 1/4"	INF
6'	2' 4"	INF
5'	2' 2 1/4"	INF
4' 6"	2' 1 1/4"	INF
4'	2'	INF
3' 6"	1' 10 3/4"	INF
2' 9"	1' 8 1/4"	INF
2' 6"	1' 7 1/4"	73' 5 3/4"
2' 3"	1' 6 1/4"	13' 8"
1' 11"	1' 4 1/2"	5' 8 1/4"
1' 10"	1' 4 1/4"	4' 10"
1' 9"	1' 3 3/4"	4' 1 3/4"
1' 8"	1' 3 1/4"	3' 7"
1' 7"	1' 2 3/4"	3' 1 1/2"
1' 6"	1' 2 1/4"	2' 8 3/4"
1' 5"	1' 1 3/4"	2' 4 3/4"
1' 4"	1' 1"	2' 1 1/4"
1' 3"	1' 1/2"	1' 10 1/4"
1' 2"	1'	1' 7 3/4"
1' 1"	11 1/4"	1' 5 1/4"
1'	10 3/4"	1' 3 1/4"
11"	10"	1' 1 1/4"
10"	9 1/4"	11 1/2"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	36' 11 1/2"	INF	31' 9 1/4"	INF	23' 3 1/4"	INF
40'	19' 4 1/4"	INF	17' 10 1/4"	INF	14' 10 1/4"	INF
20'	13' 1 1/4"	44' 3 1/4"	12' 5"	106' 11 1/4"	10' 10 3/4"	INF
13'	9' 8 3/4"	20' 1/4"	9' 4 1/4"	27' 3/4"	8' 5 3/4"	53' 7 1/4"
10'	7' 11 3/4"	13' 7 1/2"	7' 8 1/2"	16' 6"	7' 1 1/2"	23' 5 3/4"
8'	6' 8"	10' 1 1/2"	6' 5 3/4"	11' 7 1/4"	6' 3/4"	14' 7 1/4"
7'	5' 11 1/2"	8' 6 1/2"	5' 10"	9' 6 3/4"	5' 5 3/4"	11' 6"
6'	5' 2 3/4"	7' 1"	5' 1 1/2"	7' 9"	4' 10 1/2"	8' 11 1/2"
5'	4' 5 1/2"	5' 8 1/2"	4' 4 3/4"	6' 1 1/2"	4' 2 1/2"	6' 10"
4' 6"	4' 3/4"	5' 3/4"	4'	5' 4 1/2"	3' 10 1/4"	5' 11"
4'	3' 8"	4' 5 1/4"	3' 7 1/4"	4' 8"	3' 5 3/4"	5' 3/4"
3' 6"	3' 3"	3' 9 3/4"	3' 2 1/2"	3' 11 3/4"	3' 1 1/4"	4' 3"
3' 3"	3' 1/4"	3' 6 1/4"	3'	3' 8"	2' 11"	3' 10 1/2"
3'	2' 9 3/4"	3' 2 3/4"	2' 9 1/2"	3' 4"	2' 8 1/2"	3' 6 1/4"
2' 9"	2' 7 1/4"	2' 11 1/4"	2' 7"	3' 1/4"	2' 6 1/4"	3' 2"
2' 6"	2' 4 1/2"	2' 7 3/4"	2' 4 1/4"	2' 8 3/4"	2' 3 3/4"	2' 10"
2' 3"	2' 1 3/4"	2' 4 1/4"	2' 1 3/4"	2' 5"	2' 1 1/4"	2' 6"
2'	1' 11"	2' 1"	1' 11"	2' 1 1/2"	1' 10 1/2"	2' 2 1/4"
1' 11"	1' 10 1/4"	2'	1' 10"	2' 1/2"	1' 9 3/4"	2' 1"
1' 10"	1' 9 1/4"	1' 10 3/4"	1' 9 1/4"	1' 11 1/4"	1' 8 3/4"	1' 11 3/4"
1' 9"	1' 8 1/4"	1' 9 3/4"	1' 8 1/4"	1' 10"	1' 8"	1' 10 3/4"
1' 8"	1' 7 1/2"	1' 8 3/4"	1' 7 1/4"	1' 9"	1' 7"	1' 9 1/2"
1' 7"	1' 6 1/2"	1' 7 1/2"	1' 6 1/2"	1' 7 3/4"	1' 6 1/4"	1' 8 1/4"
1' 6"	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"	1' 5 1/4"	1' 7"
1' 5"	1' 4 1/2"	1' 5 1/2"	1' 4 1/2"	1' 5 3/4"	1' 4 1/2"	1' 6"
1' 4"	1' 3 3/4"	1' 4 1/4"	1' 3 1/2"	1' 4 1/2"	1' 3 1/2"	1' 4 3/4"
1' 3"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"
1' 2"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 1/2"
1' 1"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"
1'	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"
11"	11"	11 1/4"	10 3/4"	11 1/4"	10 3/4"	11 1/4"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	4		5,6		11	
feet	from	to	from	to	from	to
INF	16' 2"	INF	11' 2"	INF	7' 9"	INF
40'	11' 7 3/4"	INF	8' 10"	INF	6' 7"	INF
20'	9' 1"	INF	7' 3 1/2"	INF	5' 8 1/2"	INF
13'	7' 4 1/4"	INF	6' 1 3/4"	INF	5'	INF
10'	6' 3 3/4"	51' 1/2"	5' 5"	INF	4' 6 1/4"	INF
8'	5' 5 3/4"	21' 9 3/4"	4' 9 3/4"	67' 5"	4' 1"	INF
7'	5' 1/4"	15' 5 3/4"	4' 5 1/4"	29' 5 1/2"	3' 10"	INF
6'	4' 6"	11' 2"	4' 1/2"	16' 10"	3' 6 1/4"	59' 9 1/4"
5'	3' 11"	8' 1/4"	3' 7"	10' 6 1/4"	3' 2 1/4"	18' 9"
4' 6"	3' 7 1/2"	6' 9"	3' 4"	8' 5"	2' 11 3/4"	12' 10 1/2"
4'	3' 3 1/2"	5' 7 3/4"	3' 3/4"	6' 8 3/4"	2' 9 1/4"	9' 3"
3' 6"	2' 11 1/2"	4' 8"	2' 9 1/4"	5' 4 1/4"	2' 6 1/2"	6' 9 1/2"
3' 3"	2' 9 1/2"	4' 2 1/2"	2' 7 1/2"	4' 9"	2' 5"	5' 10"
3'	2' 7 1/4"	3' 9 1/2"	2' 5 1/2"	4' 2 1/2"	2' 3 1/2"	5' 1/4"
2' 9"	2' 5"	3' 4 1/2"	2' 3 1/2"	3' 8 1/2"	2' 1 3/4"	4' 3 1/2"
2' 6"	2' 2 3/4"	3'	2' 1 1/2"	3' 3"	2'	3' 8"
2' 3"	2' 1/2"	2' 7 1/2"	1' 11 1/2"	2' 9 3/4"	1' 10 1/4"	3' 1 1/2"
2'	1' 10"	2' 3 1/4"	1' 9 1/4"	2' 5"	1' 8 1/4"	2' 7 1/2"
1' 11"	1' 9 1/4"	2' 2"	1' 8 1/2"	2' 3 1/2"	1' 7 1/2"	2' 5 3/4"
1' 10"	1' 8 1/2"	2' 3/4"	1' 7 3/4"	2' 2"	1' 6 3/4"	2' 3 3/4"
1' 9"	1' 7 1/2"	1' 11 1/4"	1' 7"	2' 1/2"	1' 6 1/4"	2' 2 1/4"
1' 8"	1' 6 3/4"	1' 10"	1' 6 1/4"	1' 11"	1' 5 1/2"	2' 1/2"
1' 7"	1' 5 3/4"	1' 8 3/4"	1' 5 1/2"	1' 9 3/4"	1' 4 3/4"	1' 11"
1' 6"	1' 5"	1' 7 1/2"	1' 4 1/2"	1' 8 1/4"	1' 4"	1' 9 1/4"
1' 5"	1' 4"	1' 6 1/4"	1' 3 3/4"	1' 7"	1' 3 1/4"	1' 7 3/4"
1' 4"	1' 3 1/4"	1' 5 1/4"	1' 3"	1' 5 3/4"	1' 2 1/2"	1' 6 1/2"
1' 3"	1' 2 1/4"	1' 4"	1' 2"	1' 4 1/2"	1' 1 3/4"	1' 5"
1' 2"	1' 1 1/2"	1' 2 3/4"	1' 1 1/4"	1' 3 1/4"	1' 1"	1' 3 3/4"
1' 1"	1' 1/2"	1' 1 3/4"	1' 1/2"	1' 2"	1'	1' 2 1/4"
1'	11 3/4"	1' 1/2"	11 1/2"	1' 3/4"	11 1/4"	1' 1"
11"	10 3/4"	11 1/2"	10 1/2"	11 1/2"	10 1/2"	11 3/4"



COMPACT PRIME CP.3 25mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	5' 5 1/2"	INF	3' 10 1/2"	INF
40'	4' 10 1/4"	INF	3' 7"	INF
20'	4' 4 1/2"	INF	3' 4"	INF
13'	3' 11 1/2"	INF	3' 1 1/4"	INF
10'	3' 8"	INF	2' 11"	INF
8'	3' 4 3/4"	INF	2' 9"	INF
7'	3' 2 1/2"	INF	2' 7 3/4"	INF
6'	3'	INF	2' 6"	INF
5'	2' 9"	INF	2' 4"	INF
4' 6"	2' 7 1/2"	55' 1/4"	2' 2 3/4"	INF
4'	2' 5 1/2"	20' 1 1/4"	2' 1 1/2"	INF
3' 6"	2' 3 1/4"	11' 3/4"	2'	161' 4 3/4"
3' 3"	2' 2"	8' 8 1/4"	1' 11"	30' 9 3/4"
3'	2' 3/4"	6' 11 1/4"	1' 10"	15' 10 1/4"
2' 9"	1' 11 1/2"	5' 7 1/4"	1' 9"	10' 1"
2' 6"	1' 10"	4' 6 1/2"	1' 8"	7' 1/4"
2' 3"	1' 8 1/2"	3' 8 1/2"	1' 6 3/4"	5' 1 1/2"
2'	1' 7"	3'	1' 5 1/2"	3' 10"
1' 11"	1' 6 1/2"	2' 9 1/2"	1' 5"	3' 6"
1' 10"	1' 5 3/4"	2' 7 1/4"	1' 4 1/2"	3' 2 1/4"
1' 9"	1' 5 1/4"	2' 5"	1' 4"	2' 10 3/4"
1' 8"	1' 4 1/2"	2' 3"	1' 3 1/2"	2' 7 3/4"
1' 7"	1' 4"	2' 1"	1' 3"	2' 5"
1' 6"	1' 3 1/4"	1' 11"	1' 2 1/2"	2' 2 1/4"
1' 5"	1' 2 3/4"	1' 9 1/4"	1' 1 3/4"	2'
1' 4"	1' 2"	1' 7 1/2"	1' 1 1/4"	1' 9 3/4"
1' 3"	1' 1 1/4"	1' 6"	1' 3/4"	1' 7 1/2"
1' 2"	1' 1/2"	1' 4 1/2"	1'	1' 5 3/4"
1' 1"	11 3/4"	1' 3"	11 1/4"	1' 4"
1'	11"	1' 1 1/2"	10 3/4"	1' 2 1/4"
11"	10 1/4"	1'	10"	1' 3/4"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	45' 7 3/4"	INF	28' 3 3/4"	INF	28' 7"	INF
30'	18' 3"	86' 7"	14' 8 1/2"	84' 6 3/4"	14' 9 1/2"	INF
15'	11' 4 3/4"	22' 3/4"	9' 11 1/4"	21' 11 1/4"	9' 11 3/4"	45' 1 1/4"
10'	8' 3 1/2"	12' 7 3/4"	7' 6"	12' 7 1/4"	7' 6 1/4"	17' 8 1/2"
8'	6' 10 1/2"	9' 7"	6' 4"	9' 6 3/4"	6' 4 1/4"	12' 2"
6'	5' 4 1/4"	6' 9 3/4"	5' 1/2"	6' 9 3/4"	5' 1/2"	8'
5'	4' 6 3/4"	5' 6 1/2"	4' 4"	5' 6 1/2"	4' 4"	6' 3 1/4"
4'6	4' 1 3/4"	4' 11 1/4"	3' 11 1/2"	4' 11"	3' 11 1/2"	5' 6"
4'	3' 8 3/4"	4' 4"	3' 6 3/4"	4' 4"	3' 6 3/4"	4' 9"
3'6	3' 3 1/2"	3' 9"	3' 2"	3' 9"	3' 2"	4' 1/2"
3'	2' 10 1/4"	3' 2"	2' 9 1/4"	3' 2"	2' 9 1/4"	3' 4 1/2"
2'9	2' 7 1/2"	2' 10 3/4"	2' 6 3/4"	2' 10 3/4"	2' 6 3/4"	3' 3/4"
2'6	2' 4 3/4"	2' 7 1/4"	2' 4"	2' 7 1/4"	2' 4"	2' 9"
2'3	2' 2"	2' 4"	2' 1 1/2"	2' 4"	2' 1 1/2"	2' 5 1/4"
2'	1' 11 1/4"	2' 3/4"	1' 10 3/4"	2' 3/4"	1' 10 3/4"	2' 1 3/4"
23"	1' 10 1/4"	1' 11 3/4"	1' 10"	1' 11 3/4"	1' 10"	2' 1/2"
22"	1' 9 1/2"	1' 10 3/4"	1' 9"	1' 10 3/4"	1' 9"	1' 11 1/4"
21"	1' 8 1/2"	1' 9 1/2"	1' 8 1/4"	1' 9 1/2"	1' 8 1/4"	1' 10 1/4"
20"	1' 7 1/2"	1' 8 1/2"	1' 7 1/4"	1' 8 1/2"	1' 7 1/4"	1' 9"
19"	1' 6 1/2"	1' 7 1/2"	1' 6 1/4"	1' 7 1/2"	1' 6 1/4"	1' 8"
18"	1' 5 3/4"	1' 6 1/2"	1' 5 1/2"	1' 6 1/2"	1' 5 1/2"	1' 6 3/4"
17"	1' 4 3/4"	1' 5 1/4"	1' 4 1/2"	1' 5 1/4"	1' 4 1/2"	1' 5 3/4"
16"	1' 3 3/4"	1' 4 1/4"	1' 3 1/2"	1' 4 1/4"	1' 3 1/2"	1' 4 1/2"
15"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"
14"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"	1' 1 3/4"	1' 2 1/2"
13"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/4"
12"	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"	11 3/4"	1' 1/4"
11"	11"	11"	10 3/4"	11"	10 3/4"	11 1/4"
10"	10"	10"	10"	10"	10"	10 1/4"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	4		5,6		11	
feet	from	to	from	to	from	to
INF	25' 9 1/4"	INF	18' 4 3/4"	INF	12' 1 1/4"	INF
30'	14'	INF	11' 6 1/2"	INF	8' 9"	INF
15'	9' 7 1/2"	INF	8' 5"	INF	6' 10 1/4"	INF
10'	7' 4"	36' 3 3/4"	6' 7 1/2"	INF	5' 7 1/2"	INF
8'	6' 2 1/2"	18' 7 1/2"	5' 8 1/2"	43' 8"	4' 11 1/2"	INF
6'	4' 11 1/2"	10' 3 1/4"	4' 7 1/2"	14' 10 1/4"	4' 1 3/4"	32' 7 1/4"
5'	4' 3 1/4"	7' 6 3/4"	4' 1/4"	9' 8 1/2"	3' 8"	14' 11"
4'6	3' 10 3/4"	6' 5 1/4"	3' 8 1/2"	7' 10 3/4"	3' 4 3/4"	10' 11 1/2"
4'	3' 6 1/4"	5' 5"	3' 4 1/2"	6' 4 3/4"	3' 1 1/2"	8' 2 3/4"
3'6	3' 1 3/4"	4' 6"	3' 1/4"	5' 1 3/4"	2' 9 3/4"	6' 2 3/4"
3'	2' 9"	3' 8 1/4"	2' 7 3/4"	4' 1"	2' 6"	4' 8 1/2"
2'9	2' 6 1/2"	3' 3 1/2"	2' 5 1/2"	3' 7 1/4"	2' 4"	4' 1"
2'6	2' 4"	2' 11 1/4"	2' 3 1/4"	3' 2"	2' 1 3/4"	3' 6 1/4"
2'3	2' 1 1/4"	2' 7"	2' 3/4"	2' 9"	1' 11 3/4"	3'
2'	1' 10 3/4"	2' 3"	1' 10 1/4"	2' 4 1/2"	1' 9 1/2"	2' 6 1/2"
23"	1' 9 3/4"	2' 1 3/4"	1' 9 1/2"	2' 3"	1' 8 3/4"	2' 4 3/4"
22"	1' 9"	2' 1/4"	1' 8 1/2"	2' 1 1/2"	1' 8"	2' 3 1/4"
21"	1' 8"	1' 11"	1' 7 3/4"	2'	1' 7"	2' 1 1/2"
20"	1' 7 1/4"	1' 9 3/4"	1' 6 3/4"	1' 10 3/4"	1' 6 1/4"	2'
19"	1' 6 1/4"	1' 8 1/2"	1' 6"	1' 9 1/2"	1' 5 1/2"	1' 10 1/2"
18"	1' 5 1/4"	1' 7 1/2"	1' 5"	1' 8"	1' 4 3/4"	1' 9"
17"	1' 4 1/2"	1' 6 1/4"	1' 4 1/4"	1' 6 3/4"	1' 3 3/4"	1' 7 1/2"
16"	1' 3 1/2"	1' 5"	1' 3 1/4"	1' 5 1/2"	1' 3"	1' 6"
15"	1' 2 1/2"	1' 3 3/4"	1' 2 1/2"	1' 4 1/4"	1' 2 1/4"	1' 4 3/4"
14"	1' 1 3/4"	1' 2 3/4"	1' 1 1/2"	1' 3"	1' 1 1/4"	1' 3 1/2"
13"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 3/4"	1' 1/2"	1' 2 1/4"
12"	11 3/4"	1' 1/2"	11 3/4"	1' 3/4"	11 1/2"	1' 1"
11"	10 3/4"	11 1/4"	10 3/4"	11 1/2"	10 3/4"	11 3/4"
10"	9 3/4"	10 1/4"	9 3/4"	10 1/4"	9 3/4"	10 1/2"



COMPACT PRIME CP.3 28mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	8'	INF	5' 5"	INF
30'	6' 5"	INF	4' 8"	INF
15'	5' 4 1/4"	INF	4' 1"	INF
10'	4' 7"	INF	3' 7 3/4"	INF
8'	4' 1 3/4"	INF	3' 4 1/2"	INF
6'	3' 7"	INF	3'	INF
5'	3' 2 3/4"	53' 8"	2' 9"	INF
4'6"	3' 1/4"	22' 11 1/4"	2' 7 1/4"	INF
4'	2' 9 1/2"	13' 4 1/2"	2' 5 1/2"	126' 6"
3'6"	2' 6 3/4"	8' 8 1/2"	2' 3 1/4"	20' 1 1/2"
3'	2' 3 1/2"	5' 11 1/4"	2' 3/4"	9' 6"
2'9"	2' 2"	4' 11 1/2"	1' 11 1/2"	7' 1 1/2"
2'6"	2' 1/4"	4' 1 1/2"	1' 10"	5' 5 3/4"
2'3"	1' 10 1/4"	3' 5"	1' 8 1/2"	4' 3 1/4"
2'	1' 8 1/4"	2' 10"	1' 7"	3' 4 1/4"
23"	1' 7 3/4"	2' 7 3/4"	1' 6 1/4"	3' 1"
22"	1' 7"	2' 5 3/4"	1' 5 3/4"	2' 10 1/4"
21"	1' 6 1/4"	2' 3 3/4"	1' 5 1/4"	2' 7 1/2"
20"	1' 5 1/2"	2' 1 3/4"	1' 4 1/2"	2' 5"
19"	1' 4 3/4"	2'	1' 4"	2' 2 3/4"
18"	1' 4"	1' 10 1/4"	1' 3 1/4"	2' 1/2"
17"	1' 3 1/4"	1' 8 1/2"	1' 2 3/4"	1' 10 1/2"
16"	1' 2 1/2"	1' 7"	1' 2"	1' 8 1/2"
15"	1' 1 3/4"	1' 5 1/2"	1' 1 1/4"	1' 6 3/4"
14"	1' 1"	1' 4"	1' 1/2"	1' 5"
13"	1' 1/4"	1' 2 1/2"	11 3/4"	1' 3 1/4"
12"	11 1/4"	1' 1 1/4"	11"	1' 1 3/4"
11"	10 1/2"	1'	10 1/4"	1' 1/4"
10"	9 1/2"	10 3/4"	9 1/2"	11"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	71' 8 3/4"	INF	73' 4"	INF	59' 4"	INF
50'	29' 7 1/4"	164' 1 1/4"	29' 10 1/2"	INF	27' 3 1/4"	INF
25'	18' 7 3/4"	38' 1"	18' 9"	59' 5 3/4"	17' 8 1/2"	213' 6 1/4"
15'	12' 6"	18' 9 3/4"	12' 6 1/2"	22' 9 1/2"	12' 3/4"	31' 3 1/2"
10'	8' 10"	11' 6 1/4"	8' 10 1/4"	12' 10 1/2"	8' 7 1/2"	15' 1 3/4"
8'	7' 3"	8' 11 1/4"	7' 3 1/4"	9' 8 1/2"	7' 1 1/4"	10' 11"
7'	6' 5"	7' 8 1/4"	6' 5 1/4"	8' 3"	6' 3 3/4"	9' 1 1/4"
6'	5' 7"	6' 6"	5' 7"	6' 10 1/2"	5' 6"	7' 5 1/2"
5'	4' 8 1/2"	5' 4"	4' 8 1/2"	5' 7"	4' 7 3/4"	5' 11 1/4"
4'6	4' 3 1/4"	4' 9 1/4"	4' 3 1/4"	4' 11 1/2"	4' 2 3/4"	5' 2 3/4"
4'	3' 9 3/4"	4' 2 1/2"	3' 9 3/4"	4' 4 1/4"	3' 9 1/4"	4' 6 3/4"
3'9	3' 7"	3' 11"	3' 7 1/4"	4' 3/4"	3' 6 3/4"	4' 2 3/4"
3'6	3' 4 1/4"	3' 7 3/4"	3' 4 1/2"	3' 9"	3' 4"	3' 11"
3'3	3' 1 1/2"	3' 4 1/2"	3' 1 1/2"	3' 5 1/2"	3' 1 1/4"	3' 7 1/4"
3'	2' 10 3/4"	3' 1 1/4"	2' 10 3/4"	3' 2 1/4"	2' 10 1/2"	3' 3 1/2"
2'9	2' 8"	2' 10"	2' 8"	2' 10 3/4"	2' 7 3/4"	2' 11 3/4"
2'6	2' 5 1/4"	2' 6 3/4"	2' 5 1/4"	2' 7 1/2"	2' 5"	2' 8 1/4"
2'3	2' 2 1/2"	2' 3 3/4"	2' 2 1/2"	2' 4"	2' 2 1/4"	2' 4 3/4"
2'	1' 11 1/2"	2' 1/2"	1' 11 1/2"	2' 3/4"	1' 11 1/2"	2' 1 1/4"
23"	1' 10 1/2"	1' 11 1/2"	1' 10 1/2"	1' 11 3/4"	1' 10 1/2"	2' 1/4"
22"	1' 9 1/2"	1' 10 1/2"	1' 9 1/2"	1' 10 3/4"	1' 9 1/2"	1' 11"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"	1' 8 1/2"	1' 10"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/2"	1' 7 3/4"	1' 8 3/4"
19"	1' 6 3/4"	1' 7 1/4"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"
18"	1' 5 3/4"	1' 6 1/4"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 1/2"
17"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/4"	1' 4 3/4"	1' 5 1/2"
16"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/4"	1' 3 3/4"	1' 4 1/2"
15"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/4"	1' 2 3/4"	1' 3 1/2"
14"	1' 2"	1' 2 1/4"	1' 2"	1' 2 1/4"	1' 1 3/4"	1' 2 1/4"
13"	1' 1"	1' 1"	1' 1"	1' 1 1/4"	1' 1"	1' 1 1/4"
12"	1'	1'	1'	1' 1/4"	1'	1' 1/4"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	41'	INF	26' 8 1/4"	INF	17' 4"	INF
50'	22' 8"	INF	17' 6 1/2"	INF	12' 11 3/4"	INF
25'	15' 8"	INF	13' 3/4"	INF	10' 4 1/2"	INF
15'	11' 1 1/4"	55' 10 1/2"	9' 8 3/4"	INF	8' 2 1/4"	INF
10'	8' 1 1/2"	19' 1 1/2"	7' 4 3/4"	28' 6"	6' 5 3/4"	80' 2"
8'	6' 9 1/4"	12' 9 3/4"	6' 3"	16' 4 1/4"	5' 7 1/4"	25' 8 1/2"
7'	6' 1/2"	10' 4 1/2"	5' 7 3/4"	12' 6 1/2"	5' 1 1/4"	17' 3 3/4"
6'	5' 3 1/2"	8' 3 1/4"	4' 11 3/4"	9' 6 3/4"	4' 6 3/4"	12' 3/4"
5'	4' 6 1/4"	6' 5 1/4"	4' 3 1/2"	7' 2 1/4"	3' 11 3/4"	8' 5 1/2"
4'6	4' 1 1/4"	5' 7 1/4"	3' 11"	6' 2"	3' 8"	7' 3/4"
4'	3' 8 1/4"	4' 10"	3' 6 1/2"	5' 2 3/4"	3' 4"	5' 10 1/4"
3'9	3' 5 3/4"	4' 5 1/2"	3' 4 1/4"	4' 9 1/2"	3' 2"	5' 3 3/4"
3'6	3' 3 1/4"	4' 1 1/4"	3' 1 3/4"	4' 4 1/2"	3'	4' 9 1/2"
3'3	3' 1/2"	3' 9"	2' 11 1/2"	3' 11 3/4"	2' 9 3/4"	4' 3 3/4"
3'	2' 10"	3' 5"	2' 9"	3' 7 1/4"	2' 7 1/2"	3' 10 1/2"
2'9	2' 7 1/4"	3' 1"	2' 6 1/2"	3' 2 3/4"	2' 5 1/4"	3' 5 1/4"
2'6	2' 4 3/4"	2' 9 1/4"	2' 4"	2' 10 1/2"	2' 3"	3' 1/2"
2'3	2' 2"	2' 5 1/2"	2' 1 1/2"	2' 6 1/2"	2' 1/2"	2' 8"
2'	1' 11 1/4"	2' 1 3/4"	1' 10 3/4"	2' 2 1/2"	1' 10 1/4"	2' 3 3/4"
23"	1' 10 1/4"	2' 3/4"	1' 10"	2' 1 1/4"	1' 9 1/4"	2' 2 1/4"
22"	1' 9 1/4"	1' 11 1/2"	1' 9"	2'	1' 8 1/2"	2' 1"
21"	1' 8 1/2"	1' 10 1/4"	1' 8"	1' 10 3/4"	1' 7 3/4"	1' 11 1/2"
20"	1' 7 1/2"	1' 9 1/4"	1' 7 1/4"	1' 9 1/2"	1' 6 3/4"	1' 10 1/4"
19"	1' 6 1/2"	1' 8"	1' 6 1/4"	1' 8 1/2"	1' 6"	1' 9"
18"	1' 5 1/2"	1' 7"	1' 5 1/2"	1' 7 1/4"	1' 5"	1' 7 3/4"
17"	1' 4 3/4"	1' 5 3/4"	1' 4 1/2"	1' 6"	1' 4 1/4"	1' 6 1/2"
16"	1' 3 3/4"	1' 4 3/4"	1' 3 1/2"	1' 5"	1' 3 1/4"	1' 5 1/4"
15"	1' 2 3/4"	1' 3 1/2"	1' 2 1/2"	1' 3 3/4"	1' 2 1/2"	1' 4"
14"	1' 1 3/4"	1' 2 1/2"	1' 1 3/4"	1' 2 1/2"	1' 1 1/2"	1' 2 3/4"
13"	1' 3/4"	1' 1 1/4"	1' 3/4"	1' 1 1/2"	1' 1/2"	1' 1 3/4"
12"	11 3/4"	1' 1/4"	11 3/4"	1' 1/2"	11 3/4"	1' 1/2"



COMPACT PRIME CP.3 35mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	11' 6 1/2"	INF	7' 10 1/2"	INF
50'	9' 5 1/2"	INF	6' 10 1/2"	INF
25'	8' 1/4"	INF	6' 1 1/4"	INF
15'	6' 8"	INF	5' 3 1/2"	INF
10'	5' 6"	INF	4' 6 3/4"	INF
8'	4' 10 1/2"	130'	4' 1 1/2"	INF
7'	4' 6"	37' 1 3/4"	3' 10 1/4"	INF
6'	4' 1"	19' 1/4"	3' 6 3/4"	111' 11 1/4"
5'	3' 7 1/2"	11' 3 3/4"	3' 2 1/2"	21' 10"
4'6	3' 4 1/4"	8' 10 3/4"	3'	14' 2 1/2"
4'	3' 1"	7' 1/2"	2' 9 1/2"	9' 10 3/4"
3'9	2' 11 1/4"	6' 3"	2' 8"	8' 4 1/2"
3'6	2' 9 1/2"	5' 6 1/2"	2' 6 1/2"	7' 1 1/2"
3'3	2' 7 3/4"	4' 10 3/4"	2' 5"	6' 1"
3'	2' 5 3/4"	4' 3 3/4"	2' 3 1/2"	5' 2 1/4"
2'9	2' 3 3/4"	3' 9 1/2"	2' 1 3/4"	4' 5"
2'6	2' 1 3/4"	3' 3 1/2"	2'	3' 9"
2'3	1' 11 1/2"	2' 10 1/4"	1' 10 1/4"	3' 2"
2'	1' 9 1/4"	2' 5 1/4"	1' 8 1/4"	2' 8"
23"	1' 8 1/2"	2' 3 3/4"	1' 7 1/2"	2' 6"
22"	1' 7 3/4"	2' 2 1/4"	1' 7"	2' 4 1/4"
21"	1' 7"	2' 3/4"	1' 6 1/4"	2' 2 1/2"
20"	1' 6 1/4"	1' 11 1/4"	1' 5 1/2"	2' 3/4"
19"	1' 5 1/2"	1' 9 3/4"	1' 4 3/4"	1' 11"
18"	1' 4 3/4"	1' 8 1/2"	1' 4"	1' 9 1/2"
17"	1' 3 3/4"	1' 7"	1' 3 1/4"	1' 8"
16"	1' 3"	1' 5 3/4"	1' 2 1/2"	1' 6 1/2"
15"	1' 2 1/4"	1' 4 1/2"	1' 1 3/4"	1' 5"
14"	1' 1 1/4"	1' 3 1/4"	1' 1"	1' 3 3/4"
13"	1' 1/2"	1' 2"	1' 1/4"	1' 2 1/4"
12"	11 1/2"	1' 3/4"	11 1/4"	1' 1"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	151' 7"	INF	177' 11 3/4"	INF	171' 6"	INF
50'	37' 8 1/4"	74' 5"	39' 1 1/4"	139' 8"	38' 9 1/4"	INF
30'	25' 1 1/4"	37' 3 1/2"	25' 8 3/4"	48' 7"	25' 7"	77' 5 1/2"
20'	17' 8 1/2"	22' 11 3/4"	18' 1/4"	26' 9 1/4"	17' 11 1/4"	33' 7 1/4"
15'	13' 8 1/4"	16' 7 1/4"	13' 10 1/4"	18' 5 3/4"	13' 9 3/4"	21' 5 1/2"
12'	11' 1 3/4"	13'	11' 3 1/4"	14' 1 1/4"	11' 2 3/4"	15' 9"
10'	9' 5"	10' 8"	9' 5 3/4"	11' 4 3/4"	9' 5 1/2"	12' 5 1/2"
9'	8' 6 1/4"	9' 6 1/2"	8' 7"	10' 1 1/4"	8' 6 3/4"	10' 11"
8'	7' 7 1/2"	8' 5"	7' 8"	8' 10 1/4"	7' 8"	9' 5 3/4"
7'	6' 8 1/2"	7' 3 3/4"	6' 9"	7' 7 3/4"	6' 8 3/4"	8' 1"
6'6"	6' 3"	6' 9 1/4"	6' 3 1/2"	7' 1/2"	6' 3 1/4"	7' 5"
6'	5' 9 1/2"	6' 2 3/4"	5' 9 3/4"	6' 5 1/2"	5' 9 3/4"	6' 9 1/4"
5'6"	5' 4"	5' 8 1/4"	5' 4 1/4"	5' 10 1/2"	5' 4"	6' 1 1/2"
5'	4' 10 1/4"	5' 1 3/4"	4' 10 1/2"	5' 3 3/4"	4' 10 1/2"	5' 6 1/4"
4'9"	4' 7 1/2"	4' 10 3/4"	4' 7 3/4"	5' 1/4"	4' 7 1/2"	5' 2 1/2"
4'6"	4' 4 1/2"	4' 7 1/2"	4' 4 3/4"	4' 9"	4' 4 3/4"	4' 10 3/4"
4'3"	4' 1 3/4"	4' 4 1/4"	4' 2"	4' 5 1/2"	4' 1 3/4"	4' 7 1/4"
4'	3' 11"	4' 1 1/4"	3' 11"	4' 2 1/4"	3' 11"	4' 3 3/4"
3'9"	3' 8"	3' 10"	3' 8 1/4"	3' 11"	3' 8"	4' 1/4"
3'6"	3' 5 1/4"	3' 6 3/4"	3' 5 1/4"	3' 7 3/4"	3' 5 1/4"	3' 8 3/4"
3'3"	3' 2 1/4"	3' 3 3/4"	3' 2 1/2"	3' 4 1/2"	3' 2 1/4"	3' 5 1/4"
3'	2' 11 1/2"	3' 1/2"	2' 11 1/2"	3' 1 1/4"	2' 11 1/2"	3' 2"
2'9"	2' 8 1/2"	2' 9 1/2"	2' 8 1/2"	2' 10"	2' 8 1/2"	2' 10 1/2"
2'6"	2' 5 1/2"	2' 6 1/2"	2' 5 3/4"	2' 6 3/4"	2' 5 3/4"	2' 7 1/4"
2'3"	2' 2 3/4"	2' 3 1/4"	2' 2 3/4"	2' 3 1/2"	2' 2 3/4"	2' 4"
2'	1' 11 3/4"	2' 1/4"	1' 11 3/4"	2' 1/2"	1' 11 3/4"	2' 3/4"
23"	1' 10 3/4"	1' 11 1/4"	1' 10 3/4"	1' 11 1/2"	1' 10 3/4"	1' 11 3/4"
22"	1' 9 3/4"	1' 10 1/4"	1' 9 3/4"	1' 10 1/2"	1' 9 3/4"	1' 10 1/2"
21"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/4"	1' 8 3/4"	1' 9 1/2"
20"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/4"	1' 7 3/4"	1' 8 1/2"
19"	1' 6 3/4"	1' 7 1/4"	1' 7"	1' 7 1/4"	1' 6 3/4"	1' 7 1/2"
18"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"	1' 6"	1' 6 1/4"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	109' 8 1/4"	INF	63' 9 1/2"	INF	38' 4 1/4"	INF
50'	34' 5"	INF	28' 1 1/2"	INF	21' 9 3/4"	INF
30'	23' 7 1/2"	197' 3"	20' 6"	INF	16' 11 1/4"	INF
20'	16' 11 1/2"	45' 5 3/4"	15' 3 1/2"	77' 5"	13' 3"	INF
15'	13' 2 3/4"	25' 8 1/2"	12' 2 1/2"	33' 5"	10' 10 1/2"	54' 7"
12'	10' 10 1/4"	17' 11"	10' 1 3/4"	21' 3 3/4"	9' 2 1/2"	28' 2 3/4"
10'	9' 2 1/4"	13' 9"	8' 8 1/4"	15' 7 3/4"	8'	19' 1/2"
9'	8' 4"	11' 10 3/4"	7' 11 1/4"	13' 3 1/2"	7' 4 1/4"	15' 7 3/4"
8'	7' 5 3/4"	10' 2 1/4"	7' 1 3/4"	11' 2 1/4"	6' 8 1/4"	12' 9 1/2"
7'	6' 7 1/4"	8' 7 1/4"	6' 4"	9' 3 1/2"	5' 11 3/4"	10' 4 1/2"
6'6"	6' 1 3/4"	7' 10 1/4"	5' 11 1/4"	8' 5"	5' 7 1/4"	9' 3 1/4"
6'	5' 8 1/2"	7' 1 1/2"	5' 6 1/4"	7' 7"	5' 2 3/4"	8' 3 1/4"
5'6"	5' 3"	6' 5"	5' 1"	6' 9 1/2"	4' 10 1/4"	7' 4"
5'	4' 9 1/2"	5' 8 3/4"	4' 8"	6' 1/4"	4' 5 1/2"	6' 5 1/4"
4'9"	4' 6 3/4"	5' 5"	4' 5 1/4"	5' 8"	4' 3 1/4"	6' 1/4"
4'6"	4' 4"	5' 1"	4' 2 3/4"	5' 3 3/4"	4' 3/4"	5' 7 1/2"
4'3"	4' 1 1/4"	4' 9"	4'	4' 11 1/2"	3' 10 1/2"	5' 2 3/4"
4'	3' 10 1/2"	4' 5 1/4"	3' 9 1/2"	4' 7 1/4"	3' 8"	4' 10 1/4"
3'9"	3' 7 3/4"	4' 1 1/2"	3' 6 3/4"	4' 3 1/4"	3' 5 1/2"	4' 5 3/4"
3'6"	3' 4 3/4"	3' 10"	3' 4"	3' 11 1/4"	3' 3"	4' 1 1/2"
3'3"	3' 2"	3' 6 1/4"	3' 1 1/4"	3' 7 1/2"	3' 1/4"	3' 9 1/4"
3'	2' 11 1/4"	3' 2 3/4"	2' 10 1/2"	3' 3 3/4"	2' 9 3/4"	3' 5"
2'9"	2' 8 1/4"	2' 11 1/4"	2' 7 3/4"	3'	2' 7"	3' 1 1/4"
2'6"	2' 5 1/2"	2' 7 3/4"	2' 5"	2' 8 1/2"	2' 4 1/2"	2' 9 1/4"
2'3"	2' 2 1/2"	2' 4 1/2"	2' 2 1/4"	2' 5"	2' 1 3/4"	2' 5 1/2"
2	1' 11 3/4"	2' 1"	1' 11 1/2"	2' 1 1/2"	1' 11"	2' 2"
23"	1' 10 3/4"	2'	1' 10 1/2"	2' 1/4"	1' 10 1/4"	2' 3/4"
22"	1' 9 3/4"	1' 10 3/4"	1' 9 1/2"	1' 11 1/4"	1' 9 1/4"	1' 11 1/2"
21"	1' 8 3/4"	1' 9 3/4"	1' 8 1/2"	1' 10"	1' 8 1/4"	1' 10 1/2"
20"	1' 7 3/4"	1' 8 3/4"	1' 7 1/2"	1' 9"	1' 7 1/2"	1' 9 1/4"
19"	1' 6 3/4"	1' 7 1/2"	1' 6 3/4"	1' 7 3/4"	1' 6 1/2"	1' 8"
18"	1' 5 3/4"	1' 6 1/2"	1' 5 3/4"	1' 6 3/4"	1' 5 1/2"	1' 7"



COMPACT PRIME CP.3 50mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	24' 4"	INF	16'	INF
50'	16' 5 1/2"	INF	12' 2 1/2"	INF
30'	13' 6 1/2"	INF	10' 6 1/2"	INF
20'	11' 1"	INF	9'	INF
15'	9' 4 3/4"	INF	7' 10 1/4"	INF
12'	8' 1 3/4"	51' 3 3/4"	6' 11 3/4"	INF
10'	7' 2 1/4"	27' 2 3/4"	6' 3 1/4"	69' 1/4"
9'	6' 8"	20' 9"	5' 10 1/2"	38' 3 3/4"
8'	6' 1 1/4"	15' 11 3/4"	5' 5 1/4"	24' 7 1/4"
7'	5' 6 1/4"	12' 4"	4' 11 3/4"	16' 10 1/4"
6'6"	5' 2 1/2"	10' 9 3/4"	4' 8 3/4"	14' 1 1/2"
6'	4' 10 3/4"	9' 5 1/2"	4' 5 1/2"	11' 10 1/2"
5'6"	4' 6 3/4"	8' 3"	4' 2 1/4"	10'
5'	4' 2 1/2"	7' 1 3/4"	3' 10 3/4"	8' 4 3/4"
4'9"	4' 1/2"	6' 7 1/2"	3' 9"	7' 8 1/4"
4'6"	3' 10 1/4"	6' 1 1/2"	3' 7"	7' 1/4"
4'3"	3' 8"	5' 8"	3' 5 1/4"	6' 5"
4'	3' 6"	5' 2 1/2"	3' 3 1/4"	5' 10"
3'9"	3' 3 3/4"	4' 9 1/2"	3' 1 1/4"	5' 3 1/2"
3'6"	3' 1 1/4"	4' 4 1/2"	2' 11 1/4"	4' 9 1/2"
3'3"	2' 11"	3' 11 3/4"	2' 9 1/4"	4' 3 3/4"
3'	2' 8 1/2"	3' 7 1/4"	2' 7"	3' 10 1/2"
2'9"	2' 6 1/4"	3' 2 3/4"	2' 5"	3' 5 1/4"
2'6"	2' 3 3/4"	2' 10 1/2"	2' 2 1/2"	3' 1/2"
2'3"	2' 1 1/4"	2' 6 1/2"	2' 1/4"	2' 8"
2'	1' 10 1/2"	2' 2 3/4"	1' 10"	2' 3 3/4"
23"	1' 9 3/4"	2' 1 1/2"	1' 9"	2' 2 1/4"
22"	1' 8 3/4"	2' 1/4"	1' 8 1/4"	2' 1"
21"	1' 8"	1' 11"	1' 7 1/2"	1' 11 3/4"
20"	1' 7"	1' 9 3/4"	1' 6 1/2"	1' 10 1/4"
19"	1' 6 1/4"	1' 8 1/2"	1' 5 3/4"	1' 9"
18"	1' 5 1/4"	1' 7 1/4"	1' 5"	1' 7 3/4"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	399' 2 1/2"	INF	340' 11"	INF	264' 11 1/2"	INF
200'	133' 4 1/2"	INF	126' 2 1/4"	INF	114' 1 1/4"	INF
100'	80' 3/4"	133' 3"	77' 5"	162' 7 3/4"	72' 8 1/2"	242' 6 1/2"
60'	52' 2 3/4"	70' 6 1/4"	51' 1"	77' 11 1/4"	49'	92' 5 1/4"
40'	36' 5"	44' 4 3/4"	35' 10 1/4"	47' 2 1/2"	34' 9 3/4"	52' 1 1/2"
30'	27' 11 1/4"	32' 4 3/4"	27' 7 1/2"	33' 10 1/4"	27'	36' 3 1/2"
25'	23' 6 3/4"	26' 7 1/2"	23' 4"	27' 7 1/4"	22' 10 3/4"	29' 2 1/2"
20'	19' 1"	21' 1/4"	18' 11"	21' 7 1/2"	18' 7 1/2"	22' 7"
17'	16' 4"	17' 8 3/4"	16' 2 1/2"	18' 1 3/4"	16'	18' 9 3/4"
15'	14' 5 3/4"	15' 6 3/4"	14' 4 3/4"	15' 10 1/2"	14' 2 3/4"	16' 4 3/4"
14'	13' 6 1/2"	14' 5 3/4"	13' 5 3/4"	14' 9 1/4"	13' 3 3/4"	15' 2 1/4"
13'	12' 7 1/4"	13' 5"	12' 6 1/2"	13' 7 3/4"	12' 5"	14' 1/4"
12'	11' 8"	12' 4 1/4"	11' 7 1/4"	12' 6 1/2"	11' 6"	12' 10 1/4"
11'	10' 8 3/4"	11' 3 1/2"	10' 8"	11' 5 1/2"	10' 7"	11' 8 1/2"
10'	9' 9 1/4"	10' 3"	9' 8 3/4"	10' 4 1/2"	9' 7 3/4"	10' 7"
9'6"	9' 3 1/2"	9' 8 1/2"	9' 3"	9' 10"	9' 2 1/4"	10' 1/4"
9'	8' 9 3/4"	9' 2 1/4"	8' 9 1/2"	9' 3 1/2"	8' 8 3/4"	9' 5 1/2"
8'6"	8' 4"	8' 8"	8' 3 3/4"	8' 9 1/4"	8' 3"	8' 11"
8'	7' 10 1/4"	8' 1 3/4"	7' 10"	8' 2 3/4"	7' 9 1/4"	8' 4 1/4"
7'9"	7' 7 1/4"	7' 10 3/4"	7' 7"	7' 11 1/2"	7' 6 1/2"	8' 1"
7'6"	7' 4 1/2"	7' 7 1/2"	7' 4 1/4"	7' 8 1/2"	7' 3 3/4"	7' 9 3/4"
7'3"	7' 1 1/2"	7' 4 1/2"	7' 1 1/4"	7' 5 1/4"	7' 3/4"	7' 6 1/2"
7'	6' 10 3/4"	7' 1 1/4"	6' 10 1/2"	7' 2"	6' 10"	7' 3 1/4"
6'9"	6' 7 3/4"	6' 10 1/4"	6' 7 1/2"	6' 11"	6' 7 1/4"	7'
6'6"	6' 4 3/4"	6' 7 1/4"	6' 4 3/4"	6' 7 3/4"	6' 4 1/4"	6' 8 3/4"
6'3"	6' 2"	6' 4"	6' 1 3/4"	6' 4 3/4"	6' 1 1/2"	6' 5 1/2"
6'	5' 11"	6' 1"	5' 10 3/4"	6' 1 1/2"	5' 10 1/2"	6' 2 1/4"
5'9"	5' 8 1/4"	5' 10"	5' 8"	5' 10 1/2"	5' 7 3/4"	5' 11 1/4"
5'6"	5' 5 1/4"	5' 6 3/4"	5' 5"	5' 7 1/4"	5' 4 3/4"	5' 8"
5'3"	5' 2 1/4"	5' 3 3/4"	5' 2 1/4"	5' 4 1/4"	5' 2"	5' 4 3/4"
5'	4' 11 1/4"	5' 3/4"	4' 11 1/4"	5' 1"	4' 11"	5' 1 1/2"
4'9"	4' 8 1/2"	4' 9 1/2"	4' 8 1/4"	4' 10"	4' 8"	4' 10 1/2"
4'6"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 3/4"	4' 5 1/4"	4' 7 1/4"
4'3"	4' 2 1/2"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"	4' 2 1/4"	4' 4"
4'	8,00	4' 1/2"	11,00	4' 3/4"	16,00	4' 1"
3'9"	3' 8 3/4"	3' 9 1/4"	3' 8 1/2"	3' 9 1/2"	3' 8 1/2"	3' 9 3/4"
3'6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/2"	3' 5 1/2"	3' 6 3/4"
3'3"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/2"	3' 2 1/2"	3' 3 1/2"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	186' 3 3/4"	INF	125' 8 3/4"	INF	84' 3 1/4"	INF
200'	96' 7"	INF	77' 4"	INF	59' 4 3/4"	INF
100'	65' 2 1/4"	INF	55' 10"	INF	45' 10 1/2"	INF
60'	45' 5 3/4"	119' 4"	40' 8 3/4"	189' 8 3/4"	35' 2 1/4"	INF
40'	33'	59' 8"	30' 5 1/4"	73' 2"	27' 3"	104' 7 1/2"
30'	25' 10 3/4"	39' 9 1/4"	24' 3 3/4"	45' 3 3/4"	22' 2 3/4"	55' 7 1/2"
25'	22' 1 1/4"	31' 4 3/4"	20' 11 1/4"	34' 8 3/4"	19' 4 1/2"	40' 5 1/2"
20'	18' 1 1/4"	23' 10 1/4"	17' 3 3/4"	25' 8 3/4"	16' 3"	28' 8 3/4"
17'	15' 7 1/2"	19' 8 1/4"	15' 1/2"	20' 11 1/4"	14' 2 3/4"	22' 10 1/4"
15'	13' 11"	17' 1/2"	13' 5 1/2"	17' 11 1/2"	12' 9 3/4"	19' 4 1/4"
14'	13' 3/4"	15' 9"	12' 7 3/4"	16' 6 1/2"	12' 1"	17' 8 1/2"
13'	12' 2 1/4"	14' 6"	11' 10"	15' 1 3/4"	11' 4"	16' 1 1/2"
12'	11' 3 3/4"	13' 3"	11'	13' 9 1/2"	10' 6 3/4"	14' 7 1/4"
11'	10' 5"	12' 1/2"	10' 1 3/4"	12' 5 3/4"	9' 9 1/2"	13' 1 1/2"
10'	9' 6 1/4"	10' 10 1/4"	9' 3 1/2"	11' 2 1/2"	9'	11' 8 1/2"
9'6"	9' 3/4"	10' 3"	8' 10 1/2"	10' 7"	8' 7"	11' 1/4"
9'	8' 7 1/4"	9' 8"	8' 5 1/4"	9' 11 1/2"	8' 2 1/4"	10' 4 1/4"
8'6"	8' 1 3/4"	9' 1 1/4"	8'	9' 4"	7' 9 1/4"	9' 8 1/4"
8'	7' 8 1/4"	8' 6 1/4"	7' 6 3/4"	8' 8 3/4"	7' 4 1/4"	9' 1/2"
7'9"	7' 5 1/2"	8' 2 3/4"	7' 4"	8' 5 1/4"	7' 1 3/4"	8' 8 3/4"
7'6"	7' 2 3/4"	7' 11 1/2"	7' 1 1/4"	8' 1 3/4"	6' 11 1/4"	8' 4 3/4"
7'3"	7'	7' 8"	6' 10 1/2"	7' 10"	6' 8 1/2"	8' 1"
7'	6' 9 1/4"	7' 4 3/4"	6' 8"	7' 6 1/2"	6' 6"	7' 9 1/4"
6'9"	6' 6 1/2"	7' 1 1/4"	6' 5 1/4"	7' 3"	6' 3 1/2"	7' 5 1/2"
6'6"	6' 3 1/2"	6' 10"	6' 2 1/2"	6' 11 1/2"	6' 1"	7' 1 3/4"
6'3"	6' 3/4"	6' 6 3/4"	5' 11 3/4"	6' 8 1/4"	5' 10 1/4"	6' 10 1/4"
6'	5' 10"	6' 3 1/4"	5' 9"	6' 4 3/4"	5' 7 3/4"	6' 6 1/2"
5'9"	5' 7"	6'	5' 6 1/4"	6' 1 1/4"	5' 5"	6' 3"
5'6"	5' 4 1/4"	5' 8 3/4"	5' 3 1/2"	5' 10"	5' 2 1/4"	5' 11 1/2"
5'3"	5' 1 1/2"	5' 5 1/2"	5' 3/4"	5' 6 1/2"	4' 11 3/4"	5' 7 3/4"
5'	4' 10 1/2"	5' 2 1/4"	4' 10"	5' 3 1/4"	4' 9"	5' 4 1/4"
4'9"	4' 7 3/4"	4' 11"	4' 7 1/4"	4' 11 3/4"	4' 6 1/4"	5' 1"
4'6"	4' 5"	4' 7 3/4"	4' 4 1/4"	4' 8 1/2"	4' 3 1/2"	4' 9 1/2"
4'3"	4' 2"	4' 4 1/2"	4' 1 1/2"	4' 5 1/4"	4' 1"	4' 6"
4'	3' 11 1/4"	4' 1 1/4"	3' 10 3/4"	4' 2"	3' 10 1/4"	4' 2 3/4"
3'9"	3' 8 1/4"	3' 10 1/4"	3' 8"	3' 10 3/4"	3' 7 1/2"	3' 11 1/4"
3'6"	3' 5 1/4"	3' 7"	3' 5"	3' 7 1/2"	3' 4 1/2"	3' 8"
3'3"	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4 1/4"	3' 1 3/4"	3' 4 3/4"



COMPACT PRIME CP.3 85mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	57' 3 3/4"	INF	39' 4 3/4"	INF
200'	44' 7 3/4"	INF	32' 11 3/4"	INF
100'	36' 6 3/4"	INF	28' 4 1/2"	INF
60'	29' 5 1/2"	INF	23' 11"	INF
40'	23' 8 1/2"	263' 7 1/2"	20'	INF
30'	19' 10"	81' 8"	17' 2 1/4"	239' 1/2"
25'	17' 6 1/4"	52' 7 1/2"	15' 5 1/4"	91' 1"
20'	14' 11 1/4"	34' 3 3/4"	13' 4 3/4"	47' 2 3/4"
17'	13' 2 1/2"	26' 3"	12'	33' 1 3/4"
15'	11' 11 3/4"	21' 8 1/2"	10' 11 3/4"	26' 2 1/2"
14'	11' 4 1/4"	19' 7 3/4"	10' 5 1/4"	23' 3"
13'	10' 8 1/4"	17' 8 1/2"	9' 10 3/4"	20' 6 3/4"
12'	10'	15' 10 1/2"	9' 3 3/4"	18' 1 1/2"
11'	9' 3 3/4"	14' 1 3/4"	8' 8 1/2"	15' 10 3/4"
10'	8' 7"	12' 6 1/4"	8' 1"	13' 10 1/4"
9'6"	8' 2 3/4"	11' 8 3/4"	7' 9"	12' 10 3/4"
9'	7' 10 1/4"	10' 11 3/4"	7' 5"	11' 11 3/4"
8'6"	7' 5 3/4"	10' 2 3/4"	7' 1"	11' 1"
8'	7' 1"	9' 6"	6' 8 3/4"	10' 3"
7'9"	6' 10 3/4"	9' 1 3/4"	6' 6 3/4"	9' 10"
7'6"	6' 8 1/4"	8' 9 1/2"	6' 4 1/2"	9' 5"
7'3"	6' 6"	8' 5 1/2"	6' 2 1/2"	9' 1/4"
7'	6' 3 1/2"	8' 1 1/4"	6' 1/4"	8' 7 1/2"
6'9"	6' 1 1/4"	7' 9 1/4"	5' 10"	8' 3"
6'6"	5' 10 3/4"	7' 5 1/4"	5' 7 3/4"	7' 10 1/2"
6'3"	5' 8 1/4"	7' 1 1/4"	5' 5 1/2"	7' 6"
6'	5' 5 3/4"	6' 9 1/4"	5' 3 1/4"	7' 1 3/4"
5'9"	5' 3 1/4"	6' 5 1/2"	5' 1"	6' 9 1/4"
5'6"	5' 3/4"	6' 1 3/4"	4' 10 3/4"	6' 5 1/4"
5'3"	4' 10 1/4"	5' 10"	4' 8 1/4"	6' 1"
5'	4' 7 3/4"	5' 6 1/4"	4' 6"	5' 9"
4'9"	4' 5 1/4"	5' 2 1/2"	4' 3 1/2"	5' 5"
4'6"	4' 2 1/2"	4' 10 3/4"	4' 1 1/4"	5' 1"
4'3"	4'	4' 7 1/4"	3' 10 3/4"	4' 9"
4'	3' 9 1/4"	4' 3 3/4"	3' 8 1/4"	4' 5 1/4"
3'9"	3' 6 3/4"	4' 1/4"	3' 5 3/4"	4' 1 1/2"
3'6"	3' 4"	3' 8 3/4"	3' 3 1/4"	3' 9 3/4"
3'3"	3' 1 1/4"	3' 5 1/4"	3' 1/2"	3' 6 1/4"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	524' 5 3/4"	INF	468' 6 1/2"	INF	326' 4 1/4"	INF
300'	191' 1/2"	INF	183' 1"	INF	156' 6"	INF
250'	169' 5 3/4"	INF	163' 2 1/4"	INF	141' 9"	INF
200'	144' 11 1/2"	322' 10 3/4"	140' 4"	INF	124' 2 1/4"	INF
190'	139' 7 1/2"	297' 7"	135' 4"	INF	120' 3 1/4"	INF
180'	134' 2"	273' 8 3/4"	130' 2 1/4"	385' 3 1/2"	116' 2 1/4"	INF
170'	128' 6 1/2"	251' 2 1/2"	124' 10 3/4"	342' 1 1/4"	111' 11 1/2"	INF
160'	122' 9"	229' 11 1/2"	119' 5"	303' 9 1/2"	107' 6 1/2"	INF
150'	116' 9 1/4"	209' 9 3/4"	113' 9 1/4"	269' 7"	102' 11 1/4"	INF
140'	110' 7 3/4"	190' 8 3/4"	107' 11 1/4"	238' 10"	98' 1 1/2"	340' 6"
130'	104' 3 3/4"	172' 7 1/2"	101' 10 3/4"	211' 3/4"	93' 1 1/2"	286' 7 3/4"
120'	97' 9 1/4"	155' 4 3/4"	95' 8"	185' 10 1/4"	87' 10 3/4"	242' 1/4"
110'	91' 1/2"	139'	89' 2 1/2"	162' 10 1/4"	82' 5"	204' 4 3/4"
100'	84' 1"	123' 4 3/4"	82' 6 1/4"	141' 9 3/4"	76' 8 1/4"	172' 3"
90'	76' 11"	108' 6"	75' 7 1/4"	122' 5 1/2"	70' 8 1/4"	144' 6"
80'	69' 6"	94' 3 1/4"	68' 5 1/4"	104' 7 1/2"	64' 4 1/2"	120' 3 1/4"
70'	61' 10"	80' 8"	60' 11 3/4"	88' 1 1/4"	57' 9"	98' 11 1/4"
60'	53' 11"	67' 7 3/4"	53' 3 1/4"	72' 9 1/2"	50' 9 1/2"	80' 1/4"
50'	45' 8 1/2"	55' 2 1/4"	45' 3"	58' 6 1/2"	43' 5 1/4"	63' 1 1/2"
45'	41' 6"	49' 1 3/4"	41' 1 1/2"	51' 9 1/2"	39' 7 1/2"	55' 4"
40'	37' 2 1/2"	43' 3"	36' 11"	45' 3 1/4"	35' 8 1/2"	47' 11 1/4"
35'	32' 10 1/4"	37' 5 1/2"	32' 7 1/2"	38' 11 1/2"	31' 8 1/4"	40' 10 3/4"
30'	28' 5"	31' 9 1/4"	28' 2 3/4"	32' 10"	27' 6 1/2"	34' 2 1/2"
29'	27' 6 1/4"	30' 7 3/4"	27' 4 1/4"	31' 7 3/4"	26' 8 1/4"	32' 11"
28'	26' 7 1/2"	29' 6 1/2"	26' 5 1/2"	30' 5 1/2"	25' 10 1/4"	31' 7 1/2"
27'	25' 8 1/2"	28' 5"	25' 6 3/4"	29' 3 1/4"	25'	30' 4 1/4"
26'	24' 9 3/4"	27' 3 3/4"	24' 8"	28' 1 1/4"	24' 1 1/2"	29' 1"
25'	23' 10 3/4"	26' 2 1/2"	23' 9 1/4"	26' 11 1/4"	23' 3 1/4"	27' 10"
24'	22' 11 3/4"	25' 1 1/4"	22' 10 1/2"	25' 9 1/4"	22' 4 3/4"	26' 7 1/4"
23'	22' 3/4"	24' 1/4"	21' 11 1/2"	24' 7 1/2"	21' 6 1/2"	25' 4 1/2"
22'	21' 1 3/4"	22' 11 1/4"	21' 1/2"	23' 5 3/4"	20' 8"	24' 1 3/4"
21'	20' 2 3/4"	21' 10 1/4"	20' 1 1/2"	22' 4"	19' 9 1/4"	22' 11 1/2"
20'	19' 3 1/2"	20' 9 1/4"	19' 2 1/2"	21' 2 1/2"	18' 10 3/4"	21' 9"
19'	18' 4 1/4"	19' 8 1/4"	18' 3 1/2"	20' 1"	18'	20' 7"
18'	8,00	18' 7 1/4"	11,00	18' 11 1/2"	16,00	19' 4 3/4"
17'	16' 6"	17' 6 1/2"	16' 5 1/4"	17' 10 1/4"	16' 2 1/4"	18' 3"
16'	15' 6 1/2"	16' 5 3/4"	15' 6"	16' 9"	15' 3 1/2"	17' 1"
15'	14' 7 1/4"	15' 5"	14' 6 3/4"	15' 7 3/4"	14' 4 1/2"	15' 11 1/2"
14' 6"	14' 1 1/2"	14' 10 3/4"	14' 1"	15' 1 1/4"	13' 11"	15' 4 1/2"
14'	13' 7 3/4"	14' 4 1/4"	13' 7 1/2"	14' 6 3/4"	13' 5 1/2"	14' 9 3/4"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
13' 6"	13' 2 1/4"	13' 10"	13' 1 3/4"	14' 1/4"	13'	14' 3"
13'	12' 8 1/2"	13' 3 3/4"	12' 8"	13' 5 3/4"	12' 6 1/4"	13' 8 1/2"
12' 6"	12' 2 3/4"	12' 9 1/2"	12' 2 1/4"	12' 11 1/4"	12' 3/4"	13' 1 3/4"
12'	11' 9"	12' 3 1/4"	11' 8 3/4"	12' 5"	11' 7 1/4"	12' 7"
11' 6"	11' 3 1/4"	11' 9"	11' 3"	11' 10 1/2"	11' 1 1/2"	12' 1/2"
11'	10' 9 1/2"	11' 2 3/4"	10' 9 1/4"	11' 4"	10' 8"	11' 6"
10' 6"	10' 3 3/4"	10' 8 1/2"	10' 3 1/2"	10' 9 3/4"	10' 2 1/4"	10' 11 1/4"
10'	9' 10"	10' 2 1/4"	9' 9 3/4"	10' 3 1/4"	9' 8 3/4"	10' 4 3/4"
9' 9"	9' 7"	9' 11"	9' 6 3/4"	10' 1/4"	9' 5 3/4"	10' 1 1/2"
9' 6"	9' 4 1/4"	9' 8"	9' 4"	9' 9"	9' 3"	9' 10 1/4"
9' 3"	9' 1 1/4"	9' 4 3/4"	9' 1"	9' 5 3/4"	9' 1/4"	9' 7"
9'	8' 10 1/4"	9' 1 3/4"	8' 10 1/4"	9' 2 3/4"	8' 9 1/4"	9' 3 3/4"
8' 9"	8' 7 1/2"	8' 10 3/4"	8' 7 1/4"	8' 11 1/2"	8' 6 1/2"	9' 1/2"
8' 6"	8' 4 1/2"	8' 7 1/2"	8' 4 1/4"	8' 8 1/4"	8' 3 3/4"	8' 9 1/2"
8' 3"	8' 1 1/2"	8' 4 1/2"	8' 1 1/2"	8' 5 1/4"	8' 3/4"	8' 6 1/4"
8'	7' 10 3/4"	8' 1 1/4"	7' 10 1/2"	8' 2"	7' 10"	8' 3"
7' 9"	7' 7 3/4"	7' 10 1/4"	7' 7 3/4"	7' 11"	7' 7"	7' 11 3/4"
7' 6"	7' 4 3/4"	7' 7 1/4"	7' 4 3/4"	7' 7 3/4"	7' 4 1/4"	7' 8 1/2"
7' 3"	7' 2"	7' 4"	7' 1 3/4"	7' 4 3/4"	7' 1 1/4"	7' 5 1/2"
7'	6' 11"	7' 1"	6' 11"	7' 1 1/2"	6' 10 1/2"	7' 2 1/4"
6' 9"	6' 8"	6' 10"	6' 8"	6' 10 1/2"	6' 7 1/2"	6' 11"
6' 6"	6' 5 1/4"	6' 6 3/4"	6' 5"	6' 7 1/4"	6' 4 3/4"	6' 8"
6' 3"	6' 2 1/4"	6' 3 3/4"	6' 2 1/4"	6' 4 1/4"	6' 1 3/4"	6' 4 3/4"
6'	5' 11 1/4"	6' 3/4"	5' 11 1/4"	6' 1"	5' 10 3/4"	6' 1 1/2"
5' 9"	5' 8 1/4"	5' 9 3/4"	5' 8 1/4"	5' 10"	5' 8"	5' 10 1/2"
5' 6"	5' 5 1/2"	5' 6 1/2"	5' 5 1/4"	5' 7"	5' 5"	5' 7 1/4"
5' 3"	5' 2 1/2"	5' 3 1/2"	5' 2 1/2"	5' 3 3/4"	5' 2 1/4"	5' 4 1/4"
5'	4' 11 1/2"	5' 1/2"	4' 11 1/2"	5' 3/4"	4' 11 1/4"	5' 1"
4' 9"	4' 8 1/2"	4' 9 1/2"	4' 8 1/2"	4' 9 3/4"	4' 8 1/4"	4' 10"
4' 6"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 1/2"	4' 5 1/2"	4' 6 3/4"
4' 3"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"
4'	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/2"	3' 11 1/2"	4' 3/4"
3' 9"	3' 8 3/4"	3' 9 1/4"	3' 8 3/4"	3' 9 1/2"	3' 8 1/2"	3' 9 1/2"
3' 6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/2"
3' 3"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/2"
3'	2' 11 3/4"	3' 1/4"	2' 11 3/4"	3' 1/4"	2' 11 3/4"	3' 1/4"
2' 9"	2' 9"	2' 9"	2' 8 3/4"	2' 9 1/4"	2' 8 3/4"	2' 9 1/4"
2' 6"	2' 6"	2' 6"	2' 6"	2' 6 1/4"	2' 5 3/4"	2' 6 1/4"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	225' 7 1/2"	INF	155' 8 3/4"	INF	107' 3 1/2"	INF
300'	128' 11 1/2"	INF	102' 8 1/4"	INF	79' 2 1/4"	INF
250'	118' 9 1/2"	INF	96' 1 3/4"	INF	75' 3"	INF
200'	106' 2 1/2"	INF	87' 9"	INF	70' 1/4"	INF
190'	103' 4"	INF	85' 9 1/4"	INF	68' 9"	INF
180'	100' 3 3/4"	INF	83' 8 1/4"	INF	67' 5"	INF
170'	97' 1 3/4"	INF	81' 5 3/4"	INF	65' 11 3/4"	INF
160'	93' 9 3/4"	INF	79' 1 1/2"	INF	64' 5"	INF
150'	90' 3 1/2"	INF	76' 7 1/4"	INF	62' 9"	INF
140'	86' 7"	INF	73' 11"	INF	60' 11 1/4"	INF
130'	82' 8"	INF	71' 1/2"	INF	58' 11 3/4"	INF
120'	78' 6 1/4"	INF	67' 11 3/4"	INF	56' 10 1/4"	INF
110'	74' 1 1/2"	312' 3 1/4"	64' 8"	INF	54' 6 1/4"	INF
100'	69' 5 1/2"	242' 11 1/4"	61' 1"	INF	51' 11 1/2"	INF
90'	64' 6"	191' 3/4"	57' 2 3/4"	342' 11 3/4"	49' 1 3/4"	INF
80'	59' 2 1/2"	150' 10"	53' 1/4"	231' 9"	46' 1/4"	INF
70'	53' 6 3/4"	118' 8 1/4"	48' 5 1/2"	163' 6 3/4"	42' 6 3/4"	340' 5"
60'	47' 6 1/4"	92' 5"	43' 5 3/4"	117' 5 1/2"	38' 8"	187' 1 3/4"
50'	41' 1/2"	70' 6 3/4"	38'	84' 2 3/4"	34' 3 1/2"	114' 9 1/2"
45'	37' 7 1/2"	60' 11 1/2"	35' 1/2"	70' 10 1/2"	31' 10 1/2"	91' 3 1/4"
40'	34' 1"	52' 1"	31' 11 1/2"	59' 1 3/4"	29' 3 1/2"	72' 8"
35'	30' 4 3/4"	43' 10 1/2"	28' 8 1/2"	48' 9 1/4"	26' 6 1/2"	57' 6 3/4"
30'	26' 6 3/4"	36' 3 1/4"	25' 3 1/4"	39' 6 1/4"	23' 7"	45' 1"
29'	25' 9 1/4"	34' 9 3/4"	24' 6 3/4"	37' 9 1/2"	22' 11 1/2"	42' 10"
28'	24' 11 3/4"	33' 4 1/2"	23' 10"	36' 1 1/4"	22' 4"	40' 8"
27'	24' 2 1/4"	31' 11 1/2"	23' 1 1/4"	34' 5 1/4"	21' 8 1/2"	38' 6 3/4"
26'	23' 4 3/4"	30' 6 1/2"	22' 4 1/2"	32' 9 3/4"	21' 3/4"	36' 6 1/2"
25'	22' 7"	29' 2"	21' 7 3/4"	31' 2 3/4"	20' 4 3/4"	34' 7"
24'	21' 9 1/4"	27' 9 3/4"	20' 10 3/4"	29' 8"	19' 8 3/4"	32' 8"
23'	20' 11 1/4"	26' 5 3/4"	20' 1 1/2"	28' 1 3/4"	19' 3/4"	30' 10"
22'	20' 1 1/4"	25' 1 3/4"	19' 4 1/4"	26' 7 3/4"	18' 4 1/2"	29' 1/2"
21'	19' 3 1/4"	23' 10"	18' 7"	25' 2 1/4"	17' 8"	27' 3 3/4"
20'	18' 5 1/4"	22' 6 3/4"	17' 9 3/4"	23' 9"	16' 11 1/2"	25' 7 1/2"
19'	17' 7"	21' 3 1/2"	17' 1/4"	22' 4 1/4"	16' 3"	24'
18'	16' 8 3/4"	20' 1/2"	16' 2 1/2"	20' 11 1/2"	15' 6 1/4"	22' 4 3/4"
17'	15' 10 1/4"	18' 9 1/2"	15' 4 3/4"	19' 7 1/4"	14' 9 1/4"	20' 10 1/4"
16'	15'	17' 7"	14' 7"	18' 3 1/2"	14' 1/4"	19' 4 1/4"
15'	14' 1 1/4"	16' 4 1/2"	13' 9"	16' 11 3/4"	13' 3"	17' 10 3/4"
14' 6"	13' 8"	15' 9 1/4"	13' 4"	16' 4"	12' 10 1/4"	17' 2 1/4"
14'	13' 2 3/4"	15' 2 1/4"	12' 11"	15' 8 1/2"	12' 5 1/2"	16' 5 3/4"

COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
13' 6"	12' 9 1/4"	14' 7"	12' 5 3/4"	15' 3/4"	12' 1"	15' 9 1/2"
13'	12' 4"	14'	12' 3/4"	14' 5 1/4"	11' 8"	15' 1 1/4"
12' 6"	11' 10 1/2"	13' 5"	11' 7 1/2"	13' 10"	11' 3 1/4"	14' 5"
12'	11' 5 1/4"	12' 10 1/4"	11' 2 1/4"	13' 2 1/2"	10' 10 1/2"	13' 9"
11' 6"	10' 11 3/4"	12' 3 1/4"	10' 9 1/4"	12' 7 1/4"	10' 5 1/2"	13' 1 1/4"
11'	10' 6 1/4"	11' 8 1/2"	10' 4"	12'	10' 1/2"	12' 5 1/4"
10' 6"	10' 3/4"	11' 1 1/2"	9' 10 1/2"	11' 4 3/4"	9' 7 1/2"	11' 9 3/4"
10'	9' 7 1/4"	10' 6 3/4"	9' 5 1/4"	10' 9 3/4"	9' 2 1/2"	11' 2"
9' 9"	9' 4 1/2"	10' 3 1/2"	9' 2 3/4"	10' 6 1/4"	9'	10' 10 1/4"
9' 6"	9' 1 3/4"	10'	9'	10' 2 3/4"	8' 9 1/2"	10' 6 1/2"
9' 3"	8' 11"	9' 8 3/4"	8' 9 1/4"	9' 11 1/4"	8' 7"	10' 2 3/4"
9'	8' 8 1/4"	9' 5 1/2"	8' 6 1/2"	9' 7 3/4"	8' 4 1/4"	9' 11"
8' 9"	8' 5 1/2"	9' 2"	8' 4"	9' 4 1/4"	8' 1 3/4"	9' 7 1/2"
8' 6"	8' 2 3/4"	8' 10 3/4"	8' 1 1/4"	9' 3/4"	7' 11 1/4"	9' 3 3/4"
8' 3"	7' 11 3/4"	8' 7 1/2"	7' 10 1/2"	8' 9 1/2"	7' 8 1/2"	9' 1/4"
8'	7' 9"	8' 4 1/4"	7' 7 3/4"	8' 6"	7' 6"	8' 8 1/2"
7' 9"	7' 6 1/4"	8' 1"	7' 5"	8' 2 1/2"	7' 3 1/4"	8' 5"
7' 6"	7' 3 1/2"	7' 9 3/4"	7' 2 1/4"	7' 11 1/4"	7' 3/4"	8' 1 1/2"
7' 3"	7' 1/2"	7' 6 1/2"	6' 11 1/2"	7' 7 3/4"	6' 10"	7' 9 3/4"
7'	6' 9 3/4"	7' 3 1/4"	6' 8 3/4"	7' 4 1/2"	6' 7 1/2"	7' 6 1/4"
6' 9"	6' 7"	7'	6' 6"	7' 1"	6' 4 3/4"	7' 2 3/4"
6' 6"	6' 4"	6' 8 3/4"	6' 3 1/4"	6' 9 3/4"	6' 2"	6' 11 1/4"
6' 3"	6' 1 1/4"	6' 5 1/2"	6' 1/2"	6' 6 1/2"	5' 11 1/2"	6' 8"
6'	5' 10 1/2"	6' 2 1/4"	5' 9 3/4"	6' 3 1/4"	5' 8 3/4"	6' 4 1/2"
5' 9"	5' 7 1/2"	5' 11"	5' 7"	6'	5' 6"	6' 1"
5' 6"	5' 4 3/4"	5' 7 3/4"	5' 4"	5' 8 1/2"	5' 3 1/4"	5' 9 3/4"
5' 3"	5' 1 3/4"	5' 4 3/4"	5' 1 1/4"	5' 5 1/4"	5' 1/2"	5' 6 1/4"
5'	4' 11"	5' 1 1/2"	4' 10 1/2"	5' 2"	4' 9 3/4"	5' 3"
4' 9"	4' 8"	4' 10 1/4"	4' 7 1/2"	4' 10 3/4"	4' 7"	4' 11 3/4"
4' 6"	4' 5 1/4"	4' 7 1/4"	4' 4 3/4"	4' 7 3/4"	4' 4 1/4"	4' 8 1/4"
4' 3"	4' 2 1/4"	4' 4"	4' 2"	4' 4 1/2"	4' 1 1/2"	4' 5"
4'	3' 11 1/4"	4' 1"	3' 11"	4' 1 1/4"	3' 10 1/2"	4' 1 3/4"
3' 9"	3' 8 1/2"	3' 9 3/4"	3' 8 1/4"	3' 10"	3' 7 3/4"	3' 10 1/2"
3' 6"	3' 5 1/2"	3' 6 3/4"	3' 5 1/4"	3' 7"	3' 5"	3' 7 1/4"
3' 3"	3' 2 1/2"	3' 3 1/2"	3' 2 1/2"	3' 3 3/4"	3' 2 1/4"	3' 4"
3'	2' 11 3/4"	3' 1/2"	2' 11 1/2"	3' 3/4"	2' 11 1/4"	3' 1"
2' 9"	2' 8 3/4"	2' 9 1/4"	2' 8 1/2"	2' 9 1/2"	2' 8 1/2"	2' 9 3/4"
2' 6"	2' 5 3/4"	2' 6 1/4"	2' 5 3/4"	2' 6 1/2"	2' 5 1/2"	2' 6 1/2"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	73' 11 3/4"	INF	51' 4 1/4"	INF
300'	59' 5 3/4"	INF	43' 11 1/2"	INF
250'	57' 2 3/4"	INF	42' 8 3/4"	INF
200'	54' 2"	INF	41'	INF
190'	53' 5"	INF	40' 7"	INF
180'	52' 7 1/4"	INF	40' 1 1/4"	INF
170'	51' 8 3/4"	INF	39' 7 1/4"	INF
160'	50' 9 1/4"	INF	39' 1/2"	INF
150'	49' 8 3/4"	INF	38' 5"	INF
140'	48' 7 1/4"	INF	37' 9"	INF
130'	47' 4 1/4"	INF	36' 11 3/4"	INF
120'	45' 11 1/2"	INF	36' 1 3/4"	INF
110'	44' 5 1/4"	INF	35' 2 1/4"	INF
100'	42' 8 3/4"	INF	34' 1 1/2"	INF
90'	40' 9 3/4"	INF	32' 10 3/4"	INF
80'	38' 7 3/4"	INF	31' 5 3/4"	INF
70'	36' 2 1/4"	INF	29' 10"	INF
60'	33' 4"	INF	27' 10 1/2"	INF
50'	30' 1/2"	230' 3 3/4"	25' 6 1/2"	INF
45'	28' 2 1/4"	151' 7 1/4"	24' 2 1/4"	INF
40'	26' 1 3/4"	106' 2 3/4"	22' 8 1/4"	304' 5"
35'	23' 11 1/4"	76' 8 1/2"	21' 1/4"	144' 4 1/2"
30'	21' 6 1/4"	55' 11 3/4"	19' 1 3/4"	84' 10 1/2"
29'	21'	52' 6 1/2"	18' 8 3/4"	77' 2 1/4"
28'	20' 5 3/4"	49' 3 3/4"	18' 3 3/4"	70' 4 1/2"
27'	19' 11 1/4"	46' 3"	17' 10 3/4"	64' 3 1/4"
26'	19' 4 3/4"	43' 4 1/4"	17' 5 1/2"	58' 9 1/2"
25'	18' 10 1/4"	40' 7 1/4"	17'	53' 9 3/4"
24'	18' 3 1/4"	38'	16' 6 1/2"	49' 3 3/4"
23'	17' 8 1/4"	35' 6 1/4"	16' 3/4"	45' 2 1/4"
22'	17' 1 1/4"	33' 2"	15' 7"	41' 5"
21'	16' 6"	30' 11"	15' 1"	37' 11 1/2"
20'	15' 10 1/2"	28' 9"	14' 6 3/4"	34' 9"
19'	15' 3"	26' 8 1/2"	14' 1/2"	31' 9 1/2"
18'	14' 7 1/4"	24' 9"	13' 6"	29' 1/2"
17'	13' 11 1/2"	22' 10 1/2"	12' 11 1/4"	26' 5 3/4"
16'	13' 3 1/4"	21' 1"	12' 4 1/4"	24' 1"
15'	12' 7"	19' 4 1/4"	11' 9"	21' 10 1/4"
14' 6"	12' 2 3/4"	18' 6 1/4"	11' 5 1/2"	20' 9 1/2"
14'	11' 10 1/2"	17' 8 1/4"	11' 1 3/4"	19' 9"



COMPACT PRIME CP.3 100mm/T2.1 CF T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
13' 6"	11' 6 1/4"	16' 10 3/4"	10' 10"	18' 9"
13'	11' 2"	16' 1 1/4"	10' 6 1/4"	17' 9 1/2"
12' 6"	10' 9 1/2"	15' 4"	10' 2 1/4"	16' 10"
12'	10' 5"	14' 7"	9' 10 1/4"	15' 11 1/4"
11' 6"	10' 1/2"	13' 10"	9' 6 1/4"	15' 1 1/2"
11'	9' 8"	13' 1 1/4"	9' 2 1/4"	14' 2 1/4"
10' 6"	9' 3 1/2"	12' 4 3/4"	8' 10"	13' 4 1/4"
10'	8' 10 3/4"	11' 8 1/2"	8' 5 3/4"	12' 6 1/2"
9' 9"	8' 8 1/2"	11' 4 1/4"	8' 3 3/4"	12' 1 3/4"
9' 6"	8' 6"	11' 1/4"	8' 1 1/2"	11' 9"
9' 3"	8' 3 3/4"	10' 8"	7' 11 1/2"	11' 4 1/4"
9'	8' 1 1/4"	10' 4"	7' 9 1/4"	10' 11 3/4"
8' 9"	7' 10 3/4"	10'	7' 7"	10' 7 1/4"
8' 6"	7' 8 1/2"	9' 8"	7' 4 3/4"	10' 2 3/4"
8' 3"	7' 6"	9' 4 1/4"	7' 2 1/2"	9' 10 1/4"
8'	7' 3 1/2"	9' 1/4"	7' 1/4"	9' 6"
7' 9"	7' 1"	8' 8 1/2"	6' 10"	9' 1 3/4"
7' 6"	6' 10 1/2"	8' 4 1/2"	6' 7 3/4"	8' 9 1/2"
7' 3"	6' 8"	8' 3/4"	6' 5 1/4"	8' 5 1/4"
7'	6' 5 1/2"	7' 9"	6' 3"	8' 1 1/4"
6' 9"	6' 3"	7' 5 1/4"	6' 3/4"	7' 9"
6' 6"	6' 1/2"	7' 1 3/4"	5' 10 1/4"	7' 5"
6' 3"	5' 10"	6' 10"	5' 7 3/4"	7' 1 1/4"
6'	5' 7 1/4"	6' 6 1/2"	5' 5 1/2"	6' 9 1/4"
5' 9"	5' 4 3/4"	6' 2 3/4"	5' 3"	6' 5 1/4"
5' 6"	5' 2"	5' 11 1/4"	5' 1/2"	6' 1 1/2"
5' 3"	4' 11 1/2"	5' 7 3/4"	4' 10"	5' 9 3/4"
5'	4' 8 3/4"	5' 4 1/4"	4' 7 1/2"	5' 6"
4' 9"	4' 6 1/4"	5' 3/4"	4' 5"	5' 2 1/4"
4' 6"	4' 3 1/2"	4' 9 1/4"	4' 2 1/2"	4' 10 3/4"
4' 3"	4' 3/4"	4' 6"	3' 11 3/4"	4' 7"
4'	3' 10"	4' 2 1/2"	3' 9 1/4"	4' 3 1/2"
3' 9"	3' 7 1/4"	3' 11 1/4"	3' 6 1/2"	4'
3' 6"	3' 4 1/2"	3' 7 3/4"	3' 4"	3' 8 1/2"
3' 3"	3' 1 3/4"	3' 4 1/2"	3' 1 1/4"	3' 5 1/4"
3'	2' 11"	3' 1 1/4"	2' 10 1/2"	3' 1 3/4"
2' 9"	2' 8 1/4"	2' 10"	2' 7 3/4"	2' 10 1/2"
2' 6"	2' 5 1/4"	2' 6 3/4"	2' 5"	2' 7"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	2,1		2,8		4	
feet	from	to	from	to	from	to
INF	979' 3"	INF	799' 11 1/4"	INF	555' 6"	INF
200'	166' 2 1/2"	256' 6 1/4"	160' 1 3/4"	290' 6"	147' 3"	351' 8 1/2"
100'	90' 9 1/2"	112' 4"	88' 11 3/4"	118' 4"	84' 10 1/2"	127' 3 3/4"
60'	56' 7"	64' 2 1/2"	55' 10 1/2"	66' 1 1/4"	54' 2 3/4"	68' 9 1/2"
40'	38' 5 1/2"	41' 9 3/4"	38' 1 3/4"	42' 7 1/4"	37' 4 1/2"	43' 8 1/4"
30'	29' 1 1/2"	31'	28' 11 1/2"	31' 5"	28' 6 1/4"	32'
25'	24' 4 3/4"	25' 8 1/4"	24' 3 1/4"	25' 11 3/4"	23' 11 1/2"	26' 4 1/2"
20'	19' 7 1/4"	20' 5 1/4"	19' 6 1/2"	20' 7 1/4"	19' 4"	20' 10 1/4"
18'	17' 8 1/4"	18' 4 1/4"	17' 7 1/2"	18' 6"	17' 5 1/2"	18' 8 1/4"
16'	15' 9"	16' 3 1/4"	15' 8 1/2"	16' 4 1/2"	15' 7"	16' 6 1/2"
15'	14' 9 1/2"	15' 2 3/4"	14' 9"	15' 4"	14' 7 1/2"	15' 5 1/2"
14'	13' 9 3/4"	14' 2 1/2"	13' 9 1/4"	14' 3 1/2"	13' 8 1/4"	14' 4 3/4"
13'	12' 10"	13' 2 1/4"	12' 9 3/4"	13' 3"	12' 8 3/4"	13' 4 1/4"
12'	11' 10 1/4"	12' 1 3/4"	11' 10"	12' 2 1/2"	11' 9 1/4"	12' 3 1/2"
11'	10' 10 3/4"	11' 1 1/2"	10' 10 1/4"	11' 2"	10' 9 3/4"	11' 3"
10'	9' 11"	10' 1 1/4"	9' 10 3/4"	10' 1 3/4"	9' 10"	10' 2 1/4"
9' 6"	9' 5"	9' 7"	9' 4 3/4"	9' 7 1/2"	9' 4 1/4"	9' 8"
9'	8' 11"	9' 1"	8' 11"	9' 1 1/4"	8' 10 1/2"	9' 2"
8' 6"	8' 5 1/4"	8' 6 3/4"	8' 5"	8' 7 1/4"	8' 4 3/4"	8' 7 3/4"
8'	7' 11 1/4"	8' 3/4"	7' 11 1/4"	8' 1"	7' 10 3/4"	8' 1 1/2"
7' 6"	7' 5 1/2"	7' 6 3/4"	7' 5 1/4"	7' 7"	7' 5"	7' 7 1/4"
7'	6' 11 1/2"	7' 1/2"	6' 11 1/4"	7' 3/4"	6' 11"	7' 1"
6' 9"	6' 8 1/2"	6' 9 1/2"	6' 8 1/2"	6' 9 3/4"	6' 8 1/4"	6' 10"
6' 6"	6' 5 1/2"	6' 6 1/2"	6' 5 1/2"	6' 6 3/4"	6' 5 1/4"	6' 7"
6' 3"	6' 2 1/2"	6' 3 1/2"	6' 2 1/2"	6' 3 1/2"	6' 2 1/4"	6' 3 3/4"
6'	5' 11 1/2"	6' 1/2"	5' 11 1/2"	6' 1/2"	5' 11 1/4"	6' 3/4"
5' 9"	5' 8 3/4"	5' 9 1/2"	5' 8 1/2"	5' 9 1/2"	5' 8 1/2"	5' 9 3/4"
5' 6"	5' 5 3/4"	5' 6 1/4"	5' 5 3/4"	5' 6 1/2"	5' 5 1/2"	5' 6 3/4"
5' 3"	5' 2 3/4"	5' 3 1/4"	5' 2 3/4"	5' 3 1/2"	5' 2 1/2"	5' 3 1/2"
5'	4' 11 3/4"	5' 1/4"	4' 11 3/4"	5' 1/4"	4' 11 1/2"	5' 1/2"
4' 9"	4' 8 3/4"	4' 9 1/4"	4' 8 3/4"	4' 9 1/4"	4' 8 1/2"	4' 9 1/2"
4' 6"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/4"	4' 5 3/4"	4' 6 1/2"
4' 3"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"	4' 2 3/4"	4' 3 1/4"
4'	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/4"	3' 11 3/4"	4' 1/4"
3' 9"	8,00	3' 9 1/4"	11,00	3' 9 1/4"	16,00	3' 9 1/4"
3' 6"	3' 6"	3' 6"	3' 5 3/4"	3' 6 1/4"	3' 5 3/4"	3' 6 1/4"
3' 3"	3' 3"	3' 3"	3' 3"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop					
	5,6		8		11	
feet	from	to	from	to	from	to
INF	386' 1/2"	INF	268' 5"	INF	187' 2"	INF
200'	131' 11 1/2"	499'	114' 10 1/4"	1202' 11"	96' 11 1/4"	INF
100'	79' 7"	142' 5 1/4"	73' 3/4"	170' 10"	65' 5"	237' 3 3/4"
60'	52' 1/2"	72' 11 1/4"	49' 2 1/4"	79' 8 1/4"	45' 7 1/2"	91' 6 3/4"
40'	36' 4"	45' 3 3/4"	34' 11"	47' 9 1/2"	33' 1 1/4"	51' 9 1/2"
30'	27' 10 3/4"	32' 10 1/4"	27' 1"	34' 1 3/4"	25' 11 3/4"	36' 1 1/4"
25'	23' 6 1/2"	26' 11 1/4"	22' 11 1/2"	27' 9 1/2"	22' 2"	29' 3/4"
20'	19' 3/4"	21' 2 1/2"	18' 8 1/4"	21' 8 3/4"	18' 2"	22' 6"
18'	17' 3"	18' 11 1/2"	16' 11 1/4"	19' 4 1/2"	16' 6"	19' 11 3/4"
16'	15' 4 3/4"	16' 9"	15' 1 3/4"	17' 3/4"	14' 9 3/4"	17' 6 1/4"
15'	14' 5 3/4"	15' 8"	14' 3"	15' 11 1/4"	13' 11 1/2"	16' 4"
14'	13' 6 1/2"	14' 6 3/4"	13' 4 1/4"	14' 9 1/2"	13' 1"	15' 1 3/4"
13'	12' 7 1/4"	13' 5 3/4"	12' 5 1/4"	13' 8 1/4"	12' 2 1/2"	13' 11 3/4"
12'	11' 8"	12' 5"	11' 6 1/4"	12' 7"	11' 4"	12' 9 3/4"
11'	10' 8 3/4"	11' 4"	10' 7 1/4"	11' 5 3/4"	10' 5 1/4"	11' 8 1/4"
10'	9' 9 1/4"	10' 3 1/4"	9' 8"	10' 4 3/4"	9' 6 1/2"	10' 6 1/2"
9' 6"	9' 3 1/2"	9' 9"	9' 2 1/2"	9' 10 1/4"	9' 1"	10'
9'	8' 9 3/4"	9' 2 3/4"	8' 9"	9' 3 3/4"	8' 7 1/2"	9' 5 1/4"
8' 6"	8' 4"	8' 8 1/4"	8' 3 1/4"	8' 9 1/4"	8' 2"	8' 10 3/4"
8'	7' 10 1/4"	8' 2"	7' 9 1/2"	8' 2 3/4"	7' 8 1/2"	8' 4"
7' 6"	7' 4 1/2"	7' 7 3/4"	7' 4"	7' 8 1/2"	7' 3"	7' 9 1/2"
7'	6' 10 3/4"	7' 1 1/2"	6' 10 1/4"	7' 2 1/4"	6' 9 1/2"	7' 3"
6' 9"	6' 7 3/4"	6' 10 1/2"	6' 7 1/4"	6' 11"	6' 6 1/2"	6' 11 3/4"
6' 6"	6' 5"	6' 7 1/4"	6' 4 1/2"	6' 7 3/4"	6' 3 3/4"	6' 8 1/2"
6' 3"	6' 2"	6' 4 1/4"	6' 1 1/2"	6' 4 3/4"	6' 1"	6' 5 1/4"
6'	5' 11"	6' 1"	5' 10 3/4"	6' 1 1/2"	5' 10 1/4"	6' 2 1/4"
5' 9"	5' 8 1/4"	5' 10"	5' 7 3/4"	5' 10 1/4"	5' 7 1/4"	5' 11"
5' 6"	5' 5 1/4"	5' 7"	5' 5"	5' 7 1/4"	5' 4 1/2"	5' 7 3/4"
5' 3"	5' 2 1/4"	5' 3 3/4"	5' 2"	5' 4"	5' 1 1/2"	5' 4 1/2"
5'	4' 11 1/2"	5' 3/4"	4' 11 1/4"	5' 1"	4' 10 3/4"	5' 1 1/2"
4' 9"	4' 8 1/2"	4' 9 3/4"	4' 8 1/4"	4' 10"	4' 8"	4' 10 1/4"
4' 6"	4' 5 1/2"	4' 6 1/2"	4' 5 1/4"	4' 6 3/4"	4' 5"	4' 7"
4' 3"	4' 2 1/2"	4' 3 1/2"	4' 2 1/2"	4' 3 3/4"	4' 2 1/4"	4' 4"
4'	3' 11 3/4"	4' 1/2"	3' 11 1/2"	4' 1/2"	3' 11 1/4"	4' 3/4"
3' 9"	3' 8 3/4"	3' 9 1/4"	3' 8 1/2"	3' 9 1/2"	3' 8 1/4"	3' 9 3/4"
3' 6"	3' 5 3/4"	3' 6 1/4"	3' 5 1/2"	3' 6 1/2"	3' 5 1/2"	3' 6 1/2"
3' 3"	3' 2 3/4"	3' 3 1/4"	3' 2 3/4"	3' 3 1/4"	3' 2 1/2"	3' 3 1/2"



COMPACT PRIME CP.3 135mm/T2.1 T*

circle of confusion: 0.030 mm

Engraving	T-Stop			
	16		22	
feet	from	to	from	to
INF	131' 1/4"	INF	92' 3/4"	INF
200'	79' 4 3/4"	INF	63' 3 1/4"	INF
100'	56' 11 1/2"	527' 7 1/2"	48' 2 1/4"	INF
60'	41' 4 1/2"	116' 1/4"	36' 7"	186' 9 1/2"
40'	30' 10"	58' 8 3/4"	28' 1 1/4"	72' 6 1/4"
30'	24' 6 3/4"	39' 3 3/4"	22' 9 3/4"	45'
25'	21' 1 1/2"	31' 1 1/4"	19' 10"	34' 6 1/4"
20'	17' 5 3/4"	23' 8"	16' 7"	25' 7"
18'	15' 11 1/4"	20' 10 3/4"	15' 2 1/2"	22' 4 1/4"
16'	14' 4 1/4"	18' 2 3/4"	13' 9 1/4"	19' 4"
15'	13' 6 3/4"	16' 11 1/4"	13' 1/4"	17' 10 1/2"
14'	12' 8 3/4"	15' 8"	12' 3 1/4"	16' 5 1/2"
13'	11' 11"	14' 5"	11' 6"	15' 3/4"
12'	11' 1"	13' 2 1/4"	10' 8 3/4"	13' 8 3/4"
11'	10' 2 3/4"	11' 11 3/4"	9' 11"	12' 5"
10'	9' 4 1/4"	10' 9 1/2"	9' 1 1/4"	11' 1 3/4"
9' 6"	8' 11"	10' 2 1/2"	8' 8 1/2"	10' 6 1/4"
9'	8' 5 3/4"	9' 7 1/2"	8' 3 1/2"	9' 10 3/4"
8' 6"	8' 1/2"	9' 1/2"	7' 10 1/4"	9' 3 1/2"
8'	7' 7 1/4"	8' 5 3/4"	7' 5 1/4"	8' 8 1/4"
7' 6"	7' 1 3/4"	7' 11"	7'	8' 1 1/4"
7'	6' 8 1/4"	7' 4 1/4"	6' 7"	7' 6 1/4"
6' 9"	6' 5 1/2"	7' 1"	6' 4 1/4"	7' 2 3/4"
6' 6"	6' 3"	6' 9 3/4"	6' 1 3/4"	6' 11 1/4"
6' 3"	6' 1/4"	6' 6 1/4"	5' 11"	6' 7 3/4"
6'	5' 9 1/2"	6' 3"	5' 8 1/4"	6' 4 1/4"
5' 9"	5' 6 1/2"	5' 11 3/4"	5' 5 3/4"	6' 1"
5' 6"	5' 3 3/4"	5' 8 1/2"	5' 3"	5' 9 1/2"
5' 3"	5' 1"	5' 5 1/4"	5' 1/4"	5' 6 1/4"
5'	4' 10 1/4"	5' 2"	4' 9 1/2"	5' 2 3/4"
4' 9"	4' 7 1/2"	4' 10 3/4"	4' 6 3/4"	4' 11 1/2"
4' 6"	4' 4 1/2"	4' 7 1/2"	4' 4"	4' 8 1/4"
4' 3"	4' 1 3/4"	4' 4 1/4"	4' 1 1/4"	4' 5"
4'	3' 11"	4' 1 1/4"	3' 10 1/2"	4' 1 3/4"
3' 9"	3' 8"	3' 10"	3' 7 3/4"	3' 10 1/2"
3' 6"	3' 5 1/4"	3' 6 3/4"	3' 5"	3' 7 1/4"
3' 3"	3' 2 1/4"	3' 3 3/4"	3' 2"	3' 4"



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: zsf@nt-rt.ru || сайт: <https://zeiss.nt-rt.ru/>